

2024

# Prescription Drug Guide

## **Humana Medicare Employer Plan Formulary**

List of covered drugs

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN.

66

Formulary 24805 Version 1

This formulary was updated on 08/01/2024. For more recent information or other questions, please contact the Humana Medicare Employer Plan with any questions at the number on the back of your membership card or for TTY users, 711, Monday through Friday, from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day, 7 days a week, by visiting **Humana.com**.

**Humana**<sup>®</sup>



# Welcome to The Humana Medicare Employer Plan!

When this drug list (formulary) refers to "we," "us", or "our," it means Humana. When it refers to "plan" or "our plan," it means the Humana Medicare Employer Plan. This document includes a list of the drugs (formulary) for our plan which is current as of August 2024. For an updated formulary, please contact us on our website at [Humana.com/PlanDocuments](https://Humana.com/PlanDocuments) or you can call the number below to request a paper copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages. You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1 of each year, and from time to time during the year.

## What is the Humana Medicare Employer formulary?

A formulary is the entire list of covered drugs or medicines selected by the Humana Medicare Employer Plan. The terms formulary and Drug List may be used interchangeably throughout communications regarding changes to your pharmacy benefits. The Humana Medicare Employer Plan worked with a team of doctors and pharmacists to make a formulary that represents the prescription drugs we think you need for a quality treatment program. The Humana Medicare Employer Plan will generally cover the drugs listed in the formulary as long as the drug is medically necessary, the prescription is filled at a Humana Medicare Employer Plan network pharmacy, and other plan rules are followed. For more information on how to fill your medicines, please review your Evidence of Coverage.

If you are thinking about enrolling in a Humana Medicare Employer Plan and need help or information, call the Group Medicare Customer Care number listed in your enrollment materials. If you are a current member, call the number listed in your Annual Notice of Change (ANOC) or Evidence of Coverage (EOC), or call the number on the back of your Humana member identification card Monday through Friday from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays.

## Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled "How do I request an exception to the Humana formulary?"
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization,

quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

We will notify members who are affected by the following changes to the formulary:

- When a drug is removed from the formulary.
- When prior authorization, quantity limits, or step-therapy restrictions are added to a drug or made more restrictive.
- When a drug is moved to a higher cost sharing tier.

If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled "How do I request an exception to the Humana formulary?"

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

### **What if you are affected by a Drug List change?**

We will notify you by mail at least 30 days before one of these changes happens or we will provide a 30-day refill of the affected medicine with notice of the change.

The enclosed formulary is current as of August 2024. We will update the printed formularies each month and they will be available on [Humana.com/medicaredruglist](https://Humana.com/medicaredruglist).

To get updated information about the drugs that Humana covers, please visit [Humana.com/medicaredruglist](https://Humana.com/medicaredruglist).

### **How do I use the formulary?**

There are two ways to find your drug in the formulary:

#### **Medical condition**

The formulary starts on page 11. We have put the drugs into groups depending on the type of medical conditions that they are used to treat. For example, drugs that treat a heart condition are listed under the category "Cardiovascular Agents." If you know what medical condition your drug is used for, look for the category name in the list that begins on page 11. Then look under the category name for your drug. The formulary also lists the Tier and Utilization Management Requirements for each drug (see page 6 for more information on Utilization Management Requirements).

#### **Alphabetical listing**

If you are not sure about your drug's group, you should look for your drug in the Index that begins on page 198. The Index is an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed. Look in the Index to search for your drug. Next to each drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of the drug in the first column of the list.

Prescription drugs are grouped into one of five tiers.

The Humana Medicare Employer Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

- **Tier 1 - Preferred Generic:** Generic or brand drugs that are available at the lowest cost share for the plan
- **Tier 2 - Generic:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 1 Preferred Generic drugs
- **Tier 3 - Preferred Brand:** Generic or brand drugs that the plan offers at a lower cost to you than Tier 4 Non-Preferred drugs
- **Tier 4 - Non-Preferred Drug:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 3 Preferred Brand drugs
- **Tier 5 - Specialty Tier:** Some injectables and other high-cost drugs

### **How much will I pay for covered drugs?**

The Humana Medicare Employer Plan pays part of the costs for your covered drugs and you pay part of the costs, too.

### **The amount of money you pay depends on:**

- Which tier your drug is on
- Whether you fill your prescription at a network pharmacy
- Your current drug payment stage - please read your Evidence of Coverage (EOC) for more information

**If you qualified for extra help with your drug costs, your costs may be different from those described above. Please refer to your Evidence of Coverage (EOC) or call Group Medicare Customer Care to find out what your costs are.**

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These are called Utilization Management Requirements. These requirements and limits may include:

- **Prior Authorization (PA):** The Humana Medicare Employer Plan requires you to get prior authorization for certain drugs to be covered under your plan. This means that you will need to get approval from the Humana Medicare Employer Plan before you fill your prescriptions. If you do not get approval, the Humana Medicare Employer Plan may not cover the drug.
- **Quantity Limits (QL):** For some drugs, the Humana Medicare Employer Plan limits the amount of the drug that is covered. The Humana Medicare Employer Plan might limit how many refills you can get or how much of a drug you can get each time you fill your prescription. For example, if it is normally considered safe to take only one pill per day for a certain drug, we may limit coverage for your prescription to no more than one pill per day. Some drugs are limited to a 30-day supply regardless of tier placement.
- **Step Therapy (ST):** In some cases, the Humana Medicare Employer Plan requires that you first try certain drugs to treat your medical condition before coverage is available for another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, the Humana Medicare Employer Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, the Humana Medicare Employer Plan will then cover Drug B.
- **Part B versus Part D (B vs D):** Some drugs may be covered under Medicare Part B or Part D, depending upon the circumstances. Information may need to be submitted to the Humana Medicare Employer Plan that describes the use and the place where you receive and take the drug so a determination can be made.

For drugs that need prior authorization or step therapy, or drugs that fall outside of quantity limits, your health care provider can fax information about your condition and need for those drugs to the Humana Medicare Employer Plan at **1-877-486-2621**. Representatives are available Monday - Friday, 8 a.m. - 8 p.m. (EST).

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 11.

You can also visit **Humana.com/medicaredruglist** to get more information about the restrictions applied to specific covered drugs.

You can ask the Humana Medicare Employer Plan to make an exception to these restrictions or limits. See the section "**How do I request an exception to the Humana formulary?**" on page 7 for information about how to request an exception.

## **What if my drug is not on the formulary?**

If your drug is not included in this list of covered drugs, visit **Humana.com/medicaredruglist** to see if your plan covers your drug. You can also call Group Medicare Customer Care and ask if your drug is covered.

If the Humana Medicare Employer Plan does not cover your drug, you have two options:

- You can ask Group Medicare Customer Care for a list of similar drugs that the Humana Medicare Employer Plan covers. Show the list to your doctor and ask them to prescribe a similar drug that is covered by the Humana Medicare Employer Plan.
- You can ask the Humana Medicare Employer Plan to make an exception and cover your drug. See below for information about how to request an exception.

Talk to your health care provider to decide if you should switch to another drug that is covered or if you should request a formulary exception so that it can be considered for coverage.

## **How do I request an exception to the Humana formulary?**

You can ask the Humana Medicare Employer Plan to make an exception to the coverage rules. There are several types of exceptions that you can ask to be made.

- **Formulary exception:** You can request that your drug be covered if it is not on the formulary. If approved, this drug will be covered at a pre-determined cost sharing level, and you would not be able to ask us to provide the drug at a lower cost sharing level.
- **Utilization restriction exception:** You can request coverage restrictions or limits not be applied to your drug. For example, if your drug has a quantity limit, you can ask for the limit not to be applied and to cover more doses of the drug.
- **Tier exception:** You can request a higher level of coverage for your drug. For example, if your drug is usually considered a non-preferred drug, you can request it to be covered as a preferred drug instead. This would lower how much money you must pay for your drug. Please remember a higher level of coverage cannot be requested for the drug if approval was granted to cover a drug that was not on the formulary. *You can ask us to cover a formulary drug at a lower cost-sharing level, unless the drug is on the specialty tier.*

Generally, the Humana Medicare Employer Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost sharing drug, or other restrictions would not be as effective in treating your health condition and/or would cause adverse medical effects.

You should contact us to ask for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you ask for an exception, you should submit a statement from your health care provider that supports your request. This is called a supporting statement.**

Generally, we must make the decision within 72 hours of receiving your health care provider's supporting statement. You can request a fast, or expedited, exception if you or your health care provider thinks your health would seriously suffer if you wait as long as 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we receive your health care provider's supporting statement.

## **Will my plan cover my drugs if they are not on the formulary?**

You may take drugs that your plan does not cover, or you may talk to your provider about taking a different drug that your plan covers, but that drug might have a Utilization Management Requirement, such as a Prior Authorization or Step Therapy, that keeps you from getting the drug right away. In certain cases, we may cover as much as a 30-day supply of your drug during the first 90 days you are a member of the plan.

Here is what we will do for each of your current Part D drugs that are not on the formulary, or if you have limited ability to get your drugs:

- We will temporarily cover a 30-day supply of your drug unless you have a prescription written for fewer days (in which case we will allow multiple fills to provide up to a total of 30 days of a drug) when you go to a pharmacy.
- There will be no coverage for the drugs after your first 30-day supply, even if you have been a member of the plan for less than 90 days, unless a formulary exception has been approved.

If you are a resident of a long-term care facility and you take Part D drugs that are not on the formulary, we will cover a 31-day supply unless you have a prescription written for fewer days (in which case we will allow multiple fills to provide up to a total of 31 days of a drug) during the first 90 days you are a member of our plan. We will cover a 31-day emergency supply of your drug unless you have a prescription for fewer days (in which we will allow multiple fills to provide up to a total of 31 days of a drug) while you request a formulary exception if:

- You need a drug that is not on the formulary or
- You have limited ability to get your drugs and
- You are past the first 90 days of membership in the plan

Throughout the plan year, your treatment setting (the place where you receive and take your medicine) may change. These changes include:

- Members who are discharged from a hospital or skilled-nursing facility to a home setting
- Members who are admitted to a hospital or skilled-nursing facility from a home setting
- Members who transfer from one skilled-nursing facility to another and use a different pharmacy
- Members who end their skilled-nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who now need to use their Part D plan benefit
- Members who give up Hospice Status and go back to standard Medicare Part A and B coverage
- Members discharged from chronic psychiatric hospitals with highly individualized drug regimens

For these changes in treatment settings, the Humana Medicare Employer Plan will cover as much as a 31-day temporary supply of a Part D-covered drug when you fill your prescription at a pharmacy. If you change treatment settings multiple times within the same month, you may have to request an exception or prior authorization and receive approval for continued coverage of your drug. The Humana Medicare Employer Plan will review requests for continuation of therapy on a case-by-case basis understanding when you are on a stabilized drug regimen that, if changed, is known to have risks.

### **Transition extension**

The Humana Medicare Employer Plan will consider on a case-by-case basis an extension of the transition period if your exception request or appeal has not been processed by the end of your initial transition period. We will continue to provide necessary drugs to you if your transition period is extended.

A Transition Policy is available on Humana's Medicare website, **Humana.com**, in the same area where the Prescription Drug Guides are displayed.

### **CenterWell Pharmacy™**

You may fill your medicines at any network pharmacy. CenterWell Pharmacy – Humana's mail-delivery pharmacy is one option. To get started or learn more, visit **CenterWellPharmacy.com**. You can also call CenterWell Pharmacy at **1-844-222-2151 (TTY: 711)** Monday – Friday, 8 a.m. to 11 p.m. (EST), and Saturday, 8 a.m. to 6:30 p.m. (EST).

Other pharmacies are available in our network.

## For More Information

For more detailed information about your Humana Medicare Employer Plan prescription drug coverage, please read your Evidence of Coverage (EOC) and other plan materials.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)** 24 hours a day, seven days a week. **TTY** users should call **1-877-486-2048**. You can also visit **www.medicare.gov**.

# Humana Medicare Employer Plan Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by the Humana Medicare Employer Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 198.

Your Humana Medicare Employer plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D and are not subject to the Medicare appeals process. These drugs are listed separately on page 192.

## How to read your formulary

The first column of the chart lists categories of medical conditions in alphabetical order. The drug names are then listed in alphabetical order within each category. Brand-name drugs are CAPITALIZED and generic drugs are listed in lower-case italics. Next to the drug name or Utilization Management column, you may see an indicator to tell you about additional coverage information for that drug. You might see the following indicators:

**HI** - Home Infusion drugs that are covered in the gap.

**DL** - Dispensing Limit; Drugs that may be limited to a 30 day supply, regardless of tier placement.

**MO** - Drugs that are typically available through mail-order. Please contact your mail-order pharmacy to make sure your drug is available.

**LA** - Limited Access; The health plan has authorized certain pharmacies to dispense this medicine, as it requires extra handling, doctor coordination or patient education. Please call the number on the back of your ID card for additional information.

**CI** - Covered insulin products; Part D insulin products covered by your plan. For more information on cost sharing for your covered insulin products, please refer to your Evidence of Coverage.

**AV** - Advisory Committee on Immunization Practices (ACIP) Covered Part D vaccines; Part D vaccines recommended by ACIP for adults that may be available at no cost to you; additional restrictions may apply. For more information, please refer to your Evidence of Coverage.

**PDS** - Preferred Diabetic Supplies; BD and HTL- Droplet are the preferred diabetic syringe and pen needle brands for the plan.

The second column lists the tier of the drug. See page 5 for more details on the drug tiers in your plan.

The third column shows the Utilization Management Requirements for the drug. The Humana Medicare Employer Plan may have special requirements for covering that drug. If the column is blank, then there are no utilization requirements for that drug. The supply for each drug is based on benefits and whether your health care provider prescribes a supply for 30, 60, or 90 days. The amount of any quantity limits will also be in this column (Example: "QL - 30 for 30 days" means you can only get 30 doses every 30 days). See page 6 for more information about these requirements.

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>ANALGESICS</b>		
acetaminophen-caff-dihydrocod 320.5-30-16 mg CAPSULE <b>DL</b>	2	QL(300 per 30 days)
acetaminophen-codeine 120 mg-12 mg /5 ml (5 ml), 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml SOLUTION <b>DL</b>	2	QL(2700 per 30 days)
acetaminophen-codeine 300-15 mg TABLET <b>DL</b>	2	QL(390 per 30 days)
acetaminophen-codeine 300-30 mg TABLET <b>DL</b>	2	QL(360 per 30 days)
acetaminophen-codeine 300-60 mg TABLET <b>DL</b>	2	QL(180 per 30 days)
ACTIQ 1,200 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG LOZENGE <b>DL</b>	5	PA,QL(120 per 30 days)
ANAPROX DS 550 MG TABLET <b>MO</b>	4	
APADAZ 4.08-325 MG, 6.12-325 MG, 8.16-325 MG TABLET <b>DL</b>	4	
ARTHROTEC 50 50-200 MG-MCG TABLET, IR, DR, BIPHASIC <b>MO</b>	4	PA
ARTHROTEC 75 75-200 MG-MCG TABLET, IR, DR, BIPHASIC <b>MO</b>	4	PA
ascomp with codeine 30-50-325-40 mg CAPSULE <b>DL</b>	2	QL(360 per 30 days)
BELBUCA 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG FILM <b>DL</b>	4	QL(60 per 30 days)
benzhydrocodone-acetaminophen 4.08-325 mg, 6.12-325 mg, 8.16-325 mg TABLET <b>DL</b>	4	
BUPRENEX 0.3 MG/ML SOLUTION <b>DL</b>	4	QL(240 per 30 days)
buprenorphine 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour PATCH, WEEKLY <b>DL</b>	2	PA,QL(4 per 28 days)
buprenorphine hcl 0.3 mg/ml SYRINGE <b>DL</b>	2	QL(240 per 30 days)
butalbital compound w/codeine 30-50-325-40 mg CAPSULE <b>DL</b>	2	QL(360 per 30 days)
butorphanol 1 mg/ml SOLUTION <b>DL</b>	2	QL(960 per 30 days)
butorphanol 10 mg/ml SPRAY, NON-AEROSOL <b>DL</b>	2	QL(5 per 28 days)
butorphanol 2 mg/ml SOLUTION <b>DL</b>	2	QL(480 per 30 days)
BUTTRANS 10 MCG/HOUR, 15 MCG/HOUR, 20 MCG/HOUR, 5 MCG/HOUR, 7.5 MCG/HOUR PATCH, WEEKLY <b>DL</b>	4	PA,QL(4 per 28 days)
CALDOLOR 800 MG/200 ML (4 MG/ML) PIGGYBACK <b>MO</b>	4	
CALDOLOR 800 MG/8 ML (100 MG/ML) RECON SOLUTION <b>MO</b>	4	
CAMBIA 50 MG POWDER IN PACKET <b>DL</b>	5	ST,QL(9 per 30 days)
cataflam 50 mg TABLET <b>MO</b>	2	
CELEBREX 100 MG, 200 MG, 400 MG, 50 MG CAPSULE <b>MO</b>	4	PA,QL(60 per 30 days)
celecoxib 100 mg, 200 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
celecoxib 400 mg, 50 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
codeine sulfate 15 mg, 30 mg TABLET <b>DL</b>	2	QL(360 per 30 days)
codeine sulfate 60 mg TABLET <b>DL</b>	2	QL(180 per 30 days)
codeine-butalbital-asa-caff 30-50-325-40 mg CAPSULE <b>DL</b>	2	QL(360 per 30 days)
CONZIP 100 MG, 200 MG, 300 MG CAPSULE, ER, BIPHASIC <b>DL</b>	4	ST,QL(30 per 30 days)
DAYPRO 600 MG TABLET <b>MO</b>	4	
DEMEROL 50 MG/ML SOLUTION <b>DL</b>	4	QL(720 per 30 days)
DEMEROL (PF) 100 MG/ML SYRINGE <b>DL</b>	4	QL(360 per 30 days)
DEMEROL (PF) 25 MG/ML SYRINGE <b>DL</b>	4	QL(1440 per 30 days)
DEMEROL (PF) 50 MG/ML SYRINGE <b>DL</b>	4	QL(720 per 30 days)
DEMEROL (PF) 75 MG/ML SYRINGE <b>DL</b>	4	QL(480 per 30 days)
diclofenac epolamine 1.3 % PATCH, 12 HR. <b>MO</b>	2	PA,QL(60 per 30 days)
diclofenac potassium 25 mg CAPSULE <b>MO</b>	4	ST,QL(120 per 30 days)
diclofenac potassium 25 mg TABLET <b>DL</b>	5	
diclofenac potassium 50 mg POWDER IN PACKET <b>MO</b>	4	ST,QL(9 per 30 days)
diclofenac potassium 50 mg TABLET <b>MO</b>	2	
diclofenac sodium 1 % GEL <b>MO</b>	2	QL(1000 per 30 days)
diclofenac sodium 1.5 % DROPS <b>MO</b>	2	PA,QL(300 per 30 days)
diclofenac sodium 100 mg TABLET, ER 24 HR. <b>MO</b>	2	
diclofenac sodium 20 mg/gram /actuation(2 %) SOLUTION IN METERED DOSE PUMP <b>DL</b>	5	PA,QL(224 per 28 days)
diclofenac sodium 25 mg TABLET, DR/EC <b>MO</b>	2	
diclofenac sodium 50 mg TABLET, DR/EC <b>MO</b>	1	
diclofenac sodium 75 mg TABLET, DR/EC <b>MO</b>	1	
diclofenac-misoprostol 50-200 mg-mcg, 75-200 mg-mcg TABLET, IR, DR, BIPHASIC <b>MO</b>	2	
diflunisal 500 mg TABLET <b>MO</b>	2	
DILAUDID 1 MG/ML LIQUID <b>DL</b>	4	PA,QL(2400 per 30 days)
DILAUDID 2 MG, 4 MG TABLET <b>DL</b>	4	PA,QL(360 per 30 days)
DILAUDID 8 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
DUEXIS 800-26.6 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
DURAMORPH (PF) 0.5 MG/ML SOLUTION <b>DL</b>	4	BvsD,QL(7200 per 30 days)
DURAMORPH (PF) 1 MG/ML SOLUTION <b>DL</b>	4	BvsD,QL(3600 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EC-NAPROSYN 375 MG, 500 MG TABLET, DR/EC <b>MO</b>	4	PA
ec-naproxen 375 mg TABLET, DR/EC <b>MO</b>	4	PA
ec-naproxen 500 mg TABLET, DR/EC <b>MO</b>	1	
endocet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg TABLET <b>DL</b>	2	QL(360 per 30 days)
etodolac 200 mg, 300 mg CAPSULE <b>MO</b>	2	
etodolac 400 mg, 500 mg TABLET <b>MO</b>	2	
etodolac 400 mg, 500 mg, 600 mg TABLET, ER 24 HR. <b>MO</b>	2	
FELDENE 10 MG, 20 MG CAPSULE <b>MO</b>	4	
fenoprofen 200 mg, 400 mg CAPSULE <b>MO</b>	2	ST
fenoprofen 600 mg TABLET <b>MO</b>	2	ST
fentanyl 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour PATCH. 72 HR. <b>DL</b>	2	QL(20 per 30 days)
fentanyl citrate 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg LOZENGE <b>DL</b>	5	PA,QL(120 per 30 days)
fentanyl citrate 100 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg TABLET, EFFERVESCENT <b>DL</b>	5	PA,QL(120 per 30 days)
fentanyl citrate 200 mcg LOZENGE <b>DL</b>	2	PA,QL(120 per 30 days)
fentanyl citrate (pf) 50 mcg/ml SOLUTION <b>DL</b>	2	BvsD,QL(720 per 30 days)
FENTORA 100 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET, EFFERVESCENT <b>DL</b>	5	PA,QL(120 per 30 days)
FLECTOR 1.3 % PATCH, 12 HR. <b>MO</b>	4	PA,QL(60 per 30 days)
flurbiprofen 100 mg TABLET <b>MO</b>	2	
hydrocodone bitartrate 10 mg, 15 mg, 20 mg, 30 mg, 40 mg CAPSULE, ER 12 HR. <b>DL</b>	2	ST,QL(90 per 30 days)
hydrocodone bitartrate 100 mg, 120 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg TABLET, ER 24 HR. <b>DL</b>	2	ST,QL(30 per 30 days)
hydrocodone bitartrate 50 mg CAPSULE, ER 12 HR. <b>DL</b>	2	ST,QL(120 per 30 days)
hydrocodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET <b>DL</b>	2	QL(390 per 30 days)
hydrocodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET <b>DL</b>	2	QL(360 per 30 days)
hydrocodone-acetaminophen 10-325 mg/15 ml/(15 ml) SOLUTION <b>DL</b>	2	QL(2700 per 30 days)
hydrocodone-acetaminophen 2.5-325 mg TABLET <b>DL</b>	2	QL(360 per 30 days)
hydrocodone-acetaminophen 7.5-325 mg/15 ml SOLUTION <b>DL</b>	2	QL(5520 per 30 days)
hydrocodone-ibuprofen 10-200 mg, 5-200 mg, 7.5-200 mg TABLET <b>DL</b>	2	QL(150 per 30 days)
HYDROMORPHONE 0.25 MG/0.5 ML SYRINGE <b>DL</b>	2	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hydromorphone 0.5 mg/0.5 ml, 1 mg/ml SYRINGE <b>DL</b>	2	BvsD,QL(720 per 30 days)
hydromorphone 1 mg/ml LIQUID <b>DL</b>	2	QL(2400 per 30 days)
hydromorphone 1 mg/ml SOLUTION <b>DL</b>	2	BvsD,QL(720 per 30 days)
hydromorphone 12 mg TABLET, ER 24 HR. <b>DL</b>	2	ST,QL(180 per 30 days)
hydromorphone 16 mg TABLET, ER 24 HR. <b>DL</b>	2	ST,QL(120 per 30 days)
hydromorphone 2 mg, 4 mg TABLET <b>DL</b>	2	QL(360 per 30 days)
hydromorphone 2 mg/ml SOLUTION <b>DL</b>	2	BvsD,QL(360 per 30 days)
hydromorphone 2 mg/ml SYRINGE <b>DL</b>	2	BvsD,QL(360 per 30 days)
hydromorphone 32 mg TABLET, ER 24 HR. <b>DL</b>	2	ST,QL(60 per 30 days)
hydromorphone 4 mg/ml SYRINGE <b>DL</b>	2	BvsD,QL(180 per 30 days)
hydromorphone 8 mg TABLET <b>DL</b>	2	QL(240 per 30 days)
hydromorphone 8 mg TABLET, ER 24 HR. <b>DL</b>	2	ST,QL(240 per 30 days)
hydromorphone (pf) 0.2 mg/ml, 1 mg/ml, 2 mg/ml SYRINGE <b>DL</b>	2	BvsD
hydromorphone (pf) 1 mg/ml SOLUTION <b>DL</b>	2	BvsD,QL(720 per 30 days)
hydromorphone (pf) 10 mg/ml SOLUTION <b>DL</b>	2	BvsD,QL(144 per 30 days)
hydromorphone (pf) 4 mg/ml SOLUTION <b>DL</b>	2	BvsD,QL(180 per 30 days)
HYSINGLA ER 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG TABLET, ER 24 HR. <b>DL</b>	4	ST,QL(30 per 30 days)
ibu 400 mg, 600 mg, 800 mg TABLET <b>MO</b>	1	
ibuprofen 100 mg/5 ml SUSPENSION <b>MO</b>	2	
ibuprofen 400 mg TABLET <b>MO</b>	1	
ibuprofen 600 mg, 800 mg TABLET <b>MO</b>	1	
ibuprofen-famotidine 800-26.6 mg TABLET <b>MO</b>	2	PA,QL(90 per 30 days)
INDOCIN 25 MG/5 ML SUSPENSION <b>DL</b>	5	
INDOCIN 50 MG SUPPOSITORY <b>MO</b>	4	
indomethacin 25 mg, 50 mg CAPSULE <b>MO</b>	2	
indomethacin 25 mg/5 ml SUSPENSION <b>DL</b>	5	
indomethacin 50 mg SUPPOSITORY <b>MO</b>	2	
indomethacin 75 mg CAPSULE, ER <b>MO</b>	2	
indomethacin sodium 1 mg RECON SOLUTION <b>MO</b>	2	
INFUMORPH P/F 10 MG/ML SOLUTION <b>DL</b>	4	BvsD,QL(360 per 30 days)
INFUMORPH P/F 25 MG/ML SOLUTION <b>DL</b>	4	BvsD,QL(150 per 30 days)
ketoprofen 200 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ketoprofen 25 mg CAPSULE <b>MO</b>	2	ST
ketoprofen 50 mg, 75 mg CAPSULE <b>MO</b>	2	ST
ketorolac 10 mg TABLET <b>MO</b>	2	QL(20 per 30 days)
ketorolac 15 mg/ml, 30 mg/ml, 30 mg/ml (1 ml), 60 mg/2 ml SOLUTION <b>MO</b>	2	
ketorolac 15 mg/ml, 30 mg/ml, 60 mg/2 ml SYRINGE <b>MO</b>	2	
ketorolac 15.75 mg/spray SPRAY, NON-AEROSOL <b>DL</b>	5	PA,QL(5 per 30 days)
kiprofen 25 mg CAPSULE <b>MO</b>	2	ST
LAZANDA 100 MCG/SPRAY, 400 MCG/SPRAY SPRAY, NON-AEROSOL <b>DL</b>	5	PA,QL(30 per 30 days)
levorphanol tartrate 2 mg TABLET <b>DL</b>	5	ST,QL(240 per 30 days)
levorphanol tartrate 3 mg TABLET <b>DL</b>	5	ST,QL(150 per 30 days)
LICART 1.3 % PATCH, 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
LODINE 400 MG TABLET <b>MO</b>	4	PA
lofena 25 mg TABLET <b>DL</b>	5	
lortab elixir 10-300 mg/15 ml SOLUTION <b>DL</b>	2	QL(6000 per 30 days)
meclofenamate 100 mg, 50 mg CAPSULE <b>MO</b>	2	
mefenamic acid 250 mg CAPSULE <b>MO</b>	2	
meloxicam 15 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
meloxicam 7.5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
meloxicam submicronized 10 mg, 5 mg CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
meperidine 10 mg/ml CARTRIDGE <b>DL</b>	2	QL(3600 per 30 days)
meperidine 50 mg TABLET <b>DL</b>	2	QL(480 per 30 days)
meperidine 50 mg/5 ml SOLUTION <b>DL</b>	2	QL(720 per 30 days)
meperidine (pf) 100 mg/ml SOLUTION <b>DL</b>	2	QL(360 per 30 days)
meperidine (pf) 25 mg/ml SOLUTION <b>DL</b>	2	QL(1440 per 30 days)
meperidine (pf) 50 mg/ml SOLUTION <b>DL</b>	2	QL(720 per 30 days)
methadone 10 mg TABLET <b>DL</b>	2	QL(240 per 30 days)
methadone 10 mg/5 ml SOLUTION <b>DL</b>	2	QL(1800 per 30 days)
methadone 10 mg/ml CONCENTRATE <b>DL</b>	2	QL(360 per 30 days)
methadone 10 mg/ml SOLUTION <b>DL</b>	2	QL(360 per 30 days)
methadone 5 mg TABLET <b>DL</b>	2	QL(480 per 30 days)
methadone 5 mg/5 ml SOLUTION <b>DL</b>	2	QL(3600 per 30 days)
methadone intensol 10 mg/ml CONCENTRATE <b>DL</b>	2	QL(360 per 30 days)
METHADOSE 10 MG/ML CONCENTRATE <b>DL</b>	4	QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
mitigo (pf) 10 mg/ml SOLUTION <b>DL</b>	4	BvsD,QL(360 per 30 days)
mitigo (pf) 25 mg/ml SOLUTION <b>DL</b>	4	BvsD,QL(150 per 30 days)
morphine 10 mg, 100 mg, 20 mg, 30 mg, 50 mg, 60 mg, 80 mg CAPSULE ER PELLETS <b>DL</b>	2	ST,QL(60 per 30 days)
morphine 10 mg/5 ml SOLUTION <b>DL</b>	2	QL(2700 per 30 days)
morphine 10 mg/ml SOLUTION <b>DL</b>	2	BvsD,QL(360 per 30 days)
morphine 10 mg/ml SYRINGE <b>DL</b>	2	BvsD,QL(360 per 30 days)
morphine 100 mg TABLET ER <b>DL</b>	2	QL(180 per 30 days)
morphine 120 mg, 60 mg, 75 mg, 90 mg CAPSULE ER MULTIPHASE 24 HR. <b>DL</b>	2	ST,QL(60 per 30 days)
morphine 15 mg TABLET ER <b>DL</b>	2	QL(120 per 30 days)
morphine 15 mg, 30 mg TABLET <b>DL</b>	2	QL(180 per 30 days)
morphine 2 mg/ml SOLUTION <b>DL</b>	2	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml SYRINGE <b>DL</b>	2	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml, 4 mg/ml, 5 mg/ml SYRINGE <b>DL</b>	2	BvsD
morphine 20 mg/5 ml (4 mg/ml) SOLUTION <b>DL</b>	2	QL(1350 per 30 days)
morphine 200 mg TABLET ER <b>DL</b>	2	QL(90 per 30 days)
morphine 30 mg, 45 mg CAPSULE ER MULTIPHASE 24 HR. <b>DL</b>	2	ST,QL(30 per 30 days)
morphine 30 mg, 60 mg TABLET ER <b>DL</b>	2	QL(120 per 30 days)
morphine 4 mg/ml SOLUTION <b>DL</b>	2	BvsD,QL(900 per 30 days)
morphine 4 mg/ml SYRINGE <b>DL</b>	2	BvsD,QL(900 per 30 days)
morphine 5 mg/ml SOLUTION <b>DL</b>	2	BvsD,QL(720 per 30 days)
morphine 8 mg/ml SOLUTION <b>DL</b>	2	BvsD,QL(450 per 30 days)
morphine 8 mg/ml SYRINGE <b>DL</b>	2	BvsD,QL(450 per 30 days)
morphine (pf) 0.5 mg/ml SOLUTION <b>DL</b>	2	BvsD,QL(7200 per 30 days)
morphine (pf) 1 mg/ml SOLUTION <b>DL</b>	2	BvsD,QL(3600 per 30 days)
morphine (pf) 30 mg/30 ml (1 mg/ml) PATIENT CONTROL ANALGESIA SOLN <b>DL</b>	2	BvsD,QL(3600 per 30 days)
morphine concentrate 100 mg/5 ml (20 mg/ml) SOLUTION <b>DL</b>	2	QL(540 per 30 days)
MS CONTIN 100 MG TABLET ER <b>DL</b>	4	PA,QL(180 per 30 days)
MS CONTIN 15 MG, 30 MG, 60 MG TABLET ER <b>DL</b>	4	PA,QL(120 per 30 days)
MS CONTIN 200 MG TABLET ER <b>DL</b>	4	PA,QL(90 per 30 days)
nabumetone 500 mg, 750 mg TABLET <b>MO</b>	1	
nalbuphine 10 mg/ml SOLUTION <b>DL</b>	2	QL(240 per 30 days)
nalbuphine 20 mg/ml SOLUTION <b>DL</b>	2	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NALFON 400 MG CAPSULE <b>MO</b>	4	ST
NALFON 600 MG TABLET <b>MO</b>	2	ST
nalocet 2.5-300 mg TABLET <b>DL</b>	5	PA,QL(360 per 30 days)
NAPRELAN CR 375 MG TABLET, ER 24 HR., MULTIPHASE <b>DL</b>	5	ST,QL(120 per 30 days)
NAPRELAN CR 500 MG TABLET, ER 24 HR., MULTIPHASE <b>DL</b>	5	ST,QL(90 per 30 days)
NAPRELAN CR 750 MG TABLET, ER 24 HR., MULTIPHASE <b>DL</b>	5	ST,QL(60 per 30 days)
NAPROSYN 125 MG/5 ML SUSPENSION <b>DL</b>	5	PA
NAPROSYN 500 MG TABLET <b>MO</b>	4	PA
naproxen 125 mg/5 ml SUSPENSION <b>MO</b>	2	
naproxen 250 mg, 375 mg TABLET <b>MO</b>	1	
naproxen 375 mg, 500 mg TABLET, DR/EC <b>MO</b>	1	
naproxen 500 mg TABLET <b>MO</b>	1	
naproxen sodium 275 mg, 550 mg TABLET <b>MO</b>	2	
naproxen sodium 375 mg TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	2	ST,QL(120 per 30 days)
naproxen sodium 500 mg TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	2	ST,QL(90 per 30 days)
naproxen sodium 750 mg TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	2	ST,QL(60 per 30 days)
naproxen-esomeprazole 375-20 mg, 500-20 mg TABLET, IR, DR, BIPHASIC <b>DL</b>	5	PA,QL(60 per 30 days)
NUCYNTA 100 MG, 50 MG, 75 MG TABLET <b>DL</b>	5	ST,QL(180 per 30 days)
NUCYNTA ER 100 MG, 150 MG, 200 MG, 250 MG TABLET, ER 12 HR. <b>DL</b>	5	ST,QL(60 per 30 days)
NUCYNTA ER 50 MG TABLET, ER 12 HR. <b>DL</b>	4	ST,QL(60 per 30 days)
OLINVYK 1 MG/ML SOLUTION <b>DL</b>	5	PA
OLINVYK 30 MG/30 ML (1 MG/ML) PATIENT CONTROL ANALGESIA SOLN <b>DL</b>	5	PA
oxaprozin 600 mg TABLET <b>MO</b>	2	
OXAYDO 5 MG, 7.5 MG TABLET, ORAL ONLY <b>DL</b>	5	PA,QL(360 per 30 days)
oxycodone 10 mg, 15 mg, 5 mg TABLET <b>DL</b>	2	QL(360 per 30 days)
oxycodone 10 mg, 20 mg, 40 mg TABLET, ER 12 HR. <b>DL</b>	4	PA,QL(90 per 30 days)
oxycodone 20 mg, 30 mg TABLET <b>DL</b>	2	QL(360 per 30 days)
oxycodone 20 mg/ml CONCENTRATE <b>DL</b>	2	QL(270 per 30 days)
oxycodone 5 mg CAPSULE <b>DL</b>	2	QL(360 per 30 days)
oxycodone 5 mg/5 ml SOLUTION <b>DL</b>	2	QL(5400 per 30 days)
oxycodone 80 mg TABLET, ER 12 HR. <b>DL</b>	4	PA,QL(120 per 30 days)
oxycodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET <b>DL</b>	5	PA,QL(390 per 30 days)
oxycodone-acetaminophen 10-300 mg/5 ml SOLUTION <b>DL</b>	5	PA,QL(900 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
oxycodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET <b>DL</b>	2	QL(360 per 30 days)
oxycodone-acetaminophen 2.5-300 mg TABLET <b>DL</b>	2	PA,QL(360 per 30 days)
oxycodone-acetaminophen 2.5-325 mg TABLET <b>DL</b>	2	QL(360 per 30 days)
oxycodone-acetaminophen 5-325 mg/5 ml SOLUTION <b>DL</b>	2	QL(1800 per 30 days)
OXYCONTIN 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG TABLET, ER 12 HR. <b>DL</b>	4	PA,QL(90 per 30 days)
OXYCONTIN 80 MG TABLET, ER 12 HR. <b>DL</b>	4	PA,QL(120 per 30 days)
oxymorphone 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg TABLET, ER 12 HR. <b>DL</b>	2	ST,QL(60 per 30 days)
oxymorphone 10 mg, 5 mg TABLET <b>DL</b>	2	QL(360 per 30 days)
oxymorphone 40 mg TABLET, ER 12 HR. <b>DL</b>	5	ST,QL(60 per 30 days)
PENNSAID 2 % SOLUTION IN PACKET <b>DL</b>	5	PA
PENNSAID 20 MG/GRAM /ACTUATION(2 %) SOLUTION IN METERED DOSE PUMP <b>DL</b>	5	PA,QL(224 per 28 days)
pentazocine-naloxone 50-0.5 mg TABLET <b>DL</b>	2	QL(360 per 30 days)
PERCO CET 10-325 MG, 5-325 MG, 7.5-325 MG TABLET <b>DL</b>	5	PA,QL(360 per 30 days)
PERCO CET 2.5-325 MG TABLET <b>DL</b>	2	PA,QL(360 per 30 days)
piroxicam 10 mg, 20 mg CAPSULE <b>MO</b>	2	
primlev 10-300 mg, 5-300 mg, 7.5-300 mg TABLET <b>DL</b>	5	PA,QL(390 per 30 days)
prolate 10-300 mg, 5-300 mg, 7.5-300 mg TABLET <b>DL</b>	5	PA,QL(390 per 30 days)
PROLATE 10-300 MG/5 ML SOLUTION <b>DL</b>	5	PA,QL(900 per 30 days)
QDOLO 5 MG/ML SOLUTION <b>DL</b>	5	QL(2400 per 30 days)
RELAFEN 500 MG, 750 MG TABLET <b>DL</b>	5	ST
RELAFEN DS 1,000 MG TABLET <b>DL</b>	5	ST,QL(60 per 30 days)
ROXICODONE 15 MG TABLET <b>DL</b>	4	PA,QL(360 per 30 days)
ROXICODONE 30 MG TABLET <b>DL</b>	5	PA,QL(360 per 30 days)
ROXYBOND 15 MG, 30 MG TABLET, ORAL ONLY <b>DL</b>	5	PA,QL(180 per 30 days)
ROXYBOND 5 MG TABLET, ORAL ONLY <b>DL</b>	5	PA,QL(360 per 30 days)
SEGMENTIS 44-56 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
SPRIX 15.75 MG/SPRAY SPRAY, NON-AEROSOL <b>DL</b>	5	PA,QL(5 per 30 days)
SUBSYS 1,200 MCG (600 MCG/SPRAY X 2), 1,600 MCG (800 MCG/SPRAY X 2), 100 MCG/SPRAY, 200 MCG/SPRAY, 400 MCG/SPRAY, 600 MCG/SPRAY, 800 MCG/SPRAY SPRAY, NON-AEROSOL <b>DL</b>	5	PA,QL(120 per 30 days)
sulindac 150 mg, 200 mg TABLET <b>MO</b>	1	
tolectin 600 600 mg TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tolmetin 200 mg, 600 mg TABLET <b>MO</b>	2	
tolmetin 400 mg CAPSULE <b>MO</b>	2	
tramadol 100 mg TABLET <b>DL</b>	2	QL(120 per 30 days)
tramadol 100 mg, 200 mg, 300 mg CAPSULE, ER, BIPHASIC <b>DL</b>	2	ST,QL(30 per 30 days)
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR. <b>DL</b>	2	ST,QL(30 per 30 days)
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR., MULTIPHASE <b>DL</b>	2	ST,QL(30 per 30 days)
tramadol 25 mg TABLET <b>DL</b>	2	QL(180 per 30 days)
tramadol 5 mg/ml SOLUTION <b>DL</b>	5	QL(2400 per 30 days)
tramadol 50 mg TABLET <b>DL</b>	2	QL(240 per 30 days)
tramadol-acetaminophen 37.5-325 mg TABLET <b>DL</b>	2	QL(240 per 30 days)
TREZIX 320.5-30-16 MG CAPSULE <b>DL</b>	2	QL(300 per 30 days)
ULTRACET 37.5-325 MG TABLET <b>DL</b>	4	QL(240 per 30 days)
ULTRAM 50 MG TABLET <b>DL</b>	4	QL(240 per 30 days)
VIMOVO 375-20 MG, 500-20 MG TABLET, IR, DR, BIPHASIC <b>DL</b>	5	PA,QL(60 per 30 days)
VIVLODEX 10 MG, 5 MG CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
XTAMPZA ER 13.5 MG, 18 MG, 27 MG, 36 MG, 9 MG CAPSULE ER SPRINKLE 12 HR. <b>DL</b>	3	QL(60 per 30 days)
ZIPSOR 25 MG CAPSULE <b>DL</b>	5	ST,QL(120 per 30 days)
ZORVOLEX 18 MG, 35 MG CAPSULE <b>MO</b>	4	ST,QL(90 per 30 days)
<b>ANESTHETICS</b>		
bupivacaine (pf) 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION <b>MO</b>	1	
bupivacaine hcl 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml) SOLUTION <b>MO</b>	1	
bupivacaine-dextrose-water(pf) 0.75 % (7.5 mg/ml) SOLUTION <b>MO</b>	2	
bupivacaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	2	
bupivacaine-epinephrine (pf) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	2	
CARBOCAINE WITH NEO-COBEFRIN 2 % -1:20,000 CARTRIDGE <b>MO</b>	2	
chloroprocaine (pf) 20 mg/ml (2 %), 30 mg/ml (3 %) SOLUTION <b>MO</b>	2	
CLOROTEKAL (PF) 10 MG/ML (1 %) SOLUTION <b>MO</b>	4	
dermacinrx lidocan 5 % ADHESIVE PATCH, MEDICATED <b>DL</b>	5	PA,QL(90 per 30 days)
EXPAREL (PF) 1.3 % (13.3 MG/ML) SUSPENSION <b>MO</b>	4	
glydo 2 % JELLY IN APPLICATOR <b>MO</b>	2	
lidocaine 5 % ADHESIVE PATCH, MEDICATED <b>MO</b>	2	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
lidocaine 5 % OINTMENT <b>MO</b>	2	PA
lidocaine (pf) 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %) <b>SOLUTION MO</b>	2	
lidocaine hcl 10 mg/ml (1 %), 2 %, 20 mg/ml (2 %), 4 %, 4 % (40 mg/ml), 5 mg/ml (0.5 %) <b>SOLUTION MO</b>	2	
lidocaine hcl 2 % <b>JELLY MO</b>	2	
lidocaine hcl 2 % <b>JELLY IN APPLICATOR MO</b>	2	
lidocaine viscous 2 % <b>SOLUTION MO</b>	2	
lidocaine-epinephrine 0.5 %-1:200,000 <b>SOLUTION MO</b>	1	
lidocaine-epinephrine 1 %-1:100,000, 2 %-1:100,000 <b>SOLUTION MO</b>	2	
lidocaine-epinephrine bit 2 %-1:100,000, 2 %-1:50,000 <b>CARTRIDGE MO</b>	2	
lidocaine-prilocaine 2.5-2.5 % <b>CREAM MO</b>	2	
lidocan <b>iii 5 % ADHESIVE PATCH, MEDICATED DL</b>	5	PA,QL(90 per 30 days)
lidocan <b>iv 5 % ADHESIVE PATCH, MEDICATED DL</b>	5	PA,QL(90 per 30 days)
lidocan <b>v 5 % ADHESIVE PATCH, MEDICATED DL</b>	5	PA,QL(90 per 30 days)
LIDODERM 5 % <b>ADHESIVE PATCH, MEDICATED DL</b>	5	PA,QL(90 per 30 days)
lignospan standard 2 %-1:100,000 <b>CARTRIDGE MO</b>	2	
MARCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) <b>SOLUTION MO</b>	4	
MARCAINE (PF) 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) <b>SOLUTION MO</b>	4	
MARCAINE SPINAL (PF) 0.75 % (7.5 MG/ML) <b>SOLUTION MO</b>	4	
MARCAINE-EPINEPHRINE 0.25 %-1:200,000, 0.5 %-1:200,000 <b>SOLUTION MO</b>	4	
marcaine-epinephrine 0.5 %-1:200,000 <b>CARTRIDGE MO</b>	2	
MARCAINE-EPINEPHRINE (PF) 0.25 %-1:200,000, 0.5 %-1:200,000 <b>SOLUTION MO</b>	4	
NAROPIN (PF) 10 MG/ML (1 %), 2 MG/ML (0.2 %), 5 MG/ML (0.5 %), 7.5 MG/ML (0.75 %) <b>SOLUTION MO</b>	4	
NESACAIN 10 MG/ML (1 %), 20 MG/ML (2 %) <b>SOLUTION MO</b>	4	
NESACAIN-MPF 20 MG/ML (2 %), 30 MG/ML (3 %) <b>SOLUTION MO</b>	4	
PLIAGLIS 7-7 % <b>CREAM MO</b>	4	
polocaine 1 % (10 mg/ml), 2 % <b>SOLUTION MO</b>	1	
polocaine-mpf 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %) <b>SOLUTION MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ropivacaine (pf) 10 mg/ml (1 %), 2 mg/ml (0.2 %), 5 mg/ml (0.5 %), 7.5 mg/ml (0.75 %) SOLUTION <b>MO</b>	2	
SENSORCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION <b>MO</b>	2	
sensorcaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	2	
sensorcaine-mpf 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION <b>MO</b>	2	
SENSORCAINE-MPF 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION <b>MO</b>	2	
sensorcaine-mpf spinal 0.75 % (7.5 mg/ml) SOLUTION <b>MO</b>	2	
sensorcaine-mpf/epinephrine 0.25 %-1:200,000 SOLUTION <b>MO</b>	2	
SENSORCAINE-MPF/EPINEPHRINE 0.5 %-1:200,000, 0.75 %-1:200,000 SOLUTION <b>MO</b>	2	
SYNERA 70-70 MG PATCH, MEDICATED SELF-HEATING <b>DL</b>	5	PA
tridacaine ii 5 % ADHESIVE PATCH, MEDICATED <b>DL</b>	5	PA,QL(90 per 30 days)
tridacaine iii 5 % ADHESIVE PATCH, MEDICATED <b>DL</b>	5	PA,QL(90 per 30 days)
vivacaine 0.5 %-1:200,000 CARTRIDGE <b>MO</b>	2	
ZTLIDO 1.8 % ADHESIVE PATCH, MEDICATED <b>MO</b>	4	PA,QL(90 per 30 days)
<b>ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS</b>		
acamprosate 333 mg TABLET, DR/EC <b>MO</b>	2	
buprenorphine hcl 2 mg, 8 mg SUBLINGUAL TABLET <b>MO</b>	2	QL(90 per 30 days)
buprenorphine-naloxone 12-3 mg FILM <b>MO</b>	2	QL(60 per 30 days)
buprenorphine-naloxone 2-0.5 mg, 4-1 mg, 8-2 mg FILM <b>MO</b>	2	QL(90 per 30 days)
buprenorphine-naloxone 2-0.5 mg, 8-2 mg SUBLINGUAL TABLET <b>MO</b>	4	PA,QL(90 per 30 days)
bupropion hcl (smoking deter) 150 mg TABLET, ER 12 HR. <b>MO</b>	2	QL(90 per 30 days)
CHANTIX 1 MG TABLET <b>MO</b>	4	PA,QL(56 per 28 days)
CHANTIX CONTINUING MONTH BOX 1 MG TABLET <b>MO</b>	4	PA,QL(56 per 28 days)
CHANTIX STARTING MONTH BOX 0.5 MG (11)-1 MG (42) TABLET, DOSE PACK <b>MO</b>	4	PA,QL(53 per 28 days)
disulfiram 250 mg, 500 mg TABLET <b>MO</b>	2	
KLOXXADO 8 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	4	PA,QL(2 per 30 days)
LUCEMYRA 0.18 MG TABLET <b>DL</b>	5	PA,QL(224 per 365 days)
nalmefene 1 mg/ml SOLUTION <b>MO</b>	1	
naloxone 0.4 mg/ml SOLUTION <b>MO</b>	1	
naloxone 0.4 mg/ml, 1 mg/ml SYRINGE <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
naloxone 4 mg/actuation SPRAY, NON-AEROSOL <b>MO</b>	3	QL(2 per 30 days)
naltrexone 50 mg TABLET <b>MO</b>	2	
NARCAN 4 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	4	PA,QL(2 per 30 days)
NICOTROL 10 MG CARTRIDGE <b>MO</b>	4	
NICOTROL NS 10 MG/ML SPRAY, NON-AEROSOL <b>MO</b>	4	
OPVEE 2.7 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	4	PA,QL(2 per 30 days)
SUBOXONE 12-3 MG FILM <b>MO</b>	4	PA,QL(60 per 30 days)
SUBOXONE 2-0.5 MG, 4-1 MG, 8-2 MG FILM <b>MO</b>	4	PA,QL(90 per 30 days)
varenicline 0.5 mg (11)- 1 mg (42) TABLET, DOSE PACK <b>MO</b>	2	QL(53 per 28 days)
varenicline 0.5 mg, 1 mg TABLET <b>MO</b>	2	QL(56 per 28 days)
VIVITROL 380 MG SUSPENSION, ER, RECON <b>DL</b>	5	QL(1 per 28 days)
ZIMHI 5 MG/0.5 ML SYRINGE <b>MO</b>	4	PA,QL(1 per 30 days)
ZUBSOLV 0.7-0.18 MG, 1.4-0.36 MG SUBLINGUAL TABLET <b>MO</b>	2	QL(90 per 30 days)
ZUBSOLV 11.4-2.9 MG SUBLINGUAL TABLET <b>MO</b>	2	QL(30 per 30 days)
ZUBSOLV 2.9-0.71 MG, 5.7-1.4 MG SUBLINGUAL TABLET <b>MO</b>	2	QL(90 per 30 days)
ZUBSOLV 8.6-2.1 MG SUBLINGUAL TABLET <b>MO</b>	2	QL(60 per 30 days)
<b>ANTIBACTERIALS</b>		
acetic acid 2 % SOLUTION <b>MO</b>	2	
ACTICLATE 150 MG TABLET <b>DL</b>	5	ST,QL(30 per 30 days)
ACTICLATE 75 MG TABLET <b>DL</b>	5	ST,QL(60 per 30 days)
amikacin 1,000 mg/4 ml, 500 mg/2 ml SOLUTION <b>MO</b>	2	
amoxicillin 125 mg, 250 mg CHEWABLE TABLET <b>MO</b>	1	
amoxicillin 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
amoxicillin 250 mg CAPSULE <b>MO</b>	1	
amoxicillin 500 mg CAPSULE <b>MO</b>	1	
amoxicillin 500 mg TABLET <b>MO</b>	1	
amoxicillin 875 mg TABLET <b>MO</b>	1	
amoxicillin-pot clavulanate 1,000-62.5 mg TABLET, ER 12 HR. <b>MO</b>	2	
amoxicillin-pot clavulanate 200-28.5 mg, 400-57 mg CHEWABLE TABLET <b>MO</b>	2	
amoxicillin-pot clavulanate 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	
amoxicillin-pot clavulanate 250-125 mg, 500-125 mg TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
amoxicillin-pot clavulanate 875-125 mg TABLET <b>MO</b>	2	
ampicillin 500 mg CAPSULE <b>MO</b>	1	
ampicillin sodium 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg RECON SOLUTION <b>HI,MO</b>	2	
ampicillin sodium 1 gram, 2 gram RECON SOLUTION <b>MO</b>	2	
ampicillin-sulbactam 1.5 gram, 15 gram, 3 gram RECON SOLUTION <b>HI,MO</b>	2	
ampicillin-sulbactam 1.5 gram, 3 gram RECON SOLUTION <b>MO</b>	2	
ARIKAYCE 590 MG/8.4 ML SUSPENSION FOR NEBULIZATION <b>DL</b>	5	PA,QL(235.2 per 28 days)
AUGMENTIN 125-31.25 MG/5 ML, 250-62.5 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	
AUGMENTIN 500-125 MG TABLET <b>MO</b>	4	PA
AUGMENTIN ES-600 600-42.9 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	4	
AUGMENTIN XR 1,000-62.5 MG TABLET, ER 12 HR. <b>MO</b>	4	
AVELOX IN NACL (ISO-OSMOTIC) 400 MG/250 ML PIGGYBACK <b>MO</b>	4	PA
avidoxy 100 mg TABLET <b>MO</b>	2	ST
AVYCAZ 2.5 GRAM RECON SOLUTION <b>DL</b>	5	
AZACTAM 1 GRAM, 2 GRAM RECON SOLUTION <b>MO</b>	4	PA
azithromycin 1 gram PACKET <b>MO</b>	2	
azithromycin 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	
azithromycin 250 mg TABLET <b>MO</b>	2	
azithromycin 500 mg RECON SOLUTION <b>MO</b>	2	
azithromycin 500 mg, 600 mg TABLET <b>MO</b>	2	
aztreonam 1 gram, 2 gram RECON SOLUTION <b>MO</b>	2	
bacitracin 50,000 unit RECON SOLUTION <b>MO</b>	1	
BACTRIM 400-80 MG TABLET <b>MO</b>	4	
BACTRIM DS 800-160 MG TABLET <b>MO</b>	4	
BAXDELA 300 MG RECON SOLUTION <b>DL</b>	5	QL(28 per 14 days)
BAXDELA 450 MG TABLET <b>DL</b>	5	QL(28 per 14 days)
BETHKIS 300 MG/4 ML SOLUTION FOR NEBULIZATION <b>DL</b>	5	PA
BICILLIN C-R 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K) SYRINGE <b>HI,MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BICILLIN L-A 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML SYRINGE <b>MO</b>	4	
cefaclor 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	
cefaclor 250 mg, 500 mg CAPSULE <b>MO</b>	2	
cefaclor 500 mg TABLET, ER 12 HR. <b>MO</b>	2	
cefadroxil 1 gram TABLET <b>MO</b>	2	
cefadroxil 250 mg/5 ml, 500 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	
cefadroxil 500 mg CAPSULE <b>MO</b>	2	
cefazolin 1 gram, 10 gram, 2 gram, 3 gram, 500 mg RECON SOLUTION <b>MO</b>	2	
CEFAZOLIN 2 GRAM, 3 GRAM RECON SOLUTION <b>MO</b>	2	
cefazolin in dextrose (iso-os) 1 gram/50 ml, 2 gram/100 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	2	
cefdinir 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	
cefdinir 300 mg CAPSULE <b>MO</b>	2	
cefepime 1 gram, 2 gram RECON SOLUTION <b>MO</b>	2	
cefepime in dextrose 5 % 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	2	
cefepime in dextrose, iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK <b>MO</b>	4	
cefixime 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	
cefixime 400 mg CAPSULE <b>MO</b>	2	
cefotaxime 1 gram RECON SOLUTION <b>MO</b>	2	
cefotetan 1 gram, 10 gram, 2 gram RECON SOLUTION <b>MO</b>	2	
cefoxitin 1 gram, 10 gram, 2 gram RECON SOLUTION <b>MO</b>	2	
cefoxitin in dextrose, iso-osm 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	2	
cefpodoxime 100 mg, 200 mg TABLET <b>MO</b>	2	
cefpodoxime 100 mg/5 ml, 50 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	
ceprozil 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	
ceprozil 250 mg, 500 mg TABLET <b>MO</b>	2	
ceftazidime 1 gram, 2 gram, 6 gram RECON SOLUTION <b>HI,MO</b>	2	
ceftazidime in d5w 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	2	
ceftriaxone 1 gram, 10 gram, 100 gram, 2 gram, 250 mg, 500 mg RECON SOLUTION <b>MO</b>	2	
ceftriaxone in dextrose, iso-os 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	2	
cefuroxime axetil 250 mg, 500 mg TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cefuroxime sodium 1.5 gram, 750 mg RECON SOLUTION HI,MO	2	
cefuroxime sodium 7.5 gram RECON SOLUTION MO	2	
cephalexin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	2	
cephalexin 250 mg CAPSULE MO	1	
cephalexin 250 mg, 500 mg TABLET MO	2	
cephalexin 500 mg CAPSULE MO	1	
cephalexin 750 mg CAPSULE MO	2	
chloramphenicol sod succinate 1 gram RECON SOLUTION HI,MO	2	
CIPRO 250 MG, 500 MG TABLET MO	4	
CIPRO 250 MG/5 ML, 500 MG/5 ML SUSPENSION, MICROCAPSULE RECON MO	4	
ciprofloxacin 250 mg/5 ml, 500 mg/5 ml SUSPENSION, MICROCAPSULE RECON MO	2	
ciprofloxacin hcl 100 mg TABLET MO	2	
ciprofloxacin hcl 250 mg, 750 mg TABLET MO	1	
ciprofloxacin hcl 500 mg TABLET MO	1	
ciprofloxacin in 5 % dextrose 200 mg/100 ml, 400 mg/200 ml PIGGYBACK MO	2	
CLAFORAN 1 GRAM, 10 GRAM, 2 GRAM RECON SOLUTION MO	4	
clarithromycin 125 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	2	
clarithromycin 250 mg, 500 mg TABLET MO	2	
clarithromycin 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	2	
clarithromycin 500 mg TABLET, ER 24 HR. MO	2	
CLEOCIN 100 MG SUPPOSITORY MO	4	
CLEOCIN 150 MG/ML SOLUTION MO	2	
CLEOCIN 2 % CREAM MO	4	PA
CLEOCIN HCL 150 MG, 300 MG, 75 MG CAPSULE MO	4	
CLEOCIN PEDIATRIC 75 MG/5 ML RECON SOLUTION MO	2	
clindamycin hcl 150 mg, 75 mg CAPSULE MO	2	
clindamycin hcl 300 mg CAPSULE MO	2	
clindamycin in 0.9 % sod chlor 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK MO	2	
clindamycin in 5 % dextrose 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK HI,MO	2	
clindamycin palmitate hcl 75 mg/5 ml RECON SOLUTION MO	2	
clindamycin pediatric 75 mg/5 ml RECON SOLUTION MO	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
clindamycin phosphate 150 mg/ml SOLUTION <b>MO</b>	2	
clindamycin phosphate 2 % CREAM <b>MO</b>	2	
CLINDESSE 2 % CREAM, ER <b>MO</b>	4	
colistin (colistimethate na) 150 mg RECON SOLUTION <b>MO</b>	2	
COLY-MYCIN M PARENTERAL 150 MG RECON SOLUTION <b>DL</b>	5	
coremino 135 mg, 45 mg, 90 mg TABLET, ER 24 HR. <b>MO</b>	2	ST,QL(30 per 30 days)
CUBICIN RF 500 MG RECON SOLUTION <b>DL</b>	5	
DALVANCE 500 MG SOLUTION <b>DL</b>	5	QL(4 per 28 days)
daptomycin 350 mg RECON SOLUTION <b>MO</b>	2	
daptomycin 500 mg RECON SOLUTION <b>DL,HI</b>	5	
daptomycin in 0.9 % sod chlor 1,000 mg/100 ml, 350 mg/50 ml, 500 mg/50 ml, 700 mg/100 ml PIGGYBACK <b>MO</b>	4	
demeclocycline 150 mg TABLET <b>MO</b>	2	QL(240 per 30 days)
demeclocycline 300 mg TABLET <b>MO</b>	2	QL(120 per 30 days)
dicloxacillin 250 mg, 500 mg CAPSULE <b>MO</b>	2	
DIFICID 200 MG TABLET <b>DL</b>	5	
DIFICID 40 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	
DORYX 200 MG TABLET, DR/EC <b>MO</b>	4	ST,QL(30 per 30 days)
DORYX 50 MG TABLET, DR/EC <b>MO</b>	4	ST,QL(60 per 30 days)
DORYX 80 MG TABLET, DR/EC <b>DL</b>	5	ST,QL(60 per 30 days)
DORYX MPC 120 MG TABLET, DR/EC <b>MO</b>	4	ST,QL(60 per 30 days)
DORYX MPC 60 MG TABLET, DR/EC <b>DL</b>	5	ST,QL(60 per 30 days)
doxy-100 100 mg RECON SOLUTION <b>MO</b>	2	
doxycycline hyclate 100 mg CAPSULE <b>MO</b>	2	
doxycycline hyclate 100 mg RECON SOLUTION <b>MO</b>	2	
doxycycline hyclate 100 mg TABLET <b>MO</b>	2	
doxycycline hyclate 100 mg TABLET, DR/EC <b>MO</b>	2	ST,QL(90 per 30 days)
doxycycline hyclate 150 mg TABLET <b>MO</b>	2	ST,QL(30 per 30 days)
doxycycline hyclate 150 mg, 50 mg, 75 mg TABLET, DR/EC <b>MO</b>	2	ST,QL(60 per 30 days)
doxycycline hyclate 20 mg TABLET <b>MO</b>	2	
doxycycline hyclate 200 mg TABLET, DR/EC <b>MO</b>	2	ST,QL(30 per 30 days)
doxycycline hyclate 50 mg CAPSULE <b>MO</b>	2	
doxycycline hyclate 50 mg TABLET <b>MO</b>	2	ST,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
doxycycline hyclate 75 mg TABLET <b>MO</b>	2	ST,QL(60 per 30 days)
doxycycline hyclate 80 mg TABLET, DR/EC <b>DL</b>	5	ST,QL(60 per 30 days)
doxycycline monohydrate 100 mg, 150 mg, 50 mg, 75 mg TABLET <b>MO</b>	2	
doxycycline monohydrate 100 mg, 50 mg CAPSULE <b>MO</b>	2	
doxycycline monohydrate 150 mg CAPSULE <b>MO</b>	2	QL(30 per 30 days)
doxycycline monohydrate 25 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	
doxycycline monohydrate 40 mg CAPSULE, IR/DR, BIPHASIC <b>MO</b>	2	ST,QL(30 per 30 days)
doxycycline monohydrate 75 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
E.E.S. 400 400 MG TABLET <b>MO</b>	2	
E.E.S. GRANULES 200 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	4	
ertapenem 1 gram RECON SOLUTION <b>HI,MO</b>	2	
ERY-TAB 250 MG, 333 MG, 500 MG TABLET, DR/EC <b>MO</b>	2	
ERYPED 200 200 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	4	
ERYPED 400 400 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	
ERYTHROCIN 500 MG RECON SOLUTION <b>MO</b>	2	
ERYTHROCIN (AS STEARATE) 250 MG TABLET <b>MO</b>	2	
erythromycin 250 mg CAPSULE, DR/EC <b>MO</b>	2	
erythromycin 250 mg, 333 mg, 500 mg TABLET, DR/EC <b>MO</b>	2	
erythromycin 250 mg, 500 mg TABLET <b>MO</b>	2	
erythromycin ethylsuccinate 200 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	
erythromycin ethylsuccinate 400 mg TABLET <b>MO</b>	2	
erythromycin lactobionate 500 mg RECON SOLUTION <b>MO</b>	2	
FETROJA 1 GRAM RECON SOLUTION <b>DL</b>	5	QL(84 per 14 days)
FIRVANQ 25 MG/ML, 50 MG/ML RECON SOLUTION <b>MO</b>	4	
FLAGYL 375 MG CAPSULE <b>MO</b>	4	QL(320 per 30 days)
fosfomycin tromethamine 3 gram PACKET <b>MO</b>	2	
FURADANTIN 25 MG/5 ML SUSPENSION <b>MO</b>	4	
gentamicin 0.1 % CREAM <b>MO</b>	2	
gentamicin 0.1 % OINTMENT <b>MO</b>	2	
gentamicin 20 mg/2 ml, 40 mg/ml SOLUTION <b>HI,MO</b>	1	
gentamicin in nacl (iso-osm) 100 mg/100 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml PIGGYBACK <b>HI,MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
gentamicin in nacl (iso-osm) 100 mg/50 ml PIGGYBACK <b>HI,MO</b>	2	
gentamicin sulfate (ped) (pf) 20 mg/2 ml SOLUTION <b>MO</b>	1	
gentamicin sulfate (pf) 100 mg/10 ml, 60 mg/6 ml SOLUTION <b>HI,MO</b>	1	
HIPREX 1 GRAM TABLET <b>MO</b>	4	PA
HUMATIN 250 MG CAPSULE <b>DL</b>	5	
imipenem-cilastatin 250 mg, 500 mg RECON SOLUTION <b>HI,MO</b>	2	
INVANZ 1 GRAM RECON SOLUTION <b>MO</b>	4	
KIMYRSA 1,200 MG RECON SOLUTION <b>DL</b>	5	QL(1 per 30 days)
KITABIS PAK 300 MG/5 ML SOLUTION FOR NEBULIZATION <b>DL</b>	5	PA
KLARON 10 % SUSPENSION <b>MO</b>	4	QL(118 per 30 days)
levofloxacin 25 mg/ml, 250 mg/10 ml SOLUTION <b>MO</b>	2	
levofloxacin 250 mg, 750 mg TABLET <b>MO</b>	2	
levofloxacin 500 mg TABLET <b>MO</b>	2	
levofloxacin in d5w 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK <b>HI,MO</b>	2	
LINCOCIN 300 MG/ML SOLUTION <b>MO</b>	4	
lincomycin 300 mg/ml SOLUTION <b>HI,MO</b>	2	
linezolid 100 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	QL(1800 per 30 days)
linezolid 600 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
linezolid in dextrose 5% 600 mg/300 ml PIGGYBACK <b>HI,MO</b>	2	
linezolid-0.9% sodium chloride 600 mg/300 ml PARENTERAL SOLUTION <b>HI,MO</b>	2	
MACROBID 100 MG CAPSULE <b>MO</b>	4	
MACRODANTIN 100 MG, 25 MG, 50 MG CAPSULE <b>MO</b>	4	
meropenem 1 gram, 500 mg RECON SOLUTION <b>HI,MO</b>	2	
meropenem-0.9% sodium chloride 1 gram/50 ml, 500 mg/50 ml PIGGYBACK <b>MO</b>	2	
methenamine hippurate 1 gram TABLET <b>MO</b>	2	
METRO I.V. 500 MG/100 ML PIGGYBACK <b>MO</b>	4	
METROCREAM 0.75 % CREAM <b>MO</b>	4	PA
METROGEL 1 % GEL <b>MO</b>	4	ST
METROLOTION 0.75 % LOTION <b>MO</b>	4	PA
metronidazole 0.75 % CREAM <b>MO</b>	2	
metronidazole 0.75 % LOTION <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
metronidazole 0.75 %, 0.75 % (37.5mg/5 gram), 1 %, 1.3 % (65 mg/5 gram) <b>GEL MO</b>	2	
metronidazole 1 % GEL WITH PUMP <b>MO</b>	2	
metronidazole 250 mg TABLET <b>MO</b>	2	
metronidazole 375 mg CAPSULE <b>MO</b>	2	QL(320 per 30 days)
metronidazole 500 mg TABLET <b>MO</b>	2	
metronidazole in nacl (iso-os) 500 mg/100 ml PIGGYBACK <b>HI,MO</b>	2	
MINOCIN 100 MG RECON SOLUTION <b>DL</b>	5	PA
minocycline 100 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	2	
minocycline 100 mg, 50 mg, 75 mg TABLET <b>MO</b>	2	
minocycline 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg TABLET, ER 24 HR. <b>MO</b>	2	ST,QL(30 per 30 days)
monodoxine nl 100 mg CAPSULE <b>MO</b>	2	
monodoxine nl 75 mg CAPSULE <b>MO</b>	2	ST,QL(60 per 30 days)
MONODOX 100 MG, 50 MG CAPSULE <b>MO</b>	4	ST
MONODOX 75 MG CAPSULE <b>MO</b>	4	ST,QL(60 per 30 days)
MONUROL 3 GRAM PACKET <b>MO</b>	4	
morgidox 100 mg, 50 mg CAPSULE <b>MO</b>	2	ST
moxifloxacin 400 mg TABLET <b>MO</b>	2	
moxifloxacin-sod.ace,sul-water 400 mg/250 ml PIGGYBACK <b>MO</b>	2	
moxifloxacin-sod.chloride(iso) 400 mg/250 ml PIGGYBACK <b>MO</b>	2	
nafcillin 1 gram, 10 gram, 2 gram RECON SOLUTION <b>HI,MO</b>	2	
nafcillin 2 gram RECON SOLUTION <b>MO</b>	2	
nafcillin in dextrose iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK <b>DL,HI</b>	5	
neomycin 500 mg TABLET <b>MO</b>	2	
nitrofurantoin 25 mg/5 ml, 50 mg/5 ml SUSPENSION <b>DL</b>	5	
nitrofurantoin macrocrystal 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	2	
nitrofurantoin monohyd/m-cryst 100 mg CAPSULE <b>MO</b>	2	
NORITATE 1 % CREAM <b>DL</b>	5	ST,QL(60 per 30 days)
NUVESSA 1.3 % (65 MG/5 GRAM) GEL <b>MO</b>	4	
NUZYRA 100 MG RECON SOLUTION <b>DL</b>	5	
NUZYRA 150 MG TABLET <b>DL</b>	5	QL(30 per 14 days)
ofloxacin 300 mg, 400 mg TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ORACEA 40 MG CAPSULE, IR/DR, BIPHASIC <b>MO</b>	4	ST,QL(30 per 30 days)
ORBACTIV 400 MG RECON SOLUTION <b>DL,HI</b>	5	QL(3 per 28 days)
oxacillin 1 gram, 10 gram, 2 gram RECON SOLUTION <b>HI,MO</b>	2	
oxacillin in dextrose(iso-osm) 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>HI,MO</b>	4	
paromomycin 250 mg CAPSULE <b>MO</b>	2	
penicillin g pot in dextrose 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml PIGGYBACK <b>HI,MO</b>	4	
penicillin g potassium 20 million unit, 5 million unit RECON SOLUTION <b>HI,MO</b>	2	
penicillin g procaine 1.2 million unit/2 ml, 600,000 unit/ml SYRINGE <b>MO</b>	2	
penicillin g sodium 5 million unit RECON SOLUTION <b>HI,MO</b>	2	
penicillin v potassium 125 mg/5 ml, 250 mg/5 ml RECON SOLUTION <b>MO</b>	2	
penicillin v potassium 250 mg, 500 mg TABLET <b>MO</b>	1	
pfizerpen-g 20 million unit, 5 million unit RECON SOLUTION <b>MO</b>	2	
piperacillin-tazobactam 13.5 gram, 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram RECON SOLUTION <b>HI,MO</b>	2	
polymyxin b sulfate 500,000 unit RECON SOLUTION <b>HI,MO</b>	2	
PRIMAXIN IV 500 MG RECON SOLUTION <b>MO</b>	4	
PRIMSOL 50 MG/5 ML SOLUTION <b>MO</b>	4	
RECARBRI 1.25 GRAM RECON SOLUTION <b>DL</b>	5	
rosadan 0.75 % CREAM <b>MO</b>	2	ST
rosadan 0.75 % GEL <b>MO</b>	2	ST
SEYSARA 100 MG, 150 MG, 60 MG TABLET <b>MO</b>	4	ST,QL(30 per 30 days)
SIVEXTRO 200 MG RECON SOLUTION <b>DL</b>	5	QL(6 per 28 days)
SIVEXTRO 200 MG TABLET <b>DL</b>	5	QL(6 per 28 days)
SOLODYN 105 MG, 115 MG, 55 MG, 65 MG, 80 MG TABLET, ER 24 HR. <b>DL</b>	5	ST,QL(30 per 30 days)
SOLOSEC 2 GRAM DR GRANULES IN PACKET <b>MO</b>	4	PA
streptomycin 1 gram RECON SOLUTION <b>DL,HI</b>	5	
sulfacetamide sodium 10 % OINTMENT <b>MO</b>	2	
sulfacetamide sodium (acne) 10 % SUSPENSION <b>MO</b>	2	QL(118 per 30 days)
sulfadiazine 500 mg TABLET <b>MO</b>	2	
sulfamethoxazole-trimethoprim 200-40 mg/5 ml SUSPENSION <b>MO</b>	2	
sulfamethoxazole-trimethoprim 400-80 mg TABLET <b>MO</b>	1	
sulfamethoxazole-trimethoprim 400-80 mg/5 ml SOLUTION <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
sulfamethoxazole-trimethoprim 800-160 mg TABLET <b>MO</b>	1	
SULFATRIM 200-40 MG/5 ML SUSPENSION <b>MO</b>	4	
SYNERCID 500 MG RECON SOLUTION <b>DL,HI</b>	5	
TARGADOX 50 MG TABLET <b>MO</b>	2	ST,QL(180 per 30 days)
tazicef 1 gram, 2 gram, 6 gram RECON SOLUTION <b>MO</b>	2	
TEFLARO 400 MG, 600 MG RECON SOLUTION <b>DL</b>	5	
tetracycline 250 mg, 500 mg CAPSULE <b>MO</b>	2	
tetracycline 250 mg, 500 mg TABLET <b>DL</b>	5	
tigecycline 50 mg RECON SOLUTION <b>DL</b>	5	
tinidazole 250 mg, 500 mg TABLET <b>MO</b>	2	
TOBI 300 MG/5 ML SOLUTION FOR NEBULIZATION <b>DL</b>	5	PA
tobramycin 300 mg/4 ml SOLUTION FOR NEBULIZATION <b>DL</b>	5	PA
tobramycin in 0.225 % nacl 300 mg/5 ml SOLUTION FOR NEBULIZATION <b>MO</b>	2	PA
tobramycin sulfate 1.2 gram RECON SOLUTION <b>DL</b>	5	
tobramycin sulfate 10 mg/ml, 40 mg/ml SOLUTION <b>HI,MO</b>	1	
tobramycin with nebulizer 300 mg/5 ml SOLUTION FOR NEBULIZATION <b>DL</b>	5	PA
trimethoprim 100 mg TABLET <b>MO</b>	2	
TYGACIL 50 MG RECON SOLUTION <b>DL</b>	5	
UNASYN 1.5 GRAM, 15 GRAM, 3 GRAM RECON SOLUTION <b>MO</b>	4	
VABOMERE 2 GRAM RECON SOLUTION <b>DL</b>	5	QL(84 per 14 days)
VANCOCIN 125 MG CAPSULE <b>MO</b>	4	PA,QL(120 per 30 days)
VANCOCIN 250 MG CAPSULE <b>DL</b>	5	PA,QL(240 per 30 days)
vancomycin 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg RECON SOLUTION <b>HI,MO</b>	2	
vancomycin 1.25 gram, 1.5 gram, 25 mg/ml, 50 mg/ml RECON SOLUTION <b>MO</b>	2	
vancomycin 125 mg CAPSULE <b>MO</b>	2	PA,QL(120 per 30 days)
vancomycin 250 mg CAPSULE <b>MO</b>	2	PA,QL(240 per 30 days)
vancomycin in 0.9 % sodium chl 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	4	
vancomycin in dextrose 5 % 1 gram/200 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	4	
VANCOMYCIN IN DEXTROSE 5 % 1.25 GRAM/250 ML, 1.5 GRAM/300 ML PIGGYBACK <b>MO</b>	4	
vancomycin in dextrose 5 % 500 mg/100 ml PIGGYBACK <b>DL</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
vancomycin-diluent combo no.1 1 gram/200 ml, 1.5 gram/300 ml, 500 mg/100 ml PIGGYBACK <b>DL</b>	4	
vancomycin-diluent combo no.1 1.25 gram/250 ml, 1.75 gram/350 ml, 2 gram/400 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	4	
VANDAZOLE 0.75 % (37.5MG/5 GRAM) GEL <b>MO</b>	4	
VIBATIV 750 MG RECON SOLUTION <b>DL</b>	5	
VIBRAMYCIN 100 MG CAPSULE <b>MO</b>	4	
VIBRAMYCIN (CALCIUM) 50 MG/5 ML SYRUP <b>MO</b>	4	ST
XACIATO 2 % GEL <b>MO</b>	4	
XENLETA 150 MG/15 ML SOLUTION <b>DL</b>	5	QL(210 per 7 days)
XENLETA 600 MG TABLET <b>DL</b>	5	
XERAVA 100 MG, 50 MG RECON SOLUTION <b>MO</b>	4	
XIMINO 135 MG, 90 MG CAPSULE, ER 24 HR. <b>DL</b>	5	ST,QL(30 per 30 days)
XIMINO 45 MG CAPSULE, ER 24 HR. <b>MO</b>	4	ST,QL(30 per 30 days)
ZEMDRI 50 MG/ML SOLUTION <b>DL</b>	5	
ZERBAXA 1.5 GRAM RECON SOLUTION <b>DL,HI</b>	5	
ZITHROMAX 1 GRAM PACKET <b>MO</b>	4	
ZITHROMAX 100 MG/5 ML, 200 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	4	
ZITHROMAX 250 MG, 500 MG TABLET <b>MO</b>	4	
ZITHROMAX 500 MG RECON SOLUTION <b>MO</b>	4	
ZITHROMAX TRI-PAK 500 MG TABLET <b>MO</b>	4	
ZITHROMAX Z-PAK 250 MG TABLET <b>MO</b>	4	
ZOSYN IN DEXTROSE (ISO-OSM) 2.25 GRAM/50 ML, 3.375 GRAM/50 ML, 4.5 GRAM/100 ML PIGGYBACK <b>MO</b>	4	
ZYVOX 100 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	PA,QL(1800 per 30 days)
ZYVOX 200 MG/100 ML, 600 MG/300 ML PIGGYBACK <b>MO</b>	4	
ZYVOX 600 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
<b>ANTICONVULSANTS</b>		
APTIOM 200 MG, 400 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
APTIOM 600 MG, 800 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
BANZEL 200 MG TABLET <b>DL</b>	5	PA,QL(480 per 30 days)
BANZEL 40 MG/ML SUSPENSION <b>DL</b>	5	PA,QL(2760 per 30 days)
BANZEL 400 MG TABLET <b>DL</b>	5	PA,QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BRIVIACT 10 MG, 100 MG, 25 MG, 50 MG, 75 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
BRIVIACT 10 MG/ML SOLUTION <b>DL</b>	5	PA,QL(600 per 30 days)
BRIVIACT 50 MG/5 ML SOLUTION <b>DL</b>	5	PA
carbamazepine 100 mg CHEWABLE TABLET <b>MO</b>	2	
carbamazepine 100 mg, 200 mg TABLET, ER 12 HR. <b>MO</b>	2	QL(120 per 30 days)
carbamazepine 100 mg, 200 mg, 300 mg CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>	2	
carbamazepine 100 mg/5 ml, 200 mg/10 ml SUSPENSION <b>MO</b>	2	
carbamazepine 200 mg TABLET <b>MO</b>	2	
carbamazepine 400 mg TABLET, ER 12 HR. <b>MO</b>	2	QL(225 per 30 days)
CARBATROL 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>	4	
CELONTIN 300 MG CAPSULE <b>MO</b>	4	
CEREBYX 100 MG PE/2 ML, 500 MG PE/10 ML SOLUTION <b>MO</b>	4	
clobazam 10 mg, 20 mg TABLET <b>DL</b>	2	PA
clobazam 2.5 mg/ml SUSPENSION <b>DL</b>	2	PA
DEPAKOTE 125 MG, 250 MG, 500 MG TABLET, DR/EC <b>MO</b>	4	
DEPAKOTE ER 250 MG, 500 MG TABLET, ER 24 HR. <b>MO</b>	4	
DEPAKOTE SPRINKLES 125 MG CAPSULE, DR SPRINKLE <b>MO</b>	4	
DIACOMIT 250 MG, 500 MG CAPSULE <b>DL</b>	5	PA,QL(180 per 30 days)
DIACOMIT 250 MG, 500 MG POWDER IN PACKET <b>DL</b>	5	PA,QL(180 per 30 days)
DIASTAT 2.5 MG KIT <b>DL</b>	4	PA
DIASSTAT ACUDIAL 12.5-15-17.5-20 MG, 5-7.5-10 MG KIT <b>DL</b>	4	PA
diazepam 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg KIT <b>DL</b>	2	
DILANTIN 30 MG CAPSULE <b>MO</b>	2	
DILANTIN EXTENDED 100 MG CAPSULE <b>MO</b>	2	
DILANTIN INFATABS 50 MG CHEWABLE TABLET <b>MO</b>	2	
DILANTIN-125 125 MG/5 ML SUSPENSION <b>MO</b>	4	
divalproex 125 mg CAPSULE, DR SPRINKLE <b>MO</b>	2	
divalproex 125 mg, 250 mg, 500 mg TABLET, DR/EC <b>MO</b>	2	
divalproex 250 mg, 500 mg TABLET, ER 24 HR. <b>MO</b>	2	
EPIDIOLEX 100 MG/ML SOLUTION <b>DL</b>	5	PA
epitol 200 mg TABLET <b>MO</b>	2	
EQUETRO 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>	4	PA
ethosuximide 250 mg CAPSULE <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ethosuximide 250 mg/5 ml SOLUTION <b>MO</b>	2	
felbamate 400 mg, 600 mg TABLET <b>MO</b>	2	
felbamate 600 mg/5 ml SUSPENSION <b>MO</b>	2	
FELBATOL 400 MG, 600 MG TABLET <b>DL</b>	5	PA
FELBATOL 600 MG/5 ML SUSPENSION <b>DL</b>	5	PA
FINTEPLA 2.2 MG/ML SOLUTION <b>DL,LA</b>	5	PA,QL(360 per 30 days)
fosphenytoin 100 mg pe/2 ml, 500 mg pe/10 ml SOLUTION <b>MO</b>	2	
FYCOMPA 0.5 MG/ML SUSPENSION <b>DL</b>	5	PA,QL(680 per 28 days)
FYCOMPA 10 MG, 12 MG, 4 MG, 6 MG, 8 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
FYCOMPA 2 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
gabapentin 100 mg, 300 mg, 400 mg CAPSULE <b>MO</b>	2	QL(270 per 30 days)
gabapentin 250 mg/5 ml, 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml) SOLUTION <b>MO</b>	2	QL(2250 per 30 days)
gabapentin 600 mg, 800 mg TABLET <b>MO</b>	2	QL(180 per 30 days)
GABITRIL 12 MG, 16 MG, 2 MG, 4 MG TABLET <b>DL</b>	5	PA
KEPPRA 1,000 MG, 500 MG, 750 MG TABLET <b>DL</b>	5	PA
KEPPRA 100 MG/ML, 500 MG/5 ML SOLUTION <b>DL</b>	5	PA
KEPPRA 250 MG TABLET <b>MO</b>	4	PA
KEPPRA XR 500 MG TABLET, ER 24 HR. <b>DL</b>	5	PA,QL(180 per 30 days)
KEPPRA XR 750 MG TABLET, ER 24 HR. <b>DL</b>	5	PA,QL(120 per 30 days)
lacosamide 10 mg/ml SOLUTION <b>MO</b>	2	QL(1395 per 30 days)
lacosamide 100 mg, 150 mg, 200 mg, 50 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
lacosamide 200 mg/20 ml SOLUTION <b>MO</b>	2	
LAMICTAL 100 MG, 150 MG, 200 MG, 25 MG TABLET <b>DL</b>	5	
LAMICTAL 25 MG, 5 MG TABLET, CHEWABLE DISPERSIBLE <b>DL</b>	5	
LAMICTAL ODT 100 MG, 200 MG, 25 MG, 50 MG TABLET, DISINTEGRATING <b>DL</b>	5	
LAMICTAL ODT STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, DISINTEGRATING,DOSE PK <b>DL</b>	5	
LAMICTAL ODT STARTER (GREEN) 50 MG (42) -100 MG (14) TABLET, DISINTEGRATING,DOSE PK <b>DL</b>	5	
LAMICTAL ODT STARTER (ORANGE) 25 MG(14)-50 MG (14)-100 MG (7) TABLET, DISINTEGRATING,DOSE PK <b>DL</b>	5	
LAMICTAL STARTER (BLUE) KIT 25 MG (35) TABLET, DOSE PACK <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LAMICTAL STARTER (GREEN) KIT 25 MG (84) -100 MG (14) TABLET, DOSE PACK <b>MO</b>	4	
LAMICTAL STARTER (ORANGE) KIT 25 MG (42) -100 MG (7) TABLET, DOSE PACK <b>MO</b>	4	
LAMICTAL XR 100 MG, 200 MG, 25 MG, 250 MG, 300 MG, 50 MG TABLET, ER 24 HR. <b>DL</b>	5	
LAMICTAL XR STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, ER, DOSE PACK <b>MO</b>	4	
LAMICTAL XR STARTER (GREEN) 50 MG(14)-100MG (14)-200 MG (7) TABLET, ER, DOSE PACK <b>MO</b>	4	
LAMICTAL XR STARTER (ORANGE) 25MG (14)-50 MG (14)-100MG (7) TABLET, ER, DOSE PACK <b>MO</b>	4	
<i>lamotrigine 100 mg, 200 mg TABLET <b>MO</b></i>	1	
<i>lamotrigine 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg TABLET, ER 24 HR. <b>MO</b></i>	2	
<i>lamotrigine 100 mg, 200 mg, 25 mg, 50 mg TABLET, DISINTEGRATING <b>MO</b></i>	2	
<i>lamotrigine 150 mg, 25 mg TABLET <b>MO</b></i>	1	
<i>lamotrigine 25 mg (21) -50 mg (7), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg (42) -100 mg (14) TABLET, DISINTEGRATING,DOSE PK <b>MO</b></i>	2	
<i>lamotrigine 25 mg (35), 25 mg (42) -100 mg (7), 25 mg (84) -100 mg (14) TABLET, DOSE PACK <b>MO</b></i>	2	
<i>lamotrigine 25 mg, 5 mg TABLET, CHEWABLE DISPERSIBLE <b>MO</b></i>	2	
<i>levetiracetam 1,000 mg, 250 mg, 750 mg TABLET <b>MO</b></i>	2	
<i>levetiracetam 100 mg/ml, 500 mg/5 ml SOLUTION <b>MO</b></i>	2	
<i>levetiracetam 500 mg TABLET <b>MO</b></i>	2	
<i>levetiracetam 500 mg TABLET, ER 24 HR. <b>MO</b></i>	2	QL(180 per 30 days)
<i>levetiracetam 500 mg/5 ml (5 ml) SOLUTION <b>MO</b></i>	2	QL(900 per 30 days)
<i>levetiracetam 750 mg TABLET, ER 24 HR. <b>MO</b></i>	2	QL(120 per 30 days)
<i>levetiracetam in nacl (iso-os) 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml PIGGYBACK <b>MO</b></i>	2	
<i>LIBERVANT 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG FILM <b>DL</b></i>	5	QL(10 per 30 days)
<i>methylsuximide 300 mg CAPSULE <b>MO</b></i>	2	
<i>MOTPOLY XR 100 MG, 150 MG, 200 MG CAPSULE, ER 24 HR. <b>DL</b></i>	5	PA,QL(60 per 30 days)
<i>MYSOLINE 250 MG, 50 MG TABLET <b>DL</b></i>	5	PA
<i>NAYZILAM 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL <b>DL</b></i>	4	QL(10 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NEMBUTAL SODIUM 50 MG/ML SOLUTION <b>MO</b>	2	
NEURONTIN 100 MG, 300 MG, 400 MG CAPSULE <b>MO</b>	4	PA,QL(270 per 30 days)
NEURONTIN 250 MG/5 ML SOLUTION <b>DL</b>	5	PA,QL(2250 per 30 days)
NEURONTIN 600 MG, 800 MG TABLET <b>DL</b>	5	PA,QL(180 per 30 days)
ONFI 10 MG, 20 MG TABLET <b>DL</b>	5	PA
ONFI 2.5 MG/ML SUSPENSION <b>DL</b>	5	PA
oxcarbazepine 150 mg, 300 mg, 600 mg TABLET <b>MO</b>	2	
oxcarbazepine 300 mg/5 ml (60 mg/ml) SUSPENSION <b>MO</b>	2	
OXTELLAR XR 150 MG, 300 MG, 600 MG TABLET, ER 24 HR. <b>DL</b>	5	ST
pentobarbital sodium 50 mg/ml SOLUTION <b>MO</b>	2	
phenobarbital 100 mg, 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg TABLET <b>MO</b>	2	QL(90 per 30 days)
phenobarbital 15 mg, 60 mg TABLET <b>MO</b>	2	QL(120 per 30 days)
phenobarbital 20 mg/5 ml (4 mg/ml) ELIXIR <b>MO</b>	2	QL(1500 per 30 days)
phenobarbital 30 mg TABLET <b>MO</b>	2	QL(300 per 30 days)
phenobarbital sodium 130 mg/ml, 65 mg/ml SOLUTION <b>DL</b>	5	
PHENYTEK 200 MG, 300 MG CAPSULE <b>MO</b>	2	
phenytoin 100 mg/4 ml, 125 mg/5 ml SUSPENSION <b>MO</b>	2	
phenytoin 50 mg CHEWABLE TABLET <b>MO</b>	2	
phenytoin sodium 50 mg/ml SOLUTION <b>MO</b>	2	
phenytoin sodium 50 mg/ml SYRINGE <b>MO</b>	2	
phenytoin sodium extended 100 mg, 200 mg, 300 mg CAPSULE <b>MO</b>	2	
primidone 125 mg, 250 mg TABLET <b>MO</b>	2	
primidone 50 mg TABLET <b>MO</b>	2	
roweepra 1,000 mg, 500 mg, 750 mg TABLET <b>MO</b>	1	
roweepra xr 500 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(180 per 30 days)
roweepra xr 750 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(120 per 30 days)
rufinamide 200 mg TABLET <b>MO</b>	2	PA,QL(480 per 30 days)
rufinamide 40 mg/ml SUSPENSION <b>MO</b>	2	PA,QL(2760 per 30 days)
rufinamide 400 mg TABLET <b>MO</b>	2	PA,QL(240 per 30 days)
SABRIL 500 MG POWDER IN PACKET <b>DL</b>	5	PA,QL(180 per 30 days)
SABRIL 500 MG TABLET <b>DL</b>	5	PA,QL(180 per 30 days)
SEZABY 100 MG RECON SOLUTION <b>DL</b>	5	
SPRITAM 1,000 MG TABLET FOR SUSPENSION <b>MO</b>	4	ST,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SPRITAM 250 MG TABLET FOR SUSPENSION <b>MO</b>	4	ST,QL(360 per 30 days)
SPRITAM 500 MG TABLET FOR SUSPENSION <b>MO</b>	4	ST,QL(180 per 30 days)
SPRITAM 750 MG TABLET FOR SUSPENSION <b>MO</b>	4	ST,QL(120 per 30 days)
subvenite 100 mg, 150 mg, 200 mg, 25 mg TABLET <b>MO</b>	2	
subvenite starter (blue) kit 25 mg (35) TABLET, DOSE PACK <b>MO</b>	2	
subvenite starter (green) kit 25 mg (84) -100 mg (14) TABLET, DOSE PACK <b>MO</b>	2	
subvenite starter (orange) kit 25 mg (42) -100 mg (7) TABLET, DOSE PACK <b>MO</b>	2	
SYMPAZAN 10 MG, 20 MG, 5 MG FILM <b>DL</b>	5	PA,QL(60 per 30 days)
TEGRETOL 100 MG/5 ML SUSPENSION <b>MO</b>	4	
TEGRETOL 200 MG TABLET <b>MO</b>	4	
TEGRETOL XR 100 MG, 200 MG TABLET, ER 12 HR. <b>MO</b>	4	QL(120 per 30 days)
TEGRETOL XR 400 MG TABLET, ER 12 HR. <b>MO</b>	4	QL(225 per 30 days)
tiagabine 12 mg, 16 mg, 2 mg, 4 mg TABLET <b>MO</b>	2	
TRILEPTAL 150 MG TABLET <b>MO</b>	4	PA
TRILEPTAL 300 MG, 600 MG TABLET <b>DL</b>	5	PA
TRILEPTAL 300 MG/5 ML (60 MG/ML) SUSPENSION <b>DL</b>	5	PA
valproate sodium 500 mg/5 ml (100 mg/ml) SOLUTION <b>MO</b>	2	
valproic acid 250 mg CAPSULE <b>MO</b>	2	
valproic acid (as sodium salt) 250 mg/5 ml, 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml) SOLUTION <b>MO</b>	1	
VALTOCO 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL <b>DL</b>	5	QL(10 per 30 days)
vigabatrin 500 mg POWDER IN PACKET <b>DL</b>	5	PA,QL(180 per 30 days)
vigabatrin 500 mg TABLET <b>DL</b>	5	PA,QL(180 per 30 days)
vigadroner 500 mg POWDER IN PACKET <b>DL</b>	5	PA,QL(180 per 30 days)
vigadroner 500 mg TABLET <b>DL</b>	5	PA,QL(180 per 30 days)
vigpoder 500 mg POWDER IN PACKET <b>DL</b>	5	PA,QL(180 per 30 days)
VIMPAT 10 MG/ML SOLUTION <b>DL</b>	5	PA,QL(1395 per 30 days)
VIMPAT 100 MG, 150 MG, 200 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
VIMPAT 200 MG/20 ML SOLUTION <b>DL</b>	5	PA
VIMPAT 50 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
XCOPRI 100 MG, 50 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
XCOPRI 150 MG, 200 MG TABLET <b>DL</b>	5	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XCOPRI 25 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
XCOPRI MAINTENANCE PACK 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) TABLET <b>DL</b>	5	QL(56 per 28 days)
XCOPRI TITRATION PACK 12.5 MG (14)- 25 MG (14) TABLET, DOSE PACK <b>MO</b>	4	QL(28 per 28 days)
XCOPRI TITRATION PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) TABLET, DOSE PACK <b>DL</b>	5	QL(28 per 28 days)
ZARONTIN 250 MG CAPSULE <b>MO</b>	4	
ZARONTIN 250 MG/5 ML SOLUTION <b>MO</b>	2	
ZONEGRAN 100 MG, 25 MG CAPSULE <b>DL</b>	5	PA
ZONISADE 100 MG/5 ML SUSPENSION <b>MO</b>	4	PA,QL(900 per 30 days)
<i>zonisamide 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b></i>	2	
ZTALMY 50 MG/ML SUSPENSION <b>DL</b>	5	PA,QL(1080 per 30 days)
<b>ANTIDEMENTIA AGENTS</b>		
ADLARITY 10 MG/24 HOUR, 5 MG/24 HOUR PATCH, WEEKLY <b>MO</b>	4	ST,QL(4 per 28 days)
ARICEPT 10 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
ARICEPT 23 MG, 5 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
<i>donepezil 10 mg TABLET <b>MO</b></i>	1	QL(60 per 30 days)
<i>donepezil 10 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b></i>	1	QL(30 per 30 days)
<i>donepezil 23 mg TABLET <b>MO</b></i>	2	QL(30 per 30 days)
<i>donepezil 5 mg TABLET <b>MO</b></i>	1	QL(30 per 30 days)
<i>ergoloid 1 mg TABLET <b>MO</b></i>	2	
EXELON PATCH 13.3 MG/24 HOUR, 4.6 MG/24 HOUR, 9.5 MG/24 HOUR PATCH, 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
<i>galantamine 12 mg, 4 mg, 8 mg TABLET <b>MO</b></i>	2	QL(60 per 30 days)
<i>galantamine 16 mg, 24 mg, 8 mg CAPSULE ER PELLETS 24 HR. <b>MO</b></i>	2	QL(30 per 30 days)
<i>galantamine 4 mg/ml SOLUTION <b>MO</b></i>	2	QL(200 per 30 days)
<i>memantine 10 mg, 5 mg TABLET <b>MO</b></i>	2	PA,QL(60 per 30 days)
<i>memantine 14 mg, 21 mg, 28 mg, 7 mg CAPSULE ER SPRINKLE 24 HR. <b>MO</b></i>	2	PA,QL(30 per 30 days)
<i>memantine 2 mg/ml SOLUTION <b>MO</b></i>	2	PA,QL(360 per 30 days)
<i>memantine 5-10 mg TABLET, DOSE PACK <b>MO</b></i>	2	PA,QL(98 per 30 days)
NAMENDA 10 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
NAMENDA TITRATION PAK 5-10 MG TABLET, DOSE PACK <b>MO</b>	4	PA,QL(98 per 30 days)
NAMENDA XR 14 MG, 21 MG, 28 MG, 7 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NAMENDA XR 7-14-21-28 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	4	PA,QL(28 per 28 days)
NAMZARIC 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	QL(30 per 30 days)
NAMZARIC 7/14/21/28 MG-10 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	QL(28 per 28 days)
RAZADYNE ER 16 MG, 24 MG, 8 MG CAPSULE ER PELLETS 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
rivastigmine 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour PATCH, 24 HR. <b>MO</b>	2	QL(30 per 30 days)
rivastigmine tartrate 1.5 mg, 3 mg CAPSULE <b>MO</b>	2	QL(90 per 30 days)
rivastigmine tartrate 4.5 mg, 6 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
<b>ANTIDEPRESSANTS</b>		
amitriptyline 10 mg, 100 mg, 150 mg, 50 mg, 75 mg TABLET <b>MO</b>	2	
amitriptyline 25 mg TABLET <b>MO</b>	2	
amitriptyline-chlordiazepoxide 12.5-5 mg, 25-10 mg TABLET <b>DL</b>	2	
amoxapine 100 mg, 150 mg, 25 mg, 50 mg TABLET <b>MO</b>	2	
ANAFRANIL 25 MG, 50 MG, 75 MG CAPSULE <b>DL</b>	5	
APLENZIN 174 MG, 348 MG, 522 MG TABLET, ER 24 HR. <b>DL</b>	5	ST,QL(30 per 30 days)
AUVELITY 45-105 MG TABLET, IR/ER, BIPHASIC <b>MO</b>	4	PA,QL(60 per 30 days)
bupropion hcl 100 mg TABLET, SR 12 HR. <b>MO</b>	2	QL(120 per 30 days)
bupropion hcl 100 mg, 75 mg TABLET <b>MO</b>	2	QL(180 per 30 days)
bupropion hcl 150 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(90 per 30 days)
bupropion hcl 150 mg TABLET, SR 12 HR. <b>MO</b>	2	QL(90 per 30 days)
bupropion hcl 200 mg TABLET, SR 12 HR. <b>MO</b>	2	QL(60 per 30 days)
bupropion hcl 300 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
bupropion hcl 450 mg TABLET, ER 24 HR. <b>MO</b>	2	ST,QL(30 per 30 days)
CELEXA 10 MG, 40 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
CELEXA 20 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
citalopram 10 mg, 40 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
citalopram 10 mg/5 ml SOLUTION <b>MO</b>	2	
citalopram 20 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
CITALOPRAM 30 MG CAPSULE <b>MO</b>	4	QL(30 per 30 days)
clomipramine 25 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	2	
CYMBALTA 20 MG CAPSULE, DR/EC <b>MO</b>	4	PA,QL(120 per 30 days)
CYMBALTA 30 MG CAPSULE, DR/EC <b>MO</b>	4	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CYMBALTA 60 MG CAPSULE, DR/EC <b>MO</b>	4	PA,QL(60 per 30 days)
desipramine 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg TABLET <b>MO</b>	2	
desvenlafaxine 100 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>	4	ST,QL(30 per 30 days)
desvenlafaxine succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
DRIZALMA SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG CAPSULE, DR SPRINKLE <b>MO</b>	4	PA,QL(60 per 30 days)
duloxetine 20 mg CAPSULE, DR/EC <b>MO</b>	2	QL(120 per 30 days)
duloxetine 30 mg CAPSULE, DR/EC <b>MO</b>	2	QL(90 per 30 days)
duloxetine 40 mg CAPSULE, DR/EC <b>MO</b>	2	QL(60 per 30 days)
duloxetine 60 mg CAPSULE, DR/EC <b>MO</b>	2	QL(60 per 30 days)
EFFEXOR XR 150 MG CAPSULE, ER 24 HR. <b>MO</b>	4	PA,QL(60 per 30 days)
EFFEXOR XR 37.5 MG, 75 MG CAPSULE, ER 24 HR. <b>MO</b>	4	PA,QL(90 per 30 days)
EMSAM 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR PATCH, 24 HR. <b>DL</b>	5	PA,QL(30 per 30 days)
escitalopram oxalate 10 mg TABLET <b>MO</b>	1	QL(45 per 30 days)
escitalopram oxalate 20 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
escitalopram oxalate 5 mg/5 ml SOLUTION <b>MO</b>	2	QL(600 per 30 days)
FETZIMA 120 MG, 20 MG, 40 MG, 80 MG CAPSULE, ER 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
FETZIMA 20 MG (2)- 40 MG (26) CAPSULE, ER 24 HR. <b>MO</b>	4	PA,QL(28 per 28 days)
fluoxetine 10 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
fluoxetine 10 mg TABLET <b>MO</b>	2	QL(240 per 30 days)
fluoxetine 20 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
fluoxetine 20 mg TABLET <b>MO</b>	2	QL(120 per 30 days)
fluoxetine 20 mg/5 ml (4 mg/ml) SOLUTION <b>MO</b>	2	
fluoxetine 40 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
fluoxetine 60 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
fluoxetine 90 mg CAPSULE, DR/EC <b>MO</b>	2	QL(4 per 28 days)
fluvoxamine 100 mg, 150 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
fluvoxamine 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	2	QL(90 per 30 days)
FORFIVO XL 450 MG TABLET, ER 24 HR. <b>MO</b>	4	ST,QL(30 per 30 days)
imipramine hcl 10 mg TABLET <b>MO</b>	2	
imipramine hcl 25 mg, 50 mg TABLET <b>MO</b>	2	
imipramine pamoate 100 mg, 125 mg, 150 mg, 75 mg CAPSULE <b>MO</b>	2	
LEXAPRO 10 MG TABLET <b>MO</b>	4	PA,QL(45 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LEXAPRO 20 MG, 5 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
MARPLAN 10 MG TABLET <b>MO</b>	4	
mirtazapine 15 mg, 30 mg, 45 mg TABLET, DISINTEGRATING <b>MO</b>	2	QL(30 per 30 days)
mirtazapine 15 mg, 30 mg, 7.5 mg TABLET <b>MO</b>	2	
mirtazapine 45 mg TABLET <b>MO</b>	2	
NARDIL 15 MG TABLET <b>MO</b>	4	
nefazodone 100 mg, 150 mg, 200 mg, 250 mg, 50 mg TABLET <b>MO</b>	2	
NORPRAMIN 10 MG, 25 MG TABLET <b>MO</b>	4	
nortriptyline 10 mg, 25 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	2	
nortriptyline 10 mg/5 ml SOLUTION <b>MO</b>	2	
olanzapine-fluoxetine 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg CAPSULE <b>MO</b>	2	QL(30 per 30 days)
PAMELOR 10 MG, 25 MG, 50 MG, 75 MG CAPSULE <b>DL</b>	5	
PARNATE 10 MG TABLET <b>DL</b>	5	
paroxetine hcl 10 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
paroxetine hcl 10 mg/5 ml SUSPENSION <b>MO</b>	2	
paroxetine hcl 12.5 mg, 37.5 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
paroxetine hcl 20 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
paroxetine hcl 25 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(90 per 30 days)
paroxetine hcl 30 mg, 40 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
paroxetine mesylate(menop.sym) 7.5 mg CAPSULE <b>MO</b>	2	QL(30 per 30 days)
PAXIL 10 MG, 20 MG TABLET <b>MO</b>	4	QL(30 per 30 days)
PAXIL 10 MG/5 ML SUSPENSION <b>MO</b>	4	PA
PAXIL 30 MG, 40 MG TABLET <b>MO</b>	4	QL(60 per 30 days)
PAXIL CR 12.5 MG, 37.5 MG TABLET, ER 24 HR. <b>MO</b>	4	QL(60 per 30 days)
PAXIL CR 25 MG TABLET, ER 24 HR. <b>MO</b>	4	QL(90 per 30 days)
perphenazine-amitriptyline 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg TABLET <b>MO</b>	2	
PEXEVA 10 MG, 20 MG TABLET <b>MO</b>	4	QL(30 per 30 days)
PEXEVA 30 MG TABLET <b>MO</b>	4	QL(60 per 30 days)
phenelzine 15 mg TABLET <b>MO</b>	2	
PRISTIQ 100 MG, 25 MG, 50 MG TABLET, ER 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
protriptyline 10 mg, 5 mg TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PROZAC 10 MG, 40 MG CAPSULE <b>DL</b>	5	PA,QL(60 per 30 days)
PROZAC 20 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)
REMERON 15 MG, 30 MG TABLET <b>MO</b>	4	
REMERON SOLTAB 15 MG, 30 MG, 45 MG TABLET, DISINTEGRATING <b>MO</b>	4	QL(30 per 30 days)
sertraline 100 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
SERTRALINE 150 MG, 200 MG CAPSULE <b>MO</b>	4	QL(30 per 30 days)
sertraline 20 mg/ml CONCENTRATE <b>MO</b>	2	
sertraline 25 mg, 50 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
SYMBYAX 12-50 MG, 3-25 MG, 6-25 MG, 6-50 MG CAPSULE <b>MO</b>	4	PA,QL(30 per 30 days)
tranylcypromine 10 mg TABLET <b>MO</b>	2	
trazodone 100 mg, 150 mg, 50 mg TABLET <b>MO</b>	1	
trazodone 300 mg TABLET <b>MO</b>	2	
trimipramine 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	2	
TRINTELLIX 10 MG, 20 MG, 5 MG TABLET <b>MO</b>	4	ST,QL(30 per 30 days)
venlafaxine 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg TABLET <b>MO</b>	2	
venlafaxine 150 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
venlafaxine 150 mg, 225 mg, 37.5 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
venlafaxine 37.5 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(90 per 30 days)
venlafaxine 75 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(90 per 30 days)
venlafaxine 75 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
VENLAFAXINE BESYLATE 112.5 MG TABLET, ER 24 HR. <b>MO</b>	4	QL(60 per 30 days)
VIIBRYD 10 MG (7)- 20 MG (23) TABLET, DOSE PACK <b>MO</b>	4	PA,QL(30 per 30 days)
VIIBRYD 10 MG, 20 MG, 40 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
vilazodone 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	2	PA,QL(30 per 30 days)
WELLBUTRIN SR 100 MG TABLET, SR 12 HR. <b>MO</b>	4	PA,QL(120 per 30 days)
WELLBUTRIN SR 150 MG TABLET, SR 12 HR. <b>MO</b>	4	PA,QL(90 per 30 days)
WELLBUTRIN SR 200 MG TABLET, SR 12 HR. <b>MO</b>	4	PA,QL(60 per 30 days)
WELLBUTRIN XL 150 MG TABLET, ER 24 HR. <b>DL</b>	5	PA,QL(90 per 30 days)
WELLBUTRIN XL 300 MG TABLET, ER 24 HR. <b>DL</b>	5	PA,QL(60 per 30 days)
ZOLOFT 100 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
ZOLOFT 20 MG/ML CONCENTRATE <b>MO</b>	4	PA
ZOLOFT 25 MG, 50 MG TABLET <b>MO</b>	4	PA,QL(90 per 30 days)
ZULRESSO 5 MG/ML SOLUTION <b>DL</b>	5	PA,QL(100 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZURZUVAE 20 MG, 25 MG CAPSULE <b>DL</b>	5	PA,QL(28 per 365 days)
ZURZUVAE 30 MG CAPSULE <b>DL</b>	5	PA,QL(14 per 365 days)
<b>ANTIEMETICS</b>		
AKYNZEON (FOSNETUPITANT) 235 MG-0.25 MG /20 ML SOLUTION <b>DL</b>	5	PA,QL(80 per 28 days)
AKYNZEON (FOSNETUPITANT) 235-0.25 MG RECON SOLUTION <b>DL</b>	5	PA,QL(4 per 28 days)
AKYNZEON (NETUPITANT) 300-0.5 MG CAPSULE <b>DL</b>	5	PA
ANTIVERT 25 MG CHEWABLE TABLET <b>MO</b>	4	
ANTIVERT 50 MG TABLET <b>MO</b>	4	
ANZEMET 50 MG TABLET <b>MO</b>	4	BvsD,QL(4 per 28 days)
APONVIE 32 MG/4.4 ML (7.2 MG/ML) EMULSION <b>MO</b>	4	
aprepitant 125 mg (1)- 80 mg (2) CAPSULE, DOSE PACK <b>MO</b>	2	BvsD
aprepitant 125 mg, 40 mg CAPSULE <b>MO</b>	2	BvsD,QL(2 per 28 days)
aprepitant 80 mg CAPSULE <b>MO</b>	2	BvsD,QL(4 per 28 days)
BONJESTA 20-20 MG TABLET, IR, DR, BIPHASIC <b>MO</b>	4	QL(60 per 30 days)
COMPATINE 10 MG, 5 MG TABLET <b>MO</b>	4	BvsD
COMPATINE 25 MG SUPPOSITORY <b>MO</b>	2	
compro 25 mg SUPPOSITORY <b>MO</b>	2	
DICLEGIS 10-10 MG TABLET, DR/EC <b>MO</b>	4	QL(120 per 30 days)
dimenhydrinate 50 mg/ml SOLUTION <b>MO</b>	2	
doxylamine-pyridoxine (vit b6) 10-10 mg TABLET, DR/EC <b>MO</b>	2	QL(120 per 30 days)
dronabinol 10 mg, 2.5 mg, 5 mg CAPSULE <b>MO</b>	2	BvsD,QL(120 per 30 days)
EMEND 125 MG (1)- 80 MG (2) CAPSULE, DOSE PACK <b>MO</b>	4	BvsD
EMEND 125 MG (25 MG/ ML FINAL CONC.) SUSPENSION FOR RECONSTITUTION <b>MO</b>	4	BvsD,QL(3 per 28 days)
EMEND 80 MG CAPSULE <b>MO</b>	4	BvsD,QL(4 per 28 days)
EMEND (FOSAPREPITANT) 150 MG RECON SOLUTION <b>MO</b>	4	PA
FOCINVEZ 150 MG/50 ML (3 MG/ML) SOLUTION <b>MO</b>	4	PA
fosaprepitant 150 mg RECON SOLUTION <b>MO</b>	2	PA
GIMOTI 15 MG/SPRAY SPRAY WITH PUMP <b>DL</b>	5	PA,QL(9.8 per 28 days)
granisetron (pf) 1 mg/ml (1 ml), 100 mcg/ml SOLUTION <b>MO</b>	2	
granisetron hcl 1 mg TABLET <b>MO</b>	2	BvsD,QL(28 per 28 days)
granisetron hcl 1 mg/ml, 1 mg/ml (1 ml) SOLUTION <b>MO</b>	2	
MARINOL 10 MG, 2.5 MG, 5 MG CAPSULE <b>DL</b>	5	BvsD,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
meclizine 12.5 mg TABLET <b>MO</b>	2	
meclizine 25 mg TABLET <b>MO</b>	2	
meclizine 50 mg TABLET <b>MO</b>	4	
metoclopramide hcl 10 mg, 5 mg TABLET <b>MO</b>	1	
metoclopramide hcl 5 mg/5 ml SOLUTION <b>MO</b>	2	
metoclopramide hcl 5 mg/ml SOLUTION <b>MO</b>	1	
metoclopramide hcl 5 mg/ml SYRINGE <b>MO</b>	1	
ondansetron 16 mg TABLET, DISINTEGRATING <b>DL</b>	5	BvsD
ondansetron 4 mg TABLET, DISINTEGRATING <b>MO</b>	2	BvsD
ondansetron 8 mg TABLET, DISINTEGRATING <b>MO</b>	2	BvsD
ondansetron hcl 2 mg/ml SOLUTION <b>MO</b>	2	
ondansetron hcl 4 mg TABLET <b>MO</b>	1	BvsD
ondansetron hcl 4 mg/5 ml SOLUTION <b>MO</b>	2	BvsD,QL(450 per 30 days)
ondansetron hcl 8 mg TABLET <b>MO</b>	1	BvsD
ondansetron hcl (pf) 4 mg/2 ml SOLUTION <b>MO</b>	2	
ondansetron hcl (pf) 4 mg/2 ml SYRINGE <b>MO</b>	2	
PHENERGAN 25 MG/ML, 50 MG/ML SOLUTION <b>MO</b>	2	
prochlorperazine 25 mg SUPPOSITORY <b>MO</b>	2	
prochlorperazine edisylate 10 mg/2 ml (5 mg/ml), 5 mg/ml SOLUTION <b>MO</b>	2	
prochlorperazine maleate 10 mg, 5 mg TABLET <b>MO</b>	2	BvsD
promethazine 12.5 mg, 25 mg, 50 mg SUPPOSITORY <b>MO</b>	2	
promethazine 12.5 mg, 50 mg TABLET <b>MO</b>	2	
promethazine 25 mg TABLET <b>MO</b>	2	
promethazine 25 mg/ml, 50 mg/ml SOLUTION <b>MO</b>	2	
promethazine 6.25 mg/5 ml SYRUP <b>MO</b>	2	
promethegan 12.5 mg, 25 mg, 50 mg SUPPOSITORY <b>MO</b>	2	
REGLAN 10 MG, 5 MG TABLET <b>MO</b>	4	
SANCUSO 3.1 MG/24 HOUR PATCH, WEEKLY <b>DL</b>	5	QL(4 per 30 days)
scopolamine base 1 mg over 3 days PATCH, 3 DAY <b>MO</b>	2	QL(10 per 30 days)
SYNDROS 5 MG/ML SOLUTION <b>DL</b>	5	PA
TIGAN 100 MG/ML SOLUTION <b>MO</b>	4	
TRANSDERM-SCOP 1 MG OVER 3 DAYS PATCH, 3 DAY <b>MO</b>	4	QL(10 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
trimethobenzamide 300 mg CAPSULE <b>MO</b>	2	BvsD
VARUBI 90 MG TABLET <b>DL</b>	5	PA
<b>ANTIFUNGALS</b>		
ABELCET 5 MG/ML SUSPENSION <b>MO</b>	4	BvsD
AMBISOME 50 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	BvsD
amphotericin b 50 mg RECON SOLUTION <b>MO</b>	2	BvsD
amphotericin b liposome 50 mg SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	BvsD
ANCOBON 250 MG, 500 MG CAPSULE <b>MO</b>	4	
CANCIDAS 50 MG, 70 MG RECON SOLUTION <b>DL</b>	5	PA
caspofungin 50 mg RECON SOLUTION <b>DL,HI</b>	5	
caspofungin 70 mg RECON SOLUTION <b>HI,MO</b>	2	
ciclodan 8 % SOLUTION <b>MO</b>	2	QL(13.2 per 30 days)
ciclopirox 0.77 % CREAM <b>MO</b>	2	QL(90 per 30 days)
ciclopirox 0.77 % GEL <b>MO</b>	2	QL(100 per 30 days)
ciclopirox 0.77 % SUSPENSION <b>MO</b>	2	QL(60 per 30 days)
ciclopirox 1 % SHAMPOO <b>MO</b>	2	QL(120 per 30 days)
ciclopirox 8 % SOLUTION <b>MO</b>	2	QL(13.2 per 30 days)
clotrimazole 1 % CREAM <b>MO</b>	2	
clotrimazole 1 % SOLUTION <b>MO</b>	2	
clotrimazole 10 mg TROCHE <b>MO</b>	2	
clotrimazole-betamethasone 1-0.05 % CREAM <b>MO</b>	2	QL(180 per 30 days)
clotrimazole-betamethasone 1-0.05 % LOTION <b>MO</b>	2	QL(90 per 28 days)
CRESEMPA 186 MG, 74.5 MG CAPSULE <b>DL</b>	5	PA
CRESEMPA 372 MG RECON SOLUTION <b>DL</b>	5	PA
DIFLUCAN 10 MG/ML, 40 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	PA
DIFLUCAN 100 MG, 150 MG, 200 MG, 50 MG TABLET <b>MO</b>	4	PA
econazole 1 % CREAM <b>MO</b>	2	PA,QL(85 per 30 days)
ERAXIS(WATER DILUENT) 100 MG, 50 MG RECON SOLUTION <b>DL</b>	5	
ERTACZO 2 % CREAM <b>DL</b>	5	QL(60 per 30 days)
EXELDERM 1 % CREAM <b>MO</b>	4	
EXELDERM 1 % SOLUTION <b>MO</b>	4	QL(60 per 30 days)
EXTINA 2 % FOAM <b>MO</b>	4	QL(100 per 30 days)
fluconazole 10 mg/ml, 40 mg/ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluconazole 100 mg, 200 mg, 50 mg TABLET <b>MO</b>	2	
fluconazole 150 mg TABLET <b>MO</b>	2	
fluconazole in nacl (iso-osm) 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml PIGGYBACK <b>HI,MO</b>	2	
flucytosine 250 mg, 500 mg CAPSULE <b>DL</b>	5	
griseofulvin microsize 125 mg/5 ml SUSPENSION <b>MO</b>	2	
griseofulvin microsize 500 mg TABLET <b>MO</b>	2	
griseofulvin ultramicrosize 125 mg, 250 mg TABLET <b>MO</b>	2	
gynazole-1 2 % CREAM <b>MO</b>	2	
itraconazole 10 mg/ml SOLUTION <b>MO</b>	2	
itraconazole 100 mg CAPSULE <b>MO</b>	2	QL(120 per 30 days)
JUBLIA 10 % SOLUTION W/APPLICATOR <b>DL</b>	5	PA,QL(4 per 28 days)
KERYDIN 5 % SOLUTION W/APPLICATOR <b>MO</b>	4	PA,QL(10 per 30 days)
ketoconazole 2 % CREAM <b>MO</b>	2	QL(60 per 30 days)
ketoconazole 2 % FOAM <b>MO</b>	2	QL(100 per 30 days)
ketoconazole 2 % SHAMPOO <b>MO</b>	2	QL(120 per 30 days)
ketoconazole 200 mg TABLET <b>MO</b>	2	PA
ketodan 2 % FOAM <b>MO</b>	2	QL(100 per 30 days)
klayesta 100,000 unit/gram POWDER <b>MO</b>	2	PA
LOPROX 1 % SHAMPOO <b>MO</b>	4	PA,QL(120 per 30 days)
LOPROX (AS OLAMINE) 0.77 % CREAM <b>MO</b>	4	PA,QL(90 per 30 days)
LOPROX (AS OLAMINE) 0.77 % SUSPENSION <b>MO</b>	4	PA,QL(60 per 30 days)
luliconazole 1 % CREAM <b>MO</b>	2	ST,QL(60 per 28 days)
LUZU 1 % CREAM <b>MO</b>	4	ST,QL(60 per 28 days)
MENTAX 1 % CREAM <b>MO</b>	4	QL(30 per 30 days)
micafungin 100 mg, 50 mg RECON SOLUTION <b>DL</b>	5	
MICAFUNGIN IN 0.9 % SODIUM CHL 100 MG/100 ML, 50 MG/50 ML PIGGYBACK <b>DL</b>	5	
miconazole nitrate-zinc ox-pet 0.25-15-81.35 % OINTMENT <b>MO</b>	2	
miconazole-3 200 mg SUPPOSITORY <b>MO</b>	2	
MYCAMINE 100 MG, 50 MG RECON SOLUTION <b>DL</b>	5	
naftifine 1 % CREAM <b>MO</b>	2	ST,QL(90 per 30 days)
naftifine 2 % CREAM <b>MO</b>	2	ST,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
naftifine 2 % GEL <b>MO</b>	2	ST,QL(120 per 30 days)
NAFTIN 1 % GEL <b>MO</b>	4	ST,QL(90 per 30 days)
NAFTIN 2 % GEL <b>MO</b>	4	ST,QL(120 per 30 days)
NOXAFIL 100 MG TABLET, DR/EC <b>DL</b>	5	PA
NOXAFIL 200 MG/5 ML (40 MG/ML) SUSPENSION <b>DL</b>	5	PA,QL(840 per 28 days)
NOXAFIL 300 MG SUSPENSION, DR FOR RECON <b>DL</b>	5	PA,QL(32 per 30 days)
NOXAFIL 300 MG/16.7 ML SOLUTION <b>DL</b>	5	PA
nyamyc 100,000 unit/gram POWDER <b>MO</b>	2	PA
nystatin 100,000 unit/gram CREAM <b>MO</b>	2	
nystatin 100,000 unit/gram OINTMENT <b>MO</b>	2	
nystatin 100,000 unit/gram POWDER <b>MO</b>	2	PA
nystatin 100,000 unit/ml SUSPENSION <b>MO</b>	2	
nystatin 500,000 unit TABLET <b>MO</b>	2	
nystatin-triamcinolone 100,000-0.1 unit/g-% CREAM <b>MO</b>	2	
nystatin-triamcinolone 100,000-0.1 unit/gram-% OINTMENT <b>MO</b>	2	
rystop 100,000 unit/gram POWDER <b>MO</b>	2	PA
oxiconazole 1 % CREAM <b>MO</b>	2	PA,QL(60 per 30 days)
OXISTAT 1 % CREAM <b>MO</b>	4	QL(60 per 30 days)
OXISTAT 1 % LOTION <b>MO</b>	4	PA
posaconazole 100 mg TABLET, DR/EC <b>DL</b>	5	PA
posaconazole 200 mg/5 ml (40 mg/ml) SUSPENSION <b>DL</b>	5	PA,QL(840 per 28 days)
posaconazole 300 mg/16.7 ml SOLUTION <b>DL</b>	5	PA
REZZAYO 200 MG RECON SOLUTION <b>DL</b>	5	PA
SPORANOX 10 MG/ML SOLUTION <b>DL</b>	5	
SPORANOX 100 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)
SPORANOX PULSEPAK 100 MG CAPSULE <b>MO</b>	4	PA,QL(120 per 30 days)
tavaborole 5 % SOLUTION W/APPLICATOR <b>MO</b>	2	PA,QL(10 per 30 days)
terbinafine hcl 250 mg TABLET <b>MO</b>	1	
terconazole 0.4 %, 0.8 % CREAM <b>MO</b>	2	
terconazole 80 mg SUPPOSITORY <b>MO</b>	2	
TOLSURA 65 MG CAPSULE, SOLID DISPERSION <b>DL</b>	5	PA,QL(120 per 30 days)
VFEND 200 MG, 50 MG TABLET <b>MO</b>	4	PA,QL(120 per 30 days)
VFEND 200 MG/5 ML (40 MG/ML) SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	PA,QL(400 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VFEND IV 200 MG RECON SOLUTION <b>MO</b>	4	PA
VIVJOA 150 MG CAPSULE <b>MO</b>	4	PA
voriconazole 200 mg RECON SOLUTION <b>HI,MO</b>	2	PA
voriconazole 200 mg, 50 mg TABLET <b>MO</b>	2	PA,QL(120 per 30 days)
voriconazole 200 mg/5 ml (40 mg/ml) SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	PA,QL(400 per 30 days)
VUSION 0.25-15-81.35 % OINTMENT <b>MO</b>	4	
XOLEGEL 2 % GEL <b>MO</b>	4	
<b>ANTIGOUT AGENTS</b>		
allopurinol 100 mg, 300 mg TABLET <b>MO</b>	1	
allopurinol 200 mg TABLET <b>MO</b>	4	
allopurinol sodium 500 mg RECON SOLUTION <b>MO</b>	2	
ALOPRIM 500 MG RECON SOLUTION <b>MO</b>	4	
colchicine 0.6 mg TABLET <b>MO</b>	3	QL(120 per 30 days)
DUZALLO 200-200 MG, 200-300 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
febuxostat 40 mg, 80 mg TABLET <b>MO</b>	2	ST,QL(30 per 30 days)
GLOPERBA 0.6 MG/5 ML SOLUTION <b>MO</b>	4	PA,QL(300 per 30 days)
MITIGARE 0.6 MG CAPSULE <b>MO</b>	3	
probenecid 500 mg TABLET <b>MO</b>	2	
probenecid-colchicine 500-0.5 mg TABLET <b>MO</b>	2	
ULORIC 40 MG, 80 MG TABLET <b>MO</b>	4	ST,QL(30 per 30 days)
ZYLOPRIM 100 MG TABLET <b>MO</b>	4	
<b>ANTIMIGRAINE AGENTS</b>		
AIMOVIG AUTOINJECTOR 140 MG/ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(1 per 28 days)
AIMOVIG AUTOINJECTOR 70 MG/ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(2 per 28 days)
AJOVY AUTOINJECTOR 225 MG/1.5 ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(1.5 per 28 days)
AJOVY SYRINGE 225 MG/1.5 ML SYRINGE <b>MO</b>	4	PA,QL(1.5 per 28 days)
almotriptan malate 12.5 mg, 6.25 mg TABLET <b>MO</b>	2	ST,QL(9 per 30 days)
dihydroergotamine 0.5 mg/pump act. (4 mg/ml) SPRAY, NON-AEROSOL <b>DL</b>	5	PA,QL(8 per 30 days)
dihydroergotamine 1 mg/ml SOLUTION <b>DL</b>	5	PA
eletriptan 20 mg, 40 mg TABLET <b>MO</b>	2	ST,QL(9 per 30 days)
EMGALITY PEN 120 MG/ML PEN INJECTOR <b>MO</b>	4	PA,QL(2 per 30 days)
EMGALITY SYRINGE 120 MG/ML SYRINGE <b>MO</b>	4	PA,QL(2 per 30 days)
EMGALITY SYRINGE 300 MG/3 ML (100 MG/ML X 3) SYRINGE <b>MO</b>	4	PA,QL(3 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EPRONTIA 25 MG/ML SOLUTION <b>MO</b>	4	PA,QL(480 per 30 days)
ERGOMAR 2 MG SUBLINGUAL TABLET <b>DL</b>	5	QL(20 per 28 days)
ergotamine-caffeine 1-100 mg TABLET <b>MO</b>	2	QL(40 per 30 days)
FROVA 2.5 MG TABLET <b>DL</b>	5	ST,QL(12 per 30 days)
frovatriptan 2.5 mg TABLET <b>MO</b>	2	ST,QL(12 per 30 days)
IMITREX 100 MG TABLET <b>DL</b>	5	PA,QL(9 per 30 days)
IMITREX 20 MG/ACTUATION, 5 MG/ACTUATION SPRAY, NON-AEROSOL <b>DL</b>	5	PA,QL(12 per 30 days)
IMITREX 25 MG, 50 MG TABLET <b>MO</b>	4	PA,QL(9 per 30 days)
IMITREX 6 MG/0.5 ML SOLUTION <b>DL</b>	5	PA,QL(6 per 30 days)
IMITREX STATDOSE PEN 4 MG/0.5 ML, 6 MG/0.5 ML PEN INJECTOR <b>MO</b>	4	PA,QL(6 per 30 days)
IMITREX STATDOSE REFILL 4 MG/0.5 ML, 6 MG/0.5 ML CARTRIDGE <b>DL</b>	5	PA,QL(6 per 30 days)
MAXALT 10 MG TABLET <b>MO</b>	4	PA,QL(12 per 30 days)
MAXALT-MLT 10 MG TABLET, DISINTEGRATING <b>MO</b>	4	PA,QL(12 per 30 days)
migergot 2-100 mg SUPPOSITORY <b>DL</b>	5	QL(20 per 28 days)
MIGRALAN 0.5 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL <b>DL</b>	5	QL(8 per 30 days)
naratriptan 1 mg, 2.5 mg TABLET <b>MO</b>	2	QL(9 per 30 days)
ONZETRA XSAIL 11 MG AEROSOL POWDER BREATH ACTIV. <b>MO</b>	4	ST,QL(16 per 30 days)
QUDEXY XR 100 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. <b>DL</b>	5	PA,QL(30 per 30 days)
QUDEXY XR 150 MG, 200 MG CAPSULE ER SPRINKLE 24 HR. <b>DL</b>	5	PA,QL(60 per 30 days)
QUDEXY XR 25 MG CAPSULE ER SPRINKLE 24 HR. <b>DL</b>	5	PA,QL(90 per 30 days)
QULIPTA 10 MG, 30 MG, 60 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
RELPAX 20 MG, 40 MG TABLET <b>DL</b>	5	ST,QL(9 per 30 days)
REYVOW 100 MG TABLET <b>MO</b>	4	PA,QL(8 per 30 days)
REYVOW 50 MG TABLET <b>MO</b>	4	PA,QL(4 per 30 days)
rizatriptan 10 mg TABLET <b>MO</b>	2	QL(12 per 30 days)
rizatriptan 10 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>	2	QL(12 per 30 days)
rizatriptan 5 mg TABLET <b>MO</b>	2	QL(12 per 30 days)
sumatriptan 20 mg/actuation, 5 mg/actuation SPRAY, NON-AEROSOL <b>MO</b>	2	QL(12 per 30 days)
sumatriptan succinate 100 mg TABLET <b>MO</b>	1	QL(9 per 30 days)
sumatriptan succinate 25 mg, 50 mg TABLET <b>MO</b>	1	QL(9 per 30 days)
sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml CARTRIDGE <b>MO</b>	4	QL(6 per 30 days)
sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml PEN INJECTOR <b>MO</b>	2	QL(6 per 30 days)
sumatriptan succinate 6 mg/0.5 ml SOLUTION <b>MO</b>	2	QL(6 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
sumatriptan succinate 6 mg/0.5 ml SYRINGE <b>MO</b>	2	QL(6 per 30 days)
sumatriptan-naproxen 85-500 mg TABLET <b>MO</b>	2	ST,QL(18 per 30 days)
TOPAMAX 100 MG, 200 MG, 50 MG TABLET <b>DL</b>	5	QL(120 per 30 days)
TOPAMAX 15 MG, 25 MG CAPSULE, SPRINKLE <b>DL</b>	5	
TOPAMAX 25 MG TABLET <b>MO</b>	4	QL(90 per 30 days)
topiramate 100 mg, 200 mg TABLET <b>MO</b>	2	QL(120 per 30 days)
topiramate 100 mg, 50 mg CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
topiramate 100 mg, 50 mg CAPSULE, ER 24 HR. <b>MO</b>	2	PA,QL(30 per 30 days)
topiramate 15 mg, 25 mg CAPSULE, SPRINKLE <b>MO</b>	2	
topiramate 150 mg, 200 mg CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	4	PA,QL(60 per 30 days)
topiramate 200 mg CAPSULE, ER 24 HR. <b>DL</b>	5	PA,QL(60 per 30 days)
topiramate 25 mg CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	4	PA,QL(90 per 30 days)
topiramate 25 mg CAPSULE, ER 24 HR. <b>MO</b>	2	PA,QL(90 per 30 days)
topiramate 25 mg TABLET <b>MO</b>	2	QL(90 per 30 days)
topiramate 50 mg TABLET <b>MO</b>	2	QL(120 per 30 days)
TOSYMRA 10 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	4	ST,QL(12 per 30 days)
TREXIMET 85-500 MG TABLET <b>DL</b>	5	ST,QL(18 per 30 days)
TROKENDI XR 100 MG, 50 MG CAPSULE, ER 24 HR. <b>DL</b>	5	PA,QL(30 per 30 days)
TROKENDI XR 200 MG CAPSULE, ER 24 HR. <b>DL</b>	5	PA,QL(60 per 30 days)
TROKENDI XR 25 MG CAPSULE, ER 24 HR. <b>DL</b>	5	PA,QL(90 per 30 days)
TRUDHESA 0.725 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL <b>DL</b>	5	PA,QL(8 per 30 days)
YVEPTI 100 MG/ML SOLUTION <b>MO</b>	4	PA,QL(3 per 90 days)
ZEMBRACE SYMTOUCH 3 MG/0.5 ML PEN INJECTOR <b>DL</b>	5	ST,QL(6 per 30 days)
zolmitriptan 2.5 mg TABLET <b>MO</b>	2	ST,QL(9 per 30 days)
zolmitriptan 2.5 mg TABLET, DISINTEGRATING <b>MO</b>	2	ST,QL(9 per 30 days)
zolmitriptan 2.5 mg, 5 mg SPRAY, NON-AEROSOL <b>MO</b>	2	ST,QL(12 per 30 days)
zolmitriptan 5 mg TABLET <b>MO</b>	2	ST,QL(6 per 30 days)
zolmitriptan 5 mg TABLET, DISINTEGRATING <b>MO</b>	2	ST,QL(6 per 30 days)
ZOMIG 2.5 MG TABLET <b>DL</b>	5	ST,QL(9 per 30 days)
zomig 2.5 mg TABLET <b>DL</b>	5	ST,QL(9 per 30 days)
ZOMIG 2.5 MG, 5 MG SPRAY, NON-AEROSOL <b>MO</b>	4	ST,QL(12 per 30 days)
ZOMIG 5 MG TABLET <b>DL</b>	5	ST,QL(6 per 30 days)
zomig 5 mg TABLET <b>DL</b>	5	ST,QL(6 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>ANTIMYASTHENIC AGENTS</b>		
MESTINON 60 MG TABLET <b>DL</b>	5	PA
MESTINON 60 MG/5 ML SYRUP <b>DL</b>	5	
MESTINON TIMESPAN 180 MG TABLET ER <b>DL</b>	5	PA
pyridostigmine bromide 180 mg TABLET ER <b>MO</b>	2	
pyridostigmine bromide 30 mg, 60 mg TABLET <b>MO</b>	2	
pyridostigmine bromide 60 mg/5 ml SYRUP <b>MO</b>	2	
REGONOL 5 MG/ML SOLUTION <b>MO</b>	4	
<b>ANTIMYCOBACTERIALS</b>		
cycloserine 250 mg CAPSULE <b>DL</b>	5	
dapsone 100 mg, 25 mg TABLET <b>MO</b>	2	
ethambutol 100 mg, 400 mg TABLET <b>MO</b>	2	
isoniazid 100 mg, 300 mg TABLET <b>MO</b>	1	
isoniazid 100 mg/ml SOLUTION <b>MO</b>	1	
isoniazid 50 mg/5 ml SOLUTION <b>MO</b>	2	
MYAMBUTOL 400 MG TABLET <b>MO</b>	4	
MYCOBUTIN 150 MG CAPSULE <b>MO</b>	4	
PASER 4 GRAM DR GRANULES IN PACKET <b>MO</b>	2	
PRETOMANID 200 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
PRIFTIN 150 MG TABLET <b>MO</b>	4	
pyrazinamide 500 mg TABLET <b>MO</b>	2	
rifabutin 150 mg CAPSULE <b>MO</b>	2	
RIFADIN 600 MG RECON SOLUTION <b>MO</b>	4	
rifampin 150 mg, 300 mg CAPSULE <b>MO</b>	2	
rifampin 600 mg RECON SOLUTION <b>MO</b>	2	
SIRTURO 100 MG, 20 MG TABLET <b>DL</b>	5	PA
TRECATOR 250 MG TABLET <b>MO</b>	4	
<b>ANTINEOPLASTICS</b>		
abiraterone 250 mg TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
abiraterone 500 mg TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
ABRAXANE 100 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	PA
ADCETRIS 50 MG RECON SOLUTION <b>DL</b>	5	PA
ADRIAMYCIN 50 MG RECON SOLUTION <b>MO</b>	2	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
adrucil 2.5 gram/50 ml SOLUTION <b>MO</b>	2	BvsD
AFINITOR 10 MG, 2.5 MG, 5 MG, 7.5 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
AFINITOR DISPERZ 2 MG, 3 MG, 5 MG TABLET FOR SUSPENSION <b>DL</b>	5	PA
AKEEGA 100-500 MG, 50-500 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
ALECensa 150 MG CAPSULE <b>DL</b>	5	PA,QL(240 per 30 days)
ALIMTA 100 MG, 500 MG RECON SOLUTION <b>DL</b>	5	PA
ALIQOPA 60 MG RECON SOLUTION <b>DL</b>	5	PA,QL(3 per 28 days)
ALKERAN 2 MG TABLET <b>MO</b>	4	BvsD
ALKERAN (AS HCL) 50 MG RECON SOLUTION <b>MO</b>	4	
ALUNBRIG 180 MG, 90 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
ALUNBRIG 30 MG TABLET <b>DL</b>	5	PA,QL(180 per 30 days)
ALUNBRIG 90 MG (7)- 180 MG (23) TABLET, DOSE PACK <b>DL</b>	5	PA,QL(30 per 30 days)
ALYMSYS 25 MG/ML SOLUTION <b>DL</b>	5	PA
anastrozole 1 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ANKTIVA 400 MCG/0.4 ML SOLUTION <b>DL</b>	5	PA
ARIMIDEX 1 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
AROMASIN 25 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
ARRANON 250 MG/50 ML SOLUTION <b>DL</b>	5	
arsenic trioxide 1 mg/ml, 2 mg/ml SOLUTION <b>DL</b>	5	PA
ASPARLAS 750 UNIT/ML SOLUTION <b>DL</b>	5	PA
AUGTYRO 40 MG CAPSULE <b>DL</b>	5	PA,QL(240 per 30 days)
AVASTIN 25 MG/ML SOLUTION <b>DL</b>	5	PA
AYVAKIT 100 MG, 200 MG, 25 MG, 300 MG, 50 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
azacitidine 100 mg RECON SOLUTION <b>DL</b>	5	PA
BALVERSA 3 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
BALVERSA 4 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
BALVERSA 5 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
BAVENCIO 20 MG/ML SOLUTION <b>DL</b>	5	PA
BELEODAQ 500 MG RECON SOLUTION <b>DL</b>	5	PA
BELRAPZO 25 MG/ML SOLUTION <b>DL</b>	5	PA
bendamustine 100 mg, 25 mg RECON SOLUTION <b>DL</b>	5	PA
bendamustine 25 mg/ml SOLUTION <b>DL</b>	5	PA
BENDEKA 25 MG/ML SOLUTION <b>DL</b>	5	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BESPONSA 0.9 MG (0.25 MG/ML INITIAL) RECON SOLUTION <b>DL</b>	5	PA
bexarotene 1 % GEL <b>DL</b>	5	PA,QL(240 per 30 days)
bexarotene 75 mg CAPSULE <b>DL</b>	5	PA,QL(300 per 30 days)
bicalutamide 50 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
BICNU 100 MG RECON SOLUTION <b>MO</b>	4	
bleomycin 15 unit, 30 unit RECON SOLUTION <b>MO</b>	2	BvsD
BORTEZOMIB 1 MG, 2.5 MG RECON SOLUTION <b>DL</b>	5	PA
bortezomib 3.5 mg RECON SOLUTION <b>DL</b>	5	PA
BOSULIF 100 MG CAPSULE <b>DL</b>	5	PA,QL(180 per 30 days)
BOSULIF 100 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
BOSULIF 400 MG, 500 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
BOSULIF 50 MG CAPSULE <b>DL</b>	5	PA,QL(360 per 30 days)
BRAFTOVI 75 MG CAPSULE <b>DL</b>	5	PA,QL(180 per 30 days)
BRUKINSA 80 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)
busulfan 60 mg/10 ml SOLUTION <b>MO</b>	2	
BUSULFEX 60 MG/10 ML SOLUTION <b>MO</b>	4	
CABOMETYX 20 MG, 40 MG, 60 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
CALQUENCE 100 MG CAPSULE <b>DL</b>	5	PA,QL(60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) 100 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
CAMPTOSAR 100 MG/5 ML, 300 MG/15 ML, 40 MG/2 ML SOLUTION <b>DL</b>	5	
CAPRELSA 100 MG TABLET <b>DL,LA</b>	5	PA,QL(60 per 30 days)
CAPRELSA 300 MG TABLET <b>DL,LA</b>	5	PA,QL(30 per 30 days)
carboplatin 10 mg/ml SOLUTION <b>MO</b>	2	
carmustine 100 mg RECON SOLUTION <b>MO</b>	2	
CASODEX 50 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
cisplatin 1 mg/ml SOLUTION <b>MO</b>	2	
cladribine 10 mg/10 ml SOLUTION <b>DL</b>	5	BvsD
clofarabine 1 mg/ml SOLUTION <b>DL</b>	5	
CLOLAR 1 MG/ML SOLUTION <b>DL</b>	5	
COLUMVI 1 MG/ML SOLUTION <b>DL</b>	5	PA
COMETRIQ 100 MG/DAY(80 MG X1-20 MG X1) CAPSULE <b>DL</b>	5	PA,QL(56 per 28 days)
COMETRIQ 140 MG/DAY(80 MG X1-20 MG X3) CAPSULE <b>DL</b>	5	PA,QL(112 per 28 days)
COMETRIQ 60 MG/DAY (20 MG X 3/DAY) CAPSULE <b>DL</b>	5	PA,QL(84 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
COPIKTRA 15 MG, 25 MG CAPSULE <b>DL</b>	5	PA,QL(56 per 28 days)
COSMEGEN 0.5 MG RECON SOLUTION <b>DL</b>	5	
COTELIC 20 MG TABLET <b>DL</b>	5	PA,QL(63 per 28 days)
cyclophosphamide 1 gram, 2 gram, 500 mg RECON SOLUTION <b>MO</b>	2	BvsD
CYCLOPHOSPHAMIDE 100 MG/ML, 200 MG/ML SOLUTION <b>MO</b>	2	BvsD
cyclophosphamide 200 mg/ml SOLUTION <b>MO</b>	2	BvsD
cyclophosphamide 25 mg, 50 mg CAPSULE <b>MO</b>	2	BvsD
cyclophosphamide 25 mg, 50 mg TABLET <b>MO</b>	2	BvsD
CYRAMZA 10 MG/ML SOLUTION <b>DL</b>	5	PA
cytarabine 20 mg/ml SOLUTION <b>MO</b>	1	BvsD
cytarabine (pf) 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml), 20 mg/ml SOLUTION <b>MO</b>	1	BvsD
dacarbazine 100 mg, 200 mg RECON SOLUTION <b>MO</b>	2	
DACOGEN 50 MG RECON SOLUTION <b>DL</b>	5	PA
dactinomycin 0.5 mg RECON SOLUTION <b>DL</b>	5	
DANYELZA 4 MG/ML SOLUTION <b>DL</b>	5	PA,QL(120 per 28 days)
DARZALEX 20 MG/ML SOLUTION <b>DL</b>	5	PA
DARZALEX FASPRO 1,800 MG-30,000 UNIT/15 ML SOLUTION <b>DL</b>	5	PA
daunorubicin 5 mg/ml SOLUTION <b>MO</b>	1	
DAURISMO 100 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
DAURISMO 25 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
decitabine 50 mg RECON SOLUTION <b>DL</b>	5	PA
dexrazoxane hcl 250 mg, 500 mg RECON SOLUTION <b>MO</b>	2	
DOCEFREZ 20 MG RECON SOLUTION <b>MO</b>	4	
DOCEFREZ 80 MG RECON SOLUTION <b>DL</b>	5	
docetaxel 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml) SOLUTION <b>MO</b>	2	
DOXIL 2 MG/ML SUSPENSION <b>DL</b>	5	PA
doxorubicin 10 mg, 50 mg RECON SOLUTION <b>MO</b>	2	BvsD
doxorubicin 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml SOLUTION <b>MO</b>	2	BvsD
doxorubicin, peg-liposomal 2 mg/ml SUSPENSION <b>DL</b>	5	PA
ELITEK 1.5 MG, 7.5 MG RECON SOLUTION <b>DL</b>	5	PA
ELLENCE 200 MG/100 ML, 50 MG/25 ML SOLUTION <b>DL</b>	5	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ELREXFIO 40 MG/ML SOLUTION <b>DL</b>	5	PA
ELZONRIS 1,000 MCG/ML SOLUTION <b>DL</b>	5	PA,QL(10 per 21 days)
EMCYT 140 MG CAPSULE <b>MO</b>	4	
EMPLICITI 300 MG, 400 MG RECON SOLUTION <b>DL</b>	5	PA
ENHERTU 100 MG RECON SOLUTION <b>DL</b>	5	PA
epirubicin 200 mg/100 ml, 50 mg/25 ml SOLUTION <b>MO</b>	2	
EPKINLY 4 MG/0.8 ML, 48 MG/0.8 ML SOLUTION <b>DL</b>	5	PA
ERBITUX 100 MG/50 ML, 200 MG/100 ML SOLUTION <b>DL</b>	5	PA
eribulin 1 mg/2 ml (0.5 mg/ml) SOLUTION <b>DL</b>	5	
ERIVEDGE 150 MG CAPSULE <b>DL</b>	5	PA,QL(28 per 28 days)
ERLEADA 240 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
ERLEADA 60 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
erlotinib 100 mg, 150 mg TABLET <b>MO</b>	2	PA,QL(30 per 30 days)
erlotinib 25 mg TABLET <b>MO</b>	2	PA,QL(90 per 30 days)
ETHYOL 500 MG RECON SOLUTION <b>DL</b>	5	
ETOPOPHOS 100 MG RECON SOLUTION <b>MO</b>	4	
etoposide 20 mg/ml SOLUTION <b>MO</b>	2	
EULEXIN 125 MG CAPSULE <b>DL</b>	5	PA
everolimus (antineoplastic) 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
everolimus (antineoplastic) 2 mg, 3 mg, 5 mg TABLET FOR SUSPENSION <b>DL</b>	5	PA
EVOMELA 50 MG RECON SOLUTION <b>DL</b>	5	
exemestane 25 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
EXKIVITY 40 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)
FARESTON 60 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
FASLODEX 250 MG/5 ML SYRINGE <b>DL</b>	5	PA,QL(30 per 30 days)
FEMARA 2.5 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
flouxuridine 0.5 gram RECON SOLUTION <b>MO</b>	1	BvsD
fludarabine 50 mg RECON SOLUTION <b>MO</b>	2	
fludarabine 50 mg/2 ml SOLUTION <b>DL</b>	5	
fluorouracil 1 gram/20 ml, 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml SOLUTION <b>MO</b>	2	BvsD
flutamide 125 mg CAPSULE <b>MO</b>	2	
FOLOTYN 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML) SOLUTION <b>DL</b>	5	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FOTIVDA 0.89 MG, 1.34 MG CAPSULE <b>DL</b>	5	PA,QL(21 per 28 days)
FRUZAQLA 1 MG CAPSULE <b>DL</b>	5	PA,QL(84 per 28 days)
FRUZAQLA 5 MG CAPSULE <b>DL</b>	5	PA,QL(21 per 28 days)
fulvestrant 250 mg/5 ml SYRINGE <b>MO</b>	2	PA,QL(30 per 30 days)
FUSILEV 50 MG RECON SOLUTION <b>DL</b>	5	PA
FYARRO 100 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	PA
GAVRETO 100 MG CAPSULE <b>DL,LA</b>	5	PA,QL(120 per 30 days)
GAZYVA 1,000 MG/40 ML SOLUTION <b>DL</b>	5	PA,QL(120 per 28 days)
gefitinib 250 mg TABLET <b>DL</b>	5	PA
gemcitabine 1 gram, 2 gram, 200 mg RECON SOLUTION <b>MO</b>	2	
gemcitabine 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml) SOLUTION <b>MO</b>	2	
GILOTRIF 20 MG, 30 MG, 40 MG TABLET <b>DL,LA</b>	5	PA,QL(30 per 30 days)
GLEEVEC 100 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
GLEEVEC 400 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
GLEOSTINE 10 MG, 40 MG CAPSULE	5	PA
GLEOSTINE 100 MG CAPSULE <b>DL</b>	5	PA
HALAVEN 1 MG/2 ML (0.5 MG/ML) SOLUTION <b>DL</b>	5	
HERCEPTIN 150 MG RECON SOLUTION <b>DL</b>	5	PA
HERCEPTIN HYLECTA 600 MG-10,000 UNIT/5 ML SOLUTION <b>DL</b>	5	PA,QL(5 per 21 days)
HERZUMA 150 MG, 420 MG RECON SOLUTION <b>DL</b>	5	PA
HYCAMTIN 4 MG RECON SOLUTION <b>DL</b>	5	
HYDREA 500 MG CAPSULE <b>MO</b>	4	
hydroxyurea 500 mg CAPSULE <b>MO</b>	2	
IBRANCE 100 MG, 125 MG, 75 MG CAPSULE <b>DL</b>	5	PA,QL(21 per 28 days)
IBRANCE 100 MG, 125 MG, 75 MG TABLET <b>DL</b>	5	PA,QL(21 per 28 days)
ICLUSIG 10 MG, 30 MG, 45 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
ICLUSIG 15 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
IDAMYCIN PFS 1 MG/ML SOLUTION <b>DL</b>	5	
idarubicin 1 mg/ml SOLUTION <b>DL</b>	5	
IDHIFA 100 MG, 50 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
IFEX 1 GRAM, 3 GRAM RECON SOLUTION <b>MO</b>	4	
ifosfamide 1 gram, 3 gram RECON SOLUTION <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ifosfamide 1 gram/20 ml, 3 gram/60 ml SOLUTION <b>MO</b>	2	
imatinib 100 mg TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
imatinib 400 mg TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
IMBRUVICA 140 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)
IMBRUVICA 420 MG, 560 MG TABLET <b>DL</b>	5	PA,QL(28 per 28 days)
IMBRUVICA 70 MG CAPSULE <b>DL</b>	5	PA,QL(28 per 28 days)
IMBRUVICA 70 MG/ML SUSPENSION <b>DL</b>	5	PA
IMDELLTRA 1 MG, 10 MG RECON SOLUTION <b>DL</b>	5	PA
IMFINZI 50 MG/ML SOLUTION <b>DL</b>	5	PA
IMJUDO 20 MG/ML SOLUTION <b>DL</b>	5	PA
IMLYGIC 10EXP6 (1 MILLION) PFU/ML SUSPENSION <b>DL</b>	5	PA,QL(4 per 365 days)
IMLYGIC 10EXP8 (100 MILLION) PFU/ML SUSPENSION <b>DL</b>	5	PA,QL(8 per 28 days)
INFUGEM 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML) PIGGYBACK <b>DL</b>	5	
INLYTA 1 MG TABLET <b>DL</b>	5	PA,QL(180 per 30 days)
INLYTA 5 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
INQOVI 35-100 MG TABLET <b>DL</b>	5	PA,QL(5 per 28 days)
INREBIC 100 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)
IRESSA 250 MG TABLET <b>DL</b>	5	PA
irinotecan 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml SOLUTION <b>MO</b>	2	
ISTODAX 10 MG/2 ML RECON SOLUTION <b>DL</b>	5	PA
IWLIFIN 192 MG TABLET <b>DL</b>	5	PA,QL(240 per 30 days)
IXEMPRA 15 MG, 45 MG RECON SOLUTION <b>DL</b>	5	PA
JAKAFI 10 MG, 15 MG, 20 MG, 25 MG, 5 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
JAYPIRCA 100 MG, 50 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
JEMPERLI 50 MG/ML SOLUTION	5	PA,QL(20 per 42 days)
JEVTANA 10 MG/ML (FIRST DILUTION) SOLUTION <b>DL</b>	5	PA
KADCYLA 100 MG, 160 MG RECON SOLUTION <b>DL</b>	5	PA
KANJINTI 150 MG, 420 MG RECON SOLUTION <b>DL</b>	5	PA
KEYTRUDA 25 MG/ML SOLUTION <b>DL</b>	5	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KHAPZORY 175 MG, 300 MG RECON SOLUTION <b>DL</b>	5	PA
KIMMTRAK 100 MCG/0.5 ML SOLUTION <b>DL</b>	5	PA
KISQALI 200 MG/DAY (200 MG X 1) TABLET <b>DL</b>	5	PA,QL(21 per 28 days)
KISQALI 400 MG/DAY (200 MG X 2) TABLET <b>DL</b>	5	PA,QL(42 per 28 days)
KISQALI 600 MG/DAY (200 MG X 3) TABLET <b>DL</b>	5	PA,QL(63 per 28 days)
KISQALI FEMARA CO-PACK 200 MG/DAY(200 MG X 1)-2.5 MG TABLET <b>DL</b>	5	PA,QL(49 per 28 days)
KISQALI FEMARA CO-PACK 400 MG/DAY(200 MG X 2)-2.5 MG TABLET <b>DL</b>	5	PA,QL(70 per 28 days)
KISQALI FEMARA CO-PACK 600 MG/DAY(200 MG X 3)-2.5 MG TABLET <b>DL</b>	5	PA,QL(91 per 28 days)
KOSELUGO 10 MG CAPSULE <b>DL</b>	5	PA,QL(240 per 30 days)
KOSELUGO 25 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)
KRAZATI 200 MG TABLET <b>DL</b>	5	PA,QL(180 per 30 days)
KYPROLIS 10 MG RECON SOLUTION <b>DL</b>	5	PA,QL(6 per 28 days)
KYPROLIS 30 MG RECON SOLUTION <b>DL</b>	5	PA,QL(3 per 28 days)
KYPROLIS 60 MG RECON SOLUTION <b>DL</b>	5	PA,QL(12 per 28 days)
lapatinib 250 mg TABLET <b>DL</b>	5	PA,QL(180 per 30 days)
lenalidomide 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg CAPSULE <b>DL</b>	5	PA,QL(28 per 28 days)
LENVIMA 10 MG/DAY (10 MG X 1), 4 MG CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
LENVIMA 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) CAPSULE <b>DL</b>	5	PA,QL(90 per 30 days)
LENVIMA 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) CAPSULE <b>DL</b>	5	PA,QL(60 per 30 days)
letrozole 2.5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
leucovorin calcium 10 mg, 15 mg, 25 mg, 5 mg TABLET <b>MO</b>	2	
leucovorin calcium 10 mg/ml SOLUTION <b>MO</b>	2	
leucovorin calcium 100 mg, 200 mg, 350 mg, 50 mg, 500 mg RECON SOLUTION <b>MO</b>	2	
LEUKERAN 2 MG TABLET <b>DL</b>	5	
levoleucovorin calcium 10 mg/ml SOLUTION <b>MO</b>	2	PA
levoleucovorin calcium 50 mg RECON SOLUTION <b>MO</b>	2	PA
LEVULAN 20 % SOLUTION <b>MO</b>	4	
LIBTAYO 50 MG/ML SOLUTION <b>DL</b>	5	PA,QL(7 per 21 days)
LONSURF 15-6.14 MG TABLET <b>DL</b>	5	PA,QL(100 per 30 days)
LONSURF 20-8.19 MG TABLET <b>DL</b>	5	PA,QL(80 per 30 days)
LOQTORZI 240 MG/6 ML (40 MG/ML) SOLUTION <b>DL</b>	5	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LORBRENA 100 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
LORBRENA 25 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
LUMAKRAS 120 MG TABLET <b>DL</b>	5	PA,QL(240 per 30 days)
LUMAKRAS 320 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
LUNSUMIO 1 MG/ML SOLUTION <b>DL</b>	5	PA
LYNPARZA 100 MG, 150 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
LYTGOBI 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5) TABLET <b>DL</b>	5	PA,QL(140 per 28 days)
MARGENZA 25 MG/ML SOLUTION <b>DL</b>	5	PA
MATULANE 50 MG CAPSULE <b>DL</b>	5	
MEKINIST 0.05 MG/ML RECON SOLUTION <b>DL</b>	5	PA,QL(1170 per 28 days)
MEKINIST 0.5 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
MEKINIST 2 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
MEKTOVI 15 MG TABLET <b>DL</b>	5	PA,QL(180 per 30 days)
melphalan 2 mg TABLET <b>MO</b>	2	BvsD
melphalan hcl 50 mg RECON SOLUTION <b>MO</b>	1	
mercaptopurine 50 mg TABLET <b>MO</b>	2	
mesna 100 mg/ml SOLUTION <b>MO</b>	2	
MESNEX 100 MG/ML SOLUTION <b>DL</b>	5	
MESNEX 400 MG TABLET <b>MO</b>	4	
mitomycin 20 mg, 40 mg, 5 mg RECON SOLUTION <b>DL</b>	5	
mitoxantrone 2 mg/ml CONCENTRATE <b>MO</b>	2	
MUTAMYCIN 20 MG, 40 MG, 5 MG RECON SOLUTION <b>DL</b>	5	
MVASI 25 MG/ML SOLUTION <b>DL</b>	5	PA
MYLOTARG 4.5 MG (1 MG/ML INITIAL CONC) RECON SOLUTION <b>DL</b>	5	PA
nelarabine 250 mg/50 ml SOLUTION <b>DL</b>	5	
NERLYNX 40 MG TABLET <b>DL</b>	5	PA,QL(180 per 30 days)
NEXAVAR 200 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
NILANDRON 150 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
nilutamide 150 mg TABLET <b>DL</b>	5	QL(60 per 30 days)
NINLARO 2.3 MG, 3 MG, 4 MG CAPSULE <b>DL</b>	5	PA,QL(3 per 28 days)
NIPENT 10 MG RECON SOLUTION <b>DL</b>	5	
NUBEQA 300 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ODOMZO 200 MG CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
OGIVRI 150 MG, 420 MG RECON SOLUTION <b>DL</b>	5	PA
OGSIVEO 100 MG, 150 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
OGSIVEO 50 MG TABLET <b>DL</b>	5	PA,QL(180 per 30 days)
OJEMDA 25 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	PA,QL(96 per 28 days)
OJEMDA 400 MG/WEEK (100 MG X 4) TABLET <b>DL</b>	5	PA,QL(16 per 28 days)
OJEMDA 500 MG/WEEK (100 MG X 5) TABLET <b>DL</b>	5	PA,QL(20 per 28 days)
OJEMDA 600 MG/WEEK (100 MG X 6) TABLET <b>DL</b>	5	PA,QL(24 per 28 days)
OJJAARA 100 MG, 150 MG, 200 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
ONCASPAR 750 UNIT/ML SOLUTION <b>DL</b>	5	PA
ONIVYDE 4.3 MG/ML DISPERSION <b>DL</b>	5	PA
ONTRUZANT 150 MG, 420 MG RECON SOLUTION <b>DL</b>	5	PA
ONUREG 200 MG, 300 MG TABLET <b>DL</b>	5	PA,QL(14 per 28 days)
OPDIVO 100 MG/10 ML SOLUTION <b>DL</b>	5	PA,QL(40 per 28 days)
OPDIVO 120 MG/12 ML, 240 MG/24 ML SOLUTION <b>DL</b>	5	PA,QL(48 per 28 days)
OPDIVO 40 MG/4 ML SOLUTION <b>DL</b>	5	PA,QL(16 per 28 days)
OPDUALAG 240-80 MG/20 ML SOLUTION <b>DL</b>	5	PA,QL(40 per 28 days)
ORSERDU 345 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
ORSERDU 86 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
oxaliplatin 100 mg, 50 mg RECON SOLUTION <b>MO</b>	2	
oxaliplatin 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml) SOLUTION <b>MO</b>	2	
paclitaxel 6 mg/ml CONCENTRATE <b>MO</b>	2	
paclitaxel protein-bound 100 mg SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	PA
PADCEV 20 MG RECON SOLUTION <b>DL</b>	5	PA,QL(21 per 28 days)
PADCEV 30 MG RECON SOLUTION <b>DL</b>	5	PA,QL(15 per 28 days)
PANRETIN 0.1 % GEL <b>DL</b>	5	PA
paraplatin 10 mg/ml SOLUTION <b>MO</b>	2	
pazopanib 200 mg TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
PEDMARK 12.5 GRAM/100ML (125 MG/ML) SOLUTION <b>DL</b>	5	PA
PEMAZYRE 13.5 MG, 4.5 MG, 9 MG TABLET <b>DL</b>	5	PA,QL(28 per 28 days)
pemetrexed 1 gram, 100 mg, 500 mg RECON SOLUTION <b>DL</b>	5	PA
pemetrexed 25 mg/ml SOLUTION <b>DL</b>	5	PA,QL(120 per 21 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
pemetrexed disodium 1,000 mg, 100 mg, 500 mg, 750 mg RECON SOLUTION <b>DL</b>	5	PA
pemetrexed disodium 25 mg/ml SOLUTION <b>DL</b>	5	PA
PEMRYDI RTU 10 MG/ML SOLUTION <b>DL</b>	5	PA
PERJETA 420 MG/14 ML (30 MG/ML) SOLUTION <b>DL</b>	5	PA
PHESGO 1,200 MG-600MG- 30000 UNIT/15ML SOLUTION <b>DL</b>	5	PA,QL(15 per 21 days)
PHESGO 600 MG-600 MG- 20000 UNIT/10ML SOLUTION <b>DL</b>	5	PA,QL(10 per 21 days)
PIQRAY 200 MG/DAY (200 MG X 1) TABLET <b>DL</b>	5	PA,QL(28 per 28 days)
PIQRAY 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) TABLET <b>DL</b>	5	PA,QL(56 per 28 days)
POLIVY 140 MG RECON SOLUTION <b>DL</b>	5	PA,QL(2 per 21 days)
POLIVY 30 MG RECON SOLUTION <b>DL</b>	5	PA,QL(8 per 21 days)
POMALYST 1 MG, 2 MG, 3 MG, 4 MG CAPSULE <b>DL</b>	5	PA,QL(21 per 28 days)
PORTRAZZA 800 MG/50 ML (16 MG/ML) SOLUTION <b>DL</b>	5	PA,QL(100 per 21 days)
POTELIGEO 4 MG/ML SOLUTION <b>DL</b>	5	PA
pralatrexate 20 mg/ml (1 ml), 40 mg/2 ml (20 mg/ml) SOLUTION <b>DL</b>	5	PA
PROLEUKIN 22 MILLION UNIT RECON SOLUTION <b>DL</b>	5	
PURIXAN 20 MG/ML SUSPENSION <b>DL</b>	5	QL(300 per 30 days)
QINLOCK 50 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
RETEVMO 40 MG CAPSULE <b>DL</b>	5	PA,QL(180 per 30 days)
RETEVMO 80 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)
REZLIDHIA 150 MG CAPSULE <b>DL</b>	5	PA,QL(60 per 30 days)
RIABNI 10 MG/ML SOLUTION <b>DL</b>	5	PA
RITUXAN 10 MG/ML CONCENTRATE <b>DL</b>	5	PA
RITUXAN HYCELA 1400 MG/11.7 ML (120 MG/ML) SOLUTION <b>DL</b>	5	PA,QL(46.8 per 28 days)
RITUXAN HYCELA 1600 MG/13.4 ML (120 MG/ML) SOLUTION <b>DL</b>	5	PA,QL(13.4 per 28 days)
romidepsin 10 mg/2 ml RECON SOLUTION <b>DL</b>	5	PA
ROMIDEPSIN 5 MG/ML SOLUTION <b>DL</b>	5	PA
ROZLYTREK 100 MG CAPSULE <b>DL</b>	5	PA,QL(150 per 30 days)
ROZLYTREK 200 MG CAPSULE <b>DL</b>	5	PA,QL(90 per 30 days)
ROZLYTREK 50 MG PELLETS IN PACKET <b>DL</b>	5	PA,QL(360 per 30 days)
RUBRACA 200 MG, 250 MG, 300 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
RUXIENCE 10 MG/ML SOLUTION <b>DL</b>	5	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RYBREVANT 50 MG/ML SOLUTION <b>DL</b>	5	PA,QL(784 per 365 days)
RYDAPT 25 MG CAPSULE <b>DL</b>	5	PA,QL(224 per 28 days)
RYLAZE 10 MG/0.5 ML SOLUTION <b>DL</b>	5	PA
SARCLISA 20 MG/ML SOLUTION <b>DL</b>	5	PA
SCEMBLIX 100 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
SCEMBLIX 20 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
SCEMBLIX 40 MG TABLET <b>DL</b>	5	PA,QL(300 per 30 days)
SOLTAMOX 20 MG/10 ML SOLUTION <b>DL</b>	5	
sorafenib 200 mg TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
SPRYCEL 100 MG, 50 MG, 70 MG, 80 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
SPRYCEL 140 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
SPRYCEL 20 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
STIVARGA 40 MG TABLET <b>DL</b>	5	PA,QL(84 per 28 days)
sunitinib malate 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE <b>DL</b>	5	PA,QL(28 per 28 days)
SUTENT 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE <b>DL</b>	5	PA,QL(28 per 28 days)
SYNRIBO 3.5 MG RECON SOLUTION <b>DL</b>	5	PA
TABLOID 40 MG TABLET <b>MO</b>	4	
TABRECTA 150 MG, 200 MG TABLET <b>DL</b>	5	PA,QL(112 per 28 days)
TAFINLAR 10 MG TABLET FOR SUSPENSION <b>DL</b>	5	PA,QL(840 per 28 days)
TAFINLAR 50 MG CAPSULE <b>DL</b>	5	PA,QL(180 per 30 days)
TAFINLAR 75 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)
TAGRISSO 40 MG, 80 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
TALVEY 2 MG/ML, 40 MG/ML SOLUTION <b>DL</b>	5	PA
TALZENNA 0.1 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
TALZENNA 0.25 MG CAPSULE <b>DL</b>	5	PA,QL(90 per 30 days)
tamoxifen 10 mg, 20 mg TABLET <b>MO</b>	2	
TARCEVA 100 MG, 150 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
TARCEVA 25 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
TARGETIN 1 % GEL <b>DL</b>	5	PA,QL(240 per 30 days)
TARGETIN 75 MG CAPSULE <b>DL</b>	5	PA,QL(300 per 30 days)
TASIGNA 150 MG, 200 MG, 50 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)
TAZVERIK 200 MG TABLET <b>DL</b>	5	PA,QL(240 per 30 days)
TECENTRIQ 1,200 MG/20 ML (60 MG/ML) SOLUTION <b>DL</b>	5	PA,QL(20 per 21 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TECENTRIQ 840 MG/14 ML (60 MG/ML) SOLUTION <b>DL</b>	5	PA,QL(28 per 28 days)
TECVAYLI 10 MG/ML, 90 MG/ML SOLUTION <b>DL</b>	5	PA
TEMODAR 100 MG RECON SOLUTION <b>DL</b>	5	PA,QL(27 per 30 days)
temsirolimus 30 mg/3 ml (10 mg/ml) (first) RECON SOLUTION <b>DL</b>	5	PA,QL(8 per 28 days)
TEPADINA 100 MG, 15 MG RECON SOLUTION <b>DL</b>	5	
TEPMETKO 225 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
THALOMID 100 MG, 200 MG, 50 MG CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
THALOMID 150 MG CAPSULE <b>DL</b>	5	PA,QL(60 per 30 days)
thiotepa 100 mg RECON SOLUTION <b>DL</b>	5	
thiotepa 15 mg RECON SOLUTION <b>MO</b>	1	
TIBSOVO 250 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
TIVDAK 40 MG RECON SOLUTION <b>DL</b>	5	PA,QL(5 per 21 days)
toposar 20 mg/ml SOLUTION <b>MO</b>	2	
topotecan 4 mg RECON SOLUTION <b>MO</b>	2	
topotecan 4 mg/4 ml (1 mg/ml) SOLUTION <b>MO</b>	2	
toremifene 60 mg TABLET <b>DL</b>	5	QL(30 per 30 days)
TORISEL 30 MG/3 ML (10 MG/ML) (FIRST) RECON SOLUTION <b>DL</b>	5	PA,QL(8 per 28 days)
torpenz 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
TOTECT 500 MG RECON SOLUTION <b>DL</b>	5	
TRAZIMERA 150 MG, 420 MG RECON SOLUTION <b>DL</b>	5	PA
TREANDA 100 MG, 25 MG RECON SOLUTION <b>DL</b>	5	PA
tretinoin (antineoplastic) 10 mg CAPSULE <b>DL</b>	5	
TRISENOX 2 MG/ML SOLUTION <b>DL</b>	5	PA
TRODELVY 180 MG RECON SOLUTION <b>DL</b>	5	PA
TRUQAP 160 MG, 200 MG TABLET <b>DL</b>	5	PA,QL(64 per 28 days)
TRUSELTIQ 100 MG/DAY (100 MG X 1) CAPSULE <b>DL</b>	5	PA,QL(21 per 28 days)
TRUSELTIQ 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2) CAPSULE <b>DL</b>	5	PA,QL(42 per 28 days)
TRUSELTIQ 75 MG/DAY (25 MG X 3) CAPSULE <b>DL</b>	5	PA,QL(63 per 28 days)
TRUXIMA 10 MG/ML SOLUTION <b>DL</b>	5	PA
TUKYSA 150 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
TUKYSA 50 MG TABLET <b>DL</b>	5	PA,QL(300 per 30 days)
TURALIO 125 MG, 200 MG CAPSULE <b>DL,LA</b>	5	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TYKERB 250 MG TABLET <b>DL</b>	5	PA,QL(180 per 30 days)
UNITUXIN 3.5 MG/ML SOLUTION <b>DL</b>	5	PA
VALCHLOR 0.016 % GEL <b>DL</b>	5	PA,QL(60 per 28 days)
valrubicin 40 mg/ml SOLUTION <b>DL</b>	5	PA,QL(80 per 28 days)
VALSTAR 40 MG/ML SOLUTION <b>DL</b>	5	PA,QL(80 per 28 days)
VANFLYTA 17.7 MG, 26.5 MG TABLET <b>DL</b>	5	PA,QL(56 per 28 days)
VECTIBIX 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML) SOLUTION <b>DL</b>	5	PA
VEGZELMA 25 MG/ML SOLUTION <b>DL</b>	5	PA
VELCADE 3.5 MG RECON SOLUTION <b>DL</b>	5	PA
VENCLEXTA 10 MG TABLET <b>MO</b>	3	PA,QL(56 per 28 days)
VENCLEXTA 100 MG TABLET <b>DL</b>	5	PA,QL(180 per 30 days)
VENCLEXTA 50 MG TABLET <b>MO</b>	3	PA,QL(28 per 28 days)
VENCLEXTA STARTING PACK 10 MG-50 MG- 100 MG TABLET, DOSE PACK <b>DL</b>	5	PA,QL(42 per 28 days)
VERZENIO 100 MG, 150 MG, 200 MG, 50 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
VIDAZA 100 MG RECON SOLUTION <b>DL</b>	5	PA
vinblastine 1 mg/ml SOLUTION <b>MO</b>	2	BvsD
vincasar pfs 1 mg/ml, 2 mg/2 ml SOLUTION <b>MO</b>	2	BvsD
vincristine 1 mg/ml, 2 mg/2 ml SOLUTION <b>MO</b>	2	BvsD
vinorelbine 10 mg/ml, 50 mg/5 ml SOLUTION <b>MO</b>	2	
VISTOGARD 10 GRAM GRANULES IN PACKET <b>DL</b>	5	QL(20 per 365 days)
VITRAKVI 100 MG CAPSULE <b>DL</b>	5	PA,QL(60 per 30 days)
VITRAKVI 20 MG/ML SOLUTION <b>DL</b>	5	PA,QL(300 per 30 days)
VITRAKVI 25 MG CAPSULE <b>DL</b>	5	PA,QL(180 per 30 days)
VIZIMPRO 15 MG, 30 MG, 45 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
VONJO 100 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)
VOTRIENT 200 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
VYXEOS 44-100 MG RECON SOLUTION <b>DL</b>	5	PA
WELIREG 40 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
XALKORI 150 MG PELLET <b>DL</b>	5	PA,QL(180 per 30 days)
XALKORI 20 MG PELLET <b>DL</b>	5	PA,QL(120 per 30 days)
XALKORI 200 MG, 250 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)
XALKORI 50 MG PELLET <b>DL</b>	5	PA,QL(240 per 30 days)
XOSPATA 40 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XPOVIO 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) TABLET <b>DL</b>	5	PA,QL(8 per 28 days)
XPOVIO 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1) TABLET <b>DL</b>	5	PA,QL(4 per 28 days)
XPOVIO 60MG TWICE WEEK (120 MG/WEEK) TABLET <b>DL</b>	5	PA,QL(24 per 28 days)
XPOVIO 80MG TWICE WEEK (160 MG/WEEK) TABLET <b>DL</b>	5	PA,QL(32 per 28 days)
XTANDI 40 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)
XTANDI 40 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
XTANDI 80 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
YERVOY 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) SOLUTION <b>DL</b>	5	PA
YONDELIS 1 MG RECON SOLUTION <b>DL</b>	5	PA
YONSA 125 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
ZALTRAP 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML) SOLUTION <b>DL</b>	5	PA
ZANOSAR 1 GRAM RECON SOLUTION <b>MO</b>	4	
ZEJULA 100 MG CAPSULE <b>DL</b>	5	PA,QL(90 per 30 days)
ZEJULA 100 MG, 200 MG, 300 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
ZELBORAF 240 MG TABLET <b>DL</b>	5	PA,QL(240 per 30 days)
ZEPZELCA 4 MG RECON SOLUTION <b>DL</b>	5	PA
ZIRABEV 25 MG/ML SOLUTION <b>DL</b>	5	PA
ZOLINZA 100 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)
ZYDELIG 100 MG, 150 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
ZYKADIA 150 MG TABLET <b>DL</b>	5	PA,QL(150 per 30 days)
ZYNLONTA 10 MG RECON SOLUTION <b>DL</b>	5	PA
ZYNYZ 500 MG/20 ML SOLUTION <b>DL</b>	5	PA,QL(20 per 28 days)
ZYTIGA 250 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
ZYTIGA 500 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
<b>ANTIPARASITICS</b>		
albendazole 200 mg TABLET <b>MO</b>	2	
atovaquone 750 mg/5 ml SUSPENSION <b>MO</b>	2	
atovaquone-proguanil 250-100 mg, 62.5-25 mg TABLET <b>MO</b>	2	
benznidazole 100 mg, 12.5 mg TABLET <b>MO</b>	4	
BILTRICIDE 600 MG TABLET <b>DL</b>	5	PA
chloroquine phosphate 250 mg, 500 mg TABLET <b>MO</b>	2	
COARTEM 20-120 MG TABLET <b>MO</b>	4	QL(24 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DARAPRIM 25 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
EGATEN 250 MG TABLET <b>MO</b>	4	
emverm 100 mg CHEWABLE TABLET <b>DL</b>	5	
hydroxychloroquine 100 mg, 300 mg, 400 mg TABLET <b>MO</b>	2	
hydroxychloroquine 200 mg TABLET <b>MO</b>	2	
IMPAVIDO 50 MG CAPSULE <b>DL</b>	5	QL(84 per 28 days)
ivermectin 3 mg TABLET <b>MO</b>	2	
KRINTAFEL 150 MG TABLET <b>MO</b>	3	QL(4 per 180 days)
LAMPIT 120 MG, 30 MG TABLET <b>MO</b>	4	
MALARONE 250-100 MG TABLET <b>MO</b>	4	PA
MALARONE PEDIATRIC 62.5-25 MG TABLET <b>MO</b>	4	PA
mefloquine 250 mg TABLET <b>MO</b>	2	
MEPRON 750 MG/5 ML SUSPENSION <b>DL</b>	5	
NEBUPENT 300 MG RECON SOLUTION <b>MO</b>	4	BvsD
nitazoxanide 500 mg TABLET <b>DL</b>	5	
PENTAM 300 MG RECON SOLUTION <b>MO</b>	4	
pentamidine 300 mg RECON SOLUTION <b>MO</b>	2	
pentamidine 300 mg RECON SOLUTION <b>MO</b>	2	BvsD
PLAQUENIL 200 MG TABLET <b>MO</b>	4	PA
praziquantel 600 mg TABLET <b>MO</b>	2	
primaquine 26.3 mg (15 mg base) TABLET <b>MO</b>	2	
pyrimethamine 25 mg TABLET <b>DL</b>	5	QL(90 per 30 days)
QUALAQUIN 324 MG CAPSULE <b>MO</b>	4	PA,QL(42 per 7 days)
quinine sulfate 324 mg CAPSULE <b>MO</b>	2	PA,QL(42 per 7 days)
SOVUNA 200 MG, 300 MG TABLET <b>MO</b>	4	
STROMECTOL 3 MG TABLET <b>MO</b>	4	PA
<b>ANTIPARKINSON AGENTS</b>		
amantadine hcl 100 mg CAPSULE <b>MO</b>	2	
amantadine hcl 100 mg TABLET <b>MO</b>	2	
amantadine hcl 50 mg/5 ml SOLUTION <b>MO</b>	2	
APOKYN 10 MG/ML CARTRIDGE <b>DL</b>	5	PA,QL(84 per 28 days)
apomorphine 10 mg/ml CARTRIDGE <b>DL</b>	5	PA,QL(84 per 28 days)
AZILECT 0.5 MG, 1 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
benztropine 0.5 mg, 1 mg, 2 mg TABLET <b>MO</b>	2	
benztropine 1 mg/ml SOLUTION <b>MO</b>	2	
bromocriptine 2.5 mg TABLET <b>MO</b>	2	
bromocriptine 5 mg CAPSULE <b>MO</b>	2	QL(600 per 30 days)
carbidopa 25 mg TABLET <b>MO</b>	2	
carbidopa-levodopa 10-100 mg, 25-100 mg, 25-250 mg TABLET, <b>DISINTEGRATING MO</b>	2	
carbidopa-levodopa 10-100 mg, 25-250 mg TABLET <b>MO</b>	2	
carbidopa-levodopa 25-100 mg TABLET <b>MO</b>	2	
carbidopa-levodopa 25-100 mg, 50-200 mg TABLET ER <b>MO</b>	2	
carbidopa-levodopa-entacapone 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg TABLET <b>MO</b>	2	QL(240 per 30 days)
carbidopa-levodopa-entacapone 50-200-200 mg TABLET <b>MO</b>	2	
COMTAN 200 MG TABLET <b>MO</b>	4	PA,QL(300 per 30 days)
DHIVY 25-100 MG TABLET <b>MO</b>	4	
DUOPA 4.63-20 MG/ML INTESTINAL PUMP SUSPENSION <b>DL</b>	5	PA,QL(2800 per 28 days)
entacapone 200 mg TABLET <b>MO</b>	2	QL(300 per 30 days)
GOCOVRI 137 MG CAPSULE, ER 24 HR. <b>DL</b>	5	PA,QL(60 per 30 days)
GOCOVRI 68.5 MG CAPSULE, ER 24 HR. <b>DL</b>	5	PA,QL(30 per 30 days)
INBRIJA 42 MG CAPSULE <b>DL</b>	5	PA,QL(300 per 30 days)
INBRIJA 42 MG CAPSULE, W/INHALATION DEVICE <b>DL</b>	5	PA,QL(300 per 30 days)
LODOSYN 25 MG TABLET <b>DL</b>	5	PA
MIRAPEX ER 0.375 MG, 0.75 MG, 1.5 MG, 2.25 MG, 3 MG, 3.75 MG, 4.5 MG TABLET, ER 24 HR. <b>MO</b>	4	ST,QL(30 per 30 days)
NEUPRO 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR PATCH, 24 HR. <b>MO</b>	4	ST,QL(30 per 30 days)
NOURIANZ 20 MG, 40 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
ONGENTYS 25 MG, 50 MG CAPSULE <b>MO</b>	4	PA,QL(30 per 30 days)
OSMOLEX ER 129 MG, 193 MG, 258 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	4	PA,QL(30 per 30 days)
OSMOLEX ER 322 MG/DAY(129 MG X1-193MG X1) TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	4	PA,QL(60 per 30 days)
PARLODEL 2.5 MG TABLET <b>MO</b>	4	PA
PARLODEL 5 MG CAPSULE <b>MO</b>	4	PA,QL(600 per 30 days)
pramipexole 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
pramipexole 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg TABLET, ER 24 HR. <b>MO</b>	2	ST,QL(30 per 30 days)
rasagiline 0.5 mg, 1 mg TABLET <b>MO</b>	2	PA,QL(30 per 30 days)
ropinirole 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg TABLET <b>MO</b>	2	
ropinirole 12 mg, 2 mg, 4 mg, 6 mg, 8 mg TABLET, ER 24 HR. <b>MO</b>	2	ST,QL(90 per 30 days)
RYTARY 23.75-95 MG CAPSULE, ER <b>MO</b>	4	ST,QL(360 per 30 days)
RYTARY 36.25-145 MG CAPSULE, ER <b>MO</b>	4	ST,QL(270 per 30 days)
RYTARY 48.75-195 MG CAPSULE, ER <b>MO</b>	4	ST,QL(360 per 30 days)
RYTARY 61.25-245 MG CAPSULE, ER <b>MO</b>	4	ST,QL(300 per 30 days)
selegiline hcl 5 mg CAPSULE <b>MO</b>	2	
selegiline hcl 5 mg TABLET <b>MO</b>	2	
SINEMET 10-100 MG, 25-100 MG TABLET <b>MO</b>	4	PA
STALEVO 100 25-100-200 MG TABLET <b>DL</b>	5	PA,QL(240 per 30 days)
STALEVO 125 31.25-125-200 MG TABLET <b>DL</b>	5	PA,QL(240 per 30 days)
STALEVO 150 37.5-150-200 MG TABLET <b>DL</b>	5	PA,QL(240 per 30 days)
STALEVO 200 50-200-200 MG TABLET <b>DL</b>	5	PA
STALEVO 50 12.5-50-200 MG TABLET <b>DL</b>	5	PA,QL(240 per 30 days)
STALEVO 75 18.75-75-200 MG TABLET <b>DL</b>	5	PA,QL(240 per 30 days)
TASMAR 100 MG TABLET <b>DL</b>	5	PA
tolcapone 100 mg TABLET <b>DL</b>	5	PA
trihexyphenidyl 0.4 mg/ml ELIXIR <b>MO</b>	2	
trihexyphenidyl 2 mg, 5 mg TABLET <b>MO</b>	2	
XADAGO 100 MG, 50 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
ZELAPAR 1.25 MG TABLET, DISINTEGRATING <b>DL</b>	5	
<b>ANTIPSYCHOTICS</b>		
ABILIFY 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET <b>MO</b>	4	PA
ABILIFY ASIMTUFII 720 MG/2.4 ML SUSPENSION, ER, SYRINGE	5	QL(2.4 per 56 days)
ABILIFY ASIMTUFII 960 MG/3.2 ML SUSPENSION, ER, SYRINGE	5	QL(3.2 per 56 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, RECON <b>DL</b>	5	QL(1 per 28 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, SYRINGE <b>DL</b>	5	QL(1 per 28 days)
ABILIFY MYCITE MAINTENANCE KIT 10 MG, 30 MG TABLET WITH SENSOR AND STRIP <b>DL</b>	5	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ABILIFY MYCITE MAINTENANCE KIT 15 MG, 2 MG, 20 MG, 5 MG TABLET WITH SENSOR AND STRIP <b>DL</b>	5	PA,QL(30 per 30 days)
ABILIFY MYCITE STARTER KIT 10 MG TABLET W/SENSOR AND STRIP, POD <b>DL</b>	5	PA,QL(30 per 30 days)
ABILIFY MYCITE STARTER KIT 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET W/SENSOR AND STRIP, POD <b>DL</b>	5	PA,QL(30 per 30 days)
aripiprazole 1 mg/ml SOLUTION <b>MO</b>	2	QL(750 per 30 days)
aripiprazole 10 mg, 15 mg TABLET, DISINTEGRATING <b>MO</b>	2	QL(60 per 30 days)
aripiprazole 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg TABLET <b>MO</b>	2	
ARISTADA 1,064 MG/3.9 ML SUSPENSION, ER, SYRINGE	5	QL(3.9 per 56 days)
ARISTADA 441 MG/1.6 ML SUSPENSION, ER, SYRINGE <b>DL</b>	5	QL(1.6 per 28 days)
ARISTADA 662 MG/2.4 ML SUSPENSION, ER, SYRINGE <b>DL</b>	5	QL(2.4 per 28 days)
ARISTADA 882 MG/3.2 ML SUSPENSION, ER, SYRINGE <b>DL</b>	5	QL(3.2 per 28 days)
ARISTADA INITIO 675 MG/2.4 ML SUSPENSION, ER, SYRINGE <b>DL</b>	5	QL(2.4 per 42 days)
asenapine maleate 10 mg, 2.5 mg, 5 mg SUBLINGUAL TABLET <b>MO</b>	2	PA,QL(60 per 30 days)
CAPLYTA 10.5 MG, 21 MG, 42 MG CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
chlorpromazine 10 mg, 25 mg TABLET <b>MO</b>	2	BvsD
chlorpromazine 100 mg, 200 mg, 50 mg TABLET <b>MO</b>	2	
chlorpromazine 100 mg/ml, 30 mg/ml CONCENTRATE <b>MO</b>	2	
chlorpromazine 25 mg/ml SOLUTION <b>MO</b>	2	
clozapine 100 mg TABLET <b>MO</b>	2	QL(270 per 30 days)
clozapine 100 mg TABLET, DISINTEGRATING <b>MO</b>	2	PA,QL(270 per 30 days)
clozapine 12.5 mg TABLET, DISINTEGRATING <b>MO</b>	2	PA
clozapine 150 mg TABLET, DISINTEGRATING <b>MO</b>	2	PA,QL(180 per 30 days)
clozapine 200 mg TABLET <b>MO</b>	2	QL(135 per 30 days)
clozapine 200 mg TABLET, DISINTEGRATING <b>MO</b>	2	PA,QL(135 per 30 days)
clozapine 25 mg TABLET <b>MO</b>	2	QL(1080 per 30 days)
clozapine 25 mg TABLET, DISINTEGRATING <b>MO</b>	2	PA,QL(1080 per 30 days)
clozapine 50 mg TABLET <b>MO</b>	2	
CLOZARIL 100 MG TABLET <b>DL</b>	5	QL(270 per 30 days)
CLOZARIL 200 MG TABLET <b>DL</b>	5	QL(135 per 30 days)
CLOZARIL 25 MG TABLET <b>DL</b>	5	QL(1080 per 30 days)
CLOZARIL 50 MG TABLET <b>DL</b>	5	
droperidol 2.5 mg/ml SOLUTION <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FANAPT 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
FANAPT 1MG(2)-2MG(2)- 4MG(2)-6MG(2) TABLET, DOSE PACK <b>MO</b>	4	PA,QL(56 per 28 days)
fluphenazine decanoate 25 mg/ml SOLUTION <b>MO</b>	2	
fluphenazine hcl 1 mg, 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	2	
fluphenazine hcl 2.5 mg/5 ml ELIXIR <b>MO</b>	2	
fluphenazine hcl 2.5 mg/ml SOLUTION <b>MO</b>	2	
fluphenazine hcl 5 mg/ml CONCENTRATE <b>MO</b>	2	
GEODON 20 MG, 40 MG, 60 MG, 80 MG CAPSULE <b>DL</b>	5	PA
GEODON 20 MG/ML (FINAL CONC.) RECON SOLUTION <b>MO</b>	4	PA
HALDOL DECANOATE 100 MG/ML, 50 MG/ML SOLUTION <b>MO</b>	4	PA
haloperidol 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg TABLET <b>MO</b>	2	
haloperidol decanoate 100 mg/ml, 50 mg/ml SOLUTION <b>MO</b>	2	
haloperidol lactate 2 mg/ml CONCENTRATE <b>MO</b>	2	
haloperidol lactate 5 mg/ml SOLUTION <b>MO</b>	2	
haloperidol lactate 5 mg/ml SYRINGE <b>MO</b>	2	
INVEGA 1.5 MG, 3 MG, 9 MG TABLET, ER 24 HR. <b>DL</b>	5	PA,QL(30 per 30 days)
INVEGA 6 MG TABLET, ER 24 HR. <b>DL</b>	5	PA,QL(60 per 30 days)
INVEGA HAFYERA 1,092 MG/3.5 ML SYRINGE	5	QL(3.5 per 180 days)
INVEGA HAFYERA 1,560 MG/5 ML SYRINGE	5	QL(5 per 180 days)
INVEGA SUSTENNA 117 MG/0.75 ML, 234 MG/1.5 ML, 78 MG/0.5 ML SYRINGE <b>DL</b>	5	QL(1.5 per 28 days)
INVEGA SUSTENNA 156 MG/ML SYRINGE <b>DL</b>	5	QL(1 per 28 days)
INVEGA SUSTENNA 39 MG/0.25 ML SYRINGE <b>MO</b>	4	QL(1.5 per 28 days)
INVEGA TRINZA 273 MG/0.88 ML SYRINGE	5	QL(0.88 per 90 days)
INVEGA TRINZA 410 MG/1.32 ML SYRINGE	5	QL(1.32 per 90 days)
INVEGA TRINZA 546 MG/1.75 ML SYRINGE	5	QL(1.75 per 90 days)
INVEGA TRINZA 819 MG/2.63 ML SYRINGE	5	QL(2.63 per 90 days)
LATUDA 120 MG, 20 MG, 40 MG, 60 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
LATUDA 80 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
loxapine succinate 10 mg, 25 mg, 5 mg, 50 mg CAPSULE <b>MO</b>	2	
lurasidone 120 mg, 20 mg, 40 mg, 60 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
lurasidone 80 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
LYBALVI 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
molindone 10 mg TABLET <b>MO</b>	2	PA,QL(240 per 30 days)
molindone 25 mg TABLET <b>MO</b>	2	PA,QL(270 per 30 days)
molindone 5 mg TABLET <b>MO</b>	2	PA,QL(360 per 30 days)
NUPLAZID 10 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
NUPLAZID 34 MG CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
olanzapine 10 mg RECON SOLUTION <b>MO</b>	2	
olanzapine 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg TABLET <b>MO</b>	2	
olanzapine 10 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>	2	QL(30 per 30 days)
olanzapine 15 mg, 20 mg TABLET, DISINTEGRATING <b>MO</b>	2	QL(60 per 30 days)
paliperidone 1.5 mg, 3 mg, 9 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
paliperidone 6 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
perphenazine 16 mg, 2 mg, 4 mg, 8 mg TABLET <b>MO</b>	2	
PERSERIS 120 MG, 90 MG SUSPENSION, ER, SYRINGE <b>DL</b>	5	QL(1 per 28 days)
pimozide 1 mg, 2 mg TABLET <b>MO</b>	2	
quetiapine 100 mg TABLET <b>MO</b>	2	QL(90 per 30 days)
quetiapine 150 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
quetiapine 150 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(90 per 30 days)
quetiapine 200 mg TABLET <b>MO</b>	2	QL(120 per 30 days)
quetiapine 200 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
quetiapine 25 mg, 50 mg TABLET <b>MO</b>	2	QL(120 per 30 days)
quetiapine 300 mg, 400 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
quetiapine 300 mg, 400 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
quetiapine 50 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(120 per 30 days)
REXULTI 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
RISPERDAL 0.5 MG TABLET <b>MO</b>	4	QL(120 per 30 days)
RISPERDAL 1 MG, 2 MG TABLET <b>MO</b>	4	QL(60 per 30 days)
RISPERDAL 1 MG/ML SOLUTION <b>DL</b>	5	
RISPERDAL 3 MG, 4 MG TABLET <b>DL</b>	5	QL(60 per 30 days)
RISPERDAL CONSTA 12.5 MG/2 ML, 25 MG/2 ML SUSPENSION, ER, RECON <b>MO</b>	4	QL(2 per 28 days)
RISPERDAL CONSTA 37.5 MG/2 ML, 50 MG/2 ML SUSPENSION, ER, RECON <b>DL</b>	5	QL(2 per 28 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET, DISINTEGRATING <b>MO</b>	2	ST,QL(60 per 30 days)
risperidone 0.5 mg TABLET <b>MO</b>	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
risperidone 0.5 mg TABLET, DISINTEGRATING <b>MO</b>	2	ST,QL(120 per 30 days)
risperidone 1 mg/ml SOLUTION <b>MO</b>	2	
SAPHRIS 10 MG, 2.5 MG, 5 MG SUBLINGUAL TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
SECUADO 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR PATCH, 24 HR. <b>DL</b>	5	PA,QL(30 per 30 days)
SEROQUEL 100 MG TABLET <b>MO</b>	4	QL(90 per 30 days)
SEROQUEL 200 MG, 25 MG, 50 MG TABLET <b>MO</b>	4	QL(120 per 30 days)
SEROQUEL 300 MG, 400 MG TABLET <b>MO</b>	4	QL(60 per 30 days)
SEROQUEL XR 150 MG TABLET, ER 24 HR. <b>MO</b>	4	PA,QL(90 per 30 days)
SEROQUEL XR 200 MG TABLET, ER 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
SEROQUEL XR 300 MG, 400 MG TABLET, ER 24 HR. <b>MO</b>	4	PA,QL(60 per 30 days)
SEROQUEL XR 50 MG TABLET, ER 24 HR. <b>MO</b>	4	PA,QL(120 per 30 days)
SEROQUEL XR 50 MG(3)-200 MG (1)-300 MG(11) TABLET, ER 24 HR., DOSE PACK <b>MO</b>	4	PA,QL(15 per 30 days)
thioridazine 10 mg, 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	2	
thiothixene 1 mg, 10 mg, 2 mg, 5 mg CAPSULE <b>MO</b>	2	
trifluoperazine 1 mg, 10 mg, 2 mg, 5 mg TABLET <b>MO</b>	2	
UZEDY 100 MG/0.28 ML SUSPENSION, ER, SYRINGE <b>DL</b>	5	QL(0.28 per 28 days)
UZEDY 125 MG/0.35 ML SUSPENSION, ER, SYRINGE <b>DL</b>	5	QL(0.35 per 28 days)
UZEDY 150 MG/0.42 ML SUSPENSION, ER, SYRINGE	5	QL(0.42 per 56 days)
UZEDY 200 MG/0.56 ML SUSPENSION, ER, SYRINGE	5	QL(0.56 per 56 days)
UZEDY 250 MG/0.7 ML SUSPENSION, ER, SYRINGE	5	QL(0.7 per 56 days)
UZEDY 50 MG/0.14 ML SUSPENSION, ER, SYRINGE <b>DL</b>	5	QL(0.14 per 28 days)
UZEDY 75 MG/0.21 ML SUSPENSION, ER, SYRINGE <b>DL</b>	5	QL(0.21 per 28 days)
VERSACLOZ 50 MG/ML SUSPENSION <b>DL</b>	5	PA,QL(540 per 30 days)
VRAYLAR 1.5 MG (1)- 3 MG (6) CAPSULE, DOSE PACK <b>MO</b>	4	PA
VRAYLAR 1.5 MG, 3 MG, 4.5 MG, 6 MG CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
ziprasidone hcl 20 mg, 40 mg, 60 mg, 80 mg CAPSULE <b>MO</b>	2	
ziprasidone mesylate 20 mg/ml (final conc.) RECON SOLUTION <b>MO</b>	2	
ZYPREXA 10 MG RECON SOLUTION <b>MO</b>	4	
ZYPREXA 10 MG, 15 MG, 2.5 MG, 20 MG, 5 MG, 7.5 MG TABLET <b>DL</b>	5	
ZYPREXA RELPREVV 210 MG SUSPENSION FOR RECONSTITUTION <b>MO</b>	4	QL(4 per 28 days)
ZYPREXA RELPREVV 300 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	QL(2 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZYPREXA RELPREVV 405 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	QL(1 per 28 days)
ZYPREXA ZYDIS 10 MG TABLET, DISINTEGRATING <b>DL</b>	5	QL(30 per 30 days)
ZYPREXA ZYDIS 15 MG, 20 MG TABLET, DISINTEGRATING <b>DL</b>	5	QL(60 per 30 days)
ZYPREXA ZYDIS 5 MG TABLET, DISINTEGRATING <b>MO</b>	4	QL(30 per 30 days)
<b>ANTISPASTICITY AGENTS</b>		
baclofen 10 mg TABLET <b>MO</b>	1	
baclofen 10 mg/5 ml (2 mg/ml), 5 mg/5 ml SOLUTION <b>DL</b>	5	
baclofen 15 mg TABLET <b>MO</b>	2	
baclofen 20 mg TABLET <b>MO</b>	1	
baclofen 25 mg/5 ml (5 mg/ml) SUSPENSION <b>DL</b>	5	QL(480 per 30 days)
baclofen 5 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
DANTRIUM 20 MG RECON SOLUTION <b>MO</b>	4	
DANTRIUM 25 MG CAPSULE <b>MO</b>	4	
dantrolene 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	2	
dantrolene 20 mg RECON SOLUTION <b>MO</b>	2	
FLEQSUHV 25 MG/5 ML (5 MG/ML) SUSPENSION <b>DL</b>	5	QL(480 per 30 days)
LYVISPAAH 10 MG, 20 MG GRANULES IN PACKET <b>DL</b>	5	ST,QL(120 per 30 days)
LYVISPAAH 5 MG GRANULES IN PACKET <b>MO</b>	4	ST,QL(270 per 30 days)
OZOBAX 5 MG/5 ML SOLUTION <b>DL</b>	5	
OZOBAX DS 10 MG/5 ML (2 MG/ML) SOLUTION <b>DL</b>	5	
revonto 20 mg RECON SOLUTION <b>MO</b>	2	
tizanidine 2 mg, 4 mg TABLET <b>MO</b>	1	
tizanidine 2 mg, 4 mg, 6 mg CAPSULE <b>MO</b>	2	ST
ZANAFLEX 2 MG, 4 MG, 6 MG CAPSULE <b>MO</b>	4	ST
ZANAFLEX 4 MG TABLET <b>MO</b>	4	ST
<b>ANTIVIRALS</b>		
abacavir 20 mg/ml SOLUTION <b>MO</b>	2	QL(960 per 30 days)
abacavir 300 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
abacavir-lamivudine 600-300 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
acyclovir 200 mg CAPSULE <b>MO</b>	1	
acyclovir 200 mg/5 ml SUSPENSION <b>MO</b>	2	
acyclovir 400 mg TABLET <b>MO</b>	1	
acyclovir 5 % CREAM <b>MO</b>	4	PA,QL(5 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
acyclovir 5 % OINTMENT <b>MO</b>	2	PA,QL(30 per 30 days)
acyclovir 800 mg TABLET <b>MO</b>	1	
acyclovir sodium 1,000 mg, 500 mg RECON SOLUTION <b>MO</b>	2	BvsD
acyclovir sodium 50 mg/ml SOLUTION <b>MO</b>	2	BvsD
adefovir 10 mg TABLET <b>MO</b>	2	
APRETUDE 600 MG/3 ML (200 MG/ML) SUSPENSION, ER <b>DL</b>	5	QL(21 per 365 days)
APTVUS 250 MG CAPSULE <b>DL</b>	5	QL(120 per 30 days)
atazanavir 150 mg, 200 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
atazanavir 300 mg CAPSULE <b>MO</b>	2	QL(30 per 30 days)
ATRIPLA 600-200-300 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
BARACLUDE 0.05 MG/ML SOLUTION <b>MO</b>	4	QL(630 per 30 days)
BARACLUDE 0.5 MG, 1 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
BIKTARVY 30-120-15 MG, 50-200-25 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
CABENUVA 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML SUSPENSION, ER <b>DL</b>	5	QL(50 per 365 days)
cidofovir 75 mg/ml SOLUTION <b>DL</b>	5	
CIMDUO 300-300 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
COMBIVIR 150-300 MG TABLET <b>DL</b>	5	QL(60 per 30 days)
COMPLERA 200-25-300 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
darunavir 600 mg TABLET <b>DL</b>	5	QL(60 per 30 days)
darunavir 800 mg TABLET <b>DL</b>	5	QL(30 per 30 days)
DELSTRIGO 100-300-300 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
DENAVIR 1 % CREAM <b>MO</b>	4	PA
DESCOVY 120-15 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
DESCOVY 200-25 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
didanosine 250 mg, 400 mg CAPSULE, DR/EC <b>MO</b>	2	QL(30 per 30 days)
DOVATO 50-300 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
EDURANT 25 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
efavirenz 200 mg CAPSULE <b>MO</b>	2	QL(120 per 30 days)
efavirenz 50 mg CAPSULE <b>MO</b>	2	QL(480 per 30 days)
efavirenz 600 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
efavirenz-emtricitabin-tenofovir 600-200-300 mg TABLET <b>DL</b>	2	QL(30 per 30 days)
efavirenz-lamivu-tenofovir disop 400-300-300 mg, 600-300-300 mg TABLET <b>DL</b>	5	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
emtricitabine 200 mg CAPSULE <b>MO</b>	2	QL(30 per 30 days)
emtricitabine-tenofovir (tdf) 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
EMTRIVA 10 MG/ML SOLUTION <b>MO</b>	4	QL(680 per 28 days)
EMTRIVA 200 MG CAPSULE <b>MO</b>	4	QL(30 per 30 days)
entecavir 0.5 mg, 1 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
EPCLUSA 150-37.5 MG PELLETS IN PACKET <b>DL</b>	5	PA,QL(28 per 28 days)
EPCLUSA 200-50 MG PELLETS IN PACKET <b>DL</b>	5	PA,QL(56 per 28 days)
EPCLUSA 200-50 MG, 400-100 MG TABLET <b>DL</b>	5	PA,QL(28 per 28 days)
EPIVIR 10 MG/ML SOLUTION <b>MO</b>	4	QL(900 per 30 days)
EPIVIR 150 MG TABLET <b>MO</b>	4	QL(60 per 30 days)
EPIVIR 300 MG TABLET <b>MO</b>	4	QL(30 per 30 days)
EPIVIR HBV 100 MG TABLET <b>MO</b>	4	QL(90 per 30 days)
EPIVIR HBV 25 MG/5 ML (5 MG/ML) SOLUTION <b>MO</b>	4	
EPZICOM 600-300 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
etravirine 100 mg TABLET <b>DL</b>	5	QL(120 per 30 days)
etravirine 200 mg TABLET <b>DL</b>	5	QL(60 per 30 days)
EVOTAZ 300-150 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
famciclovir 125 mg, 250 mg, 500 mg TABLET <b>MO</b>	2	QL(90 per 30 days)
FLUMADINE 100 MG TABLET <b>MO</b>	4	
fosamprenavir 700 mg TABLET <b>DL</b>	5	QL(120 per 30 days)
foscarnet 24 mg/ml SOLUTION <b>MO</b>	2	BvsD
FOSCAVIR 24 MG/ML SOLUTION <b>MO</b>	4	BvsD
FUZEON 90 MG RECON SOLUTION <b>DL</b>	5	QL(60 per 30 days)
ganciclovir sodium 50 mg/ml SOLUTION <b>MO</b>	2	BvsD
ganciclovir sodium 500 mg RECON SOLUTION <b>MO</b>	2	BvsD
GENVOYA 150-150-200-10 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
HARVONI 33.75-150 MG PELLETS IN PACKET <b>DL</b>	5	PA,QL(28 per 28 days)
HARVONI 45-200 MG PELLETS IN PACKET <b>DL</b>	5	PA,QL(56 per 28 days)
HARVONI 45-200 MG TABLET <b>DL</b>	5	PA,QL(28 per 28 days)
HARVONI 90-400 MG TABLET <b>DL</b>	5	PA,QL(28 per 28 days)
HEPSERA 10 MG TABLET <b>DL</b>	5	
INTELENCE 100 MG TABLET <b>DL</b>	5	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INTELENCE 200 MG TABLET <b>DL</b>	5	QL(60 per 30 days)
INTELENCE 25 MG TABLET <b>MO</b>	4	QL(120 per 30 days)
ISENTRESS 100 MG CHEWABLE TABLET <b>DL</b>	5	QL(180 per 30 days)
ISENTRESS 100 MG POWDER IN PACKET <b>MO</b>	3	QL(300 per 30 days)
ISENTRESS 25 MG CHEWABLE TABLET <b>MO</b>	4	QL(180 per 30 days)
ISENTRESS 400 MG TABLET <b>DL</b>	5	QL(120 per 30 days)
ISENTRESS HD 600 MG TABLET <b>DL</b>	5	QL(60 per 30 days)
JULUCA 50-25 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
KALETRA 100-25 MG TABLET <b>MO</b>	4	QL(300 per 30 days)
KALETRA 200-50 MG TABLET <b>MO</b>	4	QL(150 per 30 days)
KALETRA 400-100 MG/5 ML SOLUTION <b>DL</b>	5	
lamivudine 10 mg/ml SOLUTION <b>MO</b>	2	QL(900 per 30 days)
lamivudine 100 mg TABLET <b>MO</b>	2	QL(90 per 30 days)
lamivudine 150 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
lamivudine 300 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
lamivudine-zidovudine 150-300 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
LEXIVA 50 MG/ML SUSPENSION <b>MO</b>	4	QL(1575 per 28 days)
LEXIVA 700 MG TABLET <b>DL</b>	5	QL(120 per 30 days)
LIVTENCITY 200 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
lopinavir-ritonavir 100-25 mg TABLET <b>MO</b>	2	QL(300 per 30 days)
lopinavir-ritonavir 200-50 mg TABLET <b>MO</b>	2	QL(150 per 30 days)
lopinavir-ritonavir 400-100 mg/5 ml SOLUTION <b>MO</b>	2	
maraviroc 150 mg TABLET <b>DL</b>	5	QL(240 per 30 days)
maraviroc 300 mg TABLET <b>DL</b>	5	QL(120 per 30 days)
MAVYRET 100-40 MG TABLET <b>DL</b>	5	PA,QL(84 per 28 days)
MAVYRET 50-20 MG PELLETS IN PACKET <b>DL</b>	5	PA,QL(150 per 30 days)
nevirapine 100 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(120 per 30 days)
nevirapine 200 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
nevirapine 400 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
nevirapine 50 mg/5 ml SUSPENSION <b>MO</b>	2	QL(1200 per 30 days)
NORVIR 100 MG POWDER IN PACKET <b>MO</b>	4	QL(360 per 30 days)
NORVIR 100 MG TABLET <b>MO</b>	4	QL(360 per 30 days)
NORVIR 80 MG/ML SOLUTION <b>MO</b>	4	QL(480 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ODEFSEY 200-25-25 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
oseltamivir 30 mg CAPSULE <b>MO</b>	2	QL(224 per 365 days)
oseltamivir 45 mg, 75 mg CAPSULE <b>MO</b>	2	QL(112 per 365 days)
oseltamivir 6 mg/ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	QL(1440 per 365 days)
penciclovir 1 % CREAM <b>MO</b>	2	PA
PIFELTRO 100 MG TABLET <b>DL</b>	5	QL(60 per 30 days)
PREVYMIS 240 MG TABLET <b>DL</b>	5	PA,QL(28 per 28 days)
PREVYMIS 240 MG/12 ML SOLUTION <b>DL</b>	5	PA,QL(336 per 28 days)
PREVYMIS 480 MG TABLET <b>DL</b>	5	PA
PREVYMIS 480 MG/24 ML SOLUTION <b>DL</b>	5	PA,QL(672 per 28 days)
PREZCOBIX 800-150 MG-MG TABLET <b>DL</b>	5	QL(30 per 30 days)
PREZISTA 100 MG/ML SUSPENSION <b>DL</b>	5	QL(360 per 30 days)
PREZISTA 150 MG TABLET <b>DL</b>	5	QL(240 per 30 days)
PREZISTA 600 MG TABLET <b>DL</b>	5	QL(60 per 30 days)
PREZISTA 75 MG TABLET <b>MO</b>	4	QL(480 per 30 days)
PREZISTA 800 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
RELENZA DISKHALER 5 MG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	4	QL(60 per 180 days)
RETROVIR 10 MG/ML SOLUTION <b>MO</b>	4	
RETROVIR 10 MG/ML SYRUP <b>MO</b>	4	QL(1680 per 28 days)
RETROVIR 100 MG CAPSULE <b>MO</b>	4	QL(180 per 30 days)
REYATAZ 200 MG CAPSULE <b>DL</b>	5	QL(60 per 30 days)
REYATAZ 300 MG CAPSULE <b>DL</b>	5	QL(30 per 30 days)
REYATAZ 50 MG POWDER IN PACKET <b>MO</b>	4	
ribavirin 200 mg CAPSULE <b>MO</b>	2	QL(168 per 28 days)
ribavirin 200 mg TABLET <b>MO</b>	2	QL(168 per 28 days)
rimantadine 100 mg TABLET <b>MO</b>	2	
ritonavir 100 mg TABLET <b>MO</b>	2	QL(360 per 30 days)
RUKOBIA 600 MG TABLET, ER 12 HR. <b>DL</b>	5	QL(60 per 30 days)
SELZENTRY 150 MG TABLET <b>DL</b>	5	QL(240 per 30 days)
SELZENTRY 20 MG/ML SOLUTION <b>DL</b>	5	QL(1800 per 30 days)
SELZENTRY 25 MG TABLET <b>MO</b>	4	QL(240 per 30 days)
SELZENTRY 300 MG, 75 MG TABLET <b>DL</b>	5	QL(120 per 30 days)
SOVALDI 150 MG PELLETS IN PACKET <b>DL</b>	5	PA,QL(28 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SOVALDI 200 MG PELLETS IN PACKET <b>DL</b>	5	PA,QL(56 per 28 days)
SOVALDI 200 MG, 400 MG TABLET <b>DL</b>	5	PA,QL(28 per 28 days)
stavudine 15 mg, 20 mg CAPSULE <b>MO</b>	2	QL(120 per 30 days)
stavudine 30 mg, 40 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
STRIBILD 150-150-200-300 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
SUNLENCA 300 MG TABLET <b>DL</b>	5	QL(10 per 365 days)
SUNLENCA 309 MG/ML SOLUTION	5	QL(9 per 365 days)
SUSTIVA 200 MG CAPSULE <b>DL</b>	5	QL(120 per 30 days)
SUSTIVA 50 MG CAPSULE <b>DL</b>	5	QL(480 per 30 days)
SUSTIVA 600 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
SYMFI 600-300-300 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
SYMFI LO 400-300-300 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
SYMTUZA 800-150-200-10 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
TAMIFLU 30 MG CAPSULE <b>MO</b>	4	PA,QL(224 per 365 days)
TAMIFLU 45 MG, 75 MG CAPSULE <b>MO</b>	4	PA,QL(112 per 365 days)
TAMIFLU 6 MG/ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	4	PA,QL(1440 per 365 days)
TEMIXYS 300-300 MG TABLET <b>MO</b>	4	QL(30 per 30 days)
<i>tenofovir disoproxil fumarate 300 mg TABLET <b>MO</b></i>	2	QL(30 per 30 days)
TIVICAY 10 MG TABLET <b>MO</b>	4	QL(60 per 30 days)
TIVICAY 25 MG, 50 MG TABLET <b>DL</b>	5	QL(60 per 30 days)
TIVICAY PD 5 MG TABLET FOR SUSPENSION <b>DL</b>	5	QL(180 per 30 days)
TRIUMEQ 600-50-300 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
TRIUMEQ PD 60-5-30 MG TABLET FOR SUSPENSION <b>DL</b>	5	QL(180 per 30 days)
TRIZIVIR 300-150-300 MG TABLET <b>DL</b>	5	QL(60 per 30 days)
TROGARZO 200 MG/1.33 ML (150 MG/ML) SOLUTION <b>DL</b>	5	
TRUVADA 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
TYBOST 150 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
<i>valacyclovir 1 gram, 500 mg TABLET <b>MO</b></i>	2	
VALCYTE 450 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
VALCYTE 50 MG/ML RECON SOLUTION <b>DL</b>	5	PA,QL(1056 per 30 days)
<i>valganciclovir 450 mg TABLET <b>MO</b></i>	2	QL(120 per 30 days)
<i>valganciclovir 50 mg/ml RECON SOLUTION <b>DL</b></i>	5	QL(1056 per 30 days)
VALTREX 1 GRAM, 500 MG TABLET <b>MO</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VELMLIDY 25 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
VIRACEPT 250 MG TABLET <b>DL</b>	5	QL(300 per 30 days)
VIRACEPT 625 MG TABLET <b>DL</b>	5	QL(120 per 30 days)
VIREAD 150 MG, 200 MG, 250 MG, 300 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
VIREAD 40 MG/SCOOP (40 MG/GRAM) POWDER <b>DL</b>	5	QL(240 per 30 days)
VOCABRIA 30 MG TABLET <b>DL</b>	5	QL(30 per 30 days)
VOSEVI 400-100-100 MG TABLET <b>DL</b>	5	PA,QL(28 per 28 days)
XERESE 5-1 % CREAM <b>DL</b>	5	QL(5 per 30 days)
XOFLUZA 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	4	
ZEPATIER 50-100 MG TABLET <b>DL</b>	5	PA,QL(28 per 28 days)
ZIAGEN 20 MG/ML SOLUTION <b>MO</b>	4	QL(960 per 30 days)
ZIAGEN 300 MG TABLET <b>MO</b>	4	QL(60 per 30 days)
zidovudine 10 mg/ml SYRUP <b>MO</b>	2	QL(1680 per 28 days)
zidovudine 100 mg CAPSULE <b>MO</b>	2	QL(180 per 30 days)
zidovudine 300 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
ZIRGAN 0.15 % GEL <b>MO</b>	4	QL(5 per 30 days)
ZOVIRAX 200 MG/5 ML SUSPENSION <b>MO</b>	4	PA
ZOVIRAX 5 % CREAM <b>MO</b>	4	PA,QL(5 per 30 days)
ZOVIRAX 5 % OINTMENT <b>DL</b>	5	PA,QL(30 per 30 days)
<b>ANXIOLYTICS</b>		
alprazolam 0.25 mg, 0.5 mg, 1 mg TABLET <b>DL</b>	2	QL(120 per 30 days)
alprazolam 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING <b>DL</b>	2	
alprazolam 0.5 mg, 1 mg, 2 mg, 3 mg TABLET, ER 24 HR. <b>DL</b>	2	QL(60 per 30 days)
alprazolam 2 mg TABLET <b>DL</b>	2	QL(150 per 30 days)
alprazolam intensol 1 mg/ml CONCENTRATE <b>DL</b>	2	
ATIVAN 0.5 MG, 1 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
ATIVAN 2 MG TABLET <b>DL</b>	5	PA,QL(150 per 30 days)
ATIVAN 2 MG/ML, 4 MG/ML SOLUTION <b>DL</b>	4	PA
buspirone 10 mg, 15 mg, 5 mg TABLET <b>MO</b>	1	
buspirone 30 mg, 7.5 mg TABLET <b>MO</b>	1	
chlordiazepoxide hcl 10 mg, 25 mg, 5 mg CAPSULE <b>DL</b>	2	QL(120 per 30 days)
clonazepam 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING <b>DL</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
clonazepam 0.5 mg, 1 mg TABLET <b>DL</b>	2	
clonazepam 2 mg TABLET <b>DL</b>	2	
clorazepate dipotassium 15 mg, 3.75 mg, 7.5 mg TABLET <b>DL</b>	2	
diazepam 10 mg TABLET <b>DL</b>	2	QL(120 per 30 days)
diazepam 2 mg TABLET <b>DL</b>	2	QL(90 per 30 days)
diazepam 5 mg TABLET <b>DL</b>	2	QL(90 per 30 days)
diazepam 5 mg/5 ml (1 mg/ml), 5 mg/5 ml (1 mg/ml, 5 ml) SOLUTION <b>DL</b>	2	QL(1200 per 30 days)
diazepam 5 mg/ml CONCENTRATE <b>DL</b>	2	QL(240 per 30 days)
diazepam 5 mg/ml SOLUTION <b>DL</b>	2	
diazepam 5 mg/ml SYRINGE <b>DL</b>	2	
diazepam intensol 5 mg/ml CONCENTRATE <b>DL</b>	2	QL(240 per 30 days)
doxepin 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	2	
doxepin 10 mg/ml CONCENTRATE <b>MO</b>	2	
hydroxyzine hcl 10 mg, 50 mg TABLET <b>MO</b>	2	
hydroxyzine hcl 10 mg/5 ml, 25 mg/ml, 50 mg/ml SOLUTION <b>MO</b>	2	
hydroxyzine hcl 25 mg TABLET <b>MO</b>	2	
KLONOPIN 0.5 MG, 1 MG, 2 MG TABLET <b>DL</b>	4	PA
lorazepam 0.5 mg, 1 mg TABLET <b>DL</b>	2	QL(90 per 30 days)
lorazepam 2 mg TABLET <b>DL</b>	2	QL(150 per 30 days)
lorazepam 2 mg/ml CONCENTRATE <b>DL</b>	2	QL(150 per 30 days)
lorazepam 2 mg/ml SYRINGE <b>DL</b>	2	
lorazepam 2 mg/ml, 4 mg/ml SOLUTION <b>DL</b>	2	
lorazepam intensol 2 mg/ml CONCENTRATE <b>DL</b>	2	QL(150 per 30 days)
LOREEV XR 1 MG CAPSULE, ER 24 HR. <b>DL</b>	5	PA,QL(210 per 30 days)
LOREEV XR 1.5 MG, 2 MG CAPSULE, ER 24 HR. <b>DL</b>	5	PA,QL(150 per 30 days)
LOREEV XR 3 MG CAPSULE, ER 24 HR. <b>DL</b>	5	PA,QL(90 per 30 days)
meprobamate 200 mg, 400 mg TABLET <b>MO</b>	2	
oxazepam 10 mg, 15 mg, 30 mg CAPSULE <b>DL</b>	2	
TRANXENE T-TAB 7.5 MG TABLET <b>DL</b>	4	PA
VALIUM 10 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
VALIUM 2 MG, 5 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
XANAX 0.25 MG, 0.5 MG, 1 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XANAX 2 MG TABLET <b>DL</b>	4	PA,QL(150 per 30 days)
XANAX XR 0.5 MG, 1 MG, 2 MG, 3 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
<b>BIPOLAR AGENTS</b>		
lithium carbonate 150 mg, 300 mg, 600 mg CAPSULE <b>MO</b>	1	
lithium carbonate 300 mg TABLET <b>MO</b>	1	
lithium carbonate 300 mg, 450 mg TABLET ER <b>MO</b>	2	
lithium citrate 8 meq/5 ml SOLUTION <b>MO</b>	2	
LITHOBID 300 MG TABLET ER <b>MO</b>	4	
<b>BLOOD GLUCOSE REGULATORS</b>		
acarbose 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	2	
ACTOPLUS MET 15-850 MG TABLET <b>MO</b>	4	PA,QL(90 per 30 days)
ACTOS 15 MG, 30 MG, 45 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
ADLYXIN 10 MCG/0.2 ML- 20 MCG/0.2 ML, 20 MCG/0.2 ML PEN INJECTOR <b>MO</b>	4	ST,QL(6 per 28 days)
ADMELOG SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN <b>CI,MO</b>	4	ST
ADMELOG U-100 INSULIN LISPRO 100 UNIT/ML SOLUTION <b>CI,MO</b>	4	ST
AFREZZA 12 UNIT CARTRIDGE WITH INHALER <b>CI,DL</b>	5	PA,QL(90 per 30 days)
AFREZZA 4 UNIT (90)/ 8 UNIT (90), 4 UNIT/8 UNIT/ 12 UNIT (60), 8 UNIT (90)/ 12 UNIT (90) CARTRIDGE WITH INHALER <b>CI,DL</b>	5	PA,QL(180 per 30 days)
AFREZZA 4 UNIT, 8 UNIT CARTRIDGE WITH INHALER <b>CI,MO</b>	4	PA,QL(90 per 30 days)
AMARYL 1 MG, 2 MG, 4 MG TABLET <b>MO</b>	4	PA
APIDRA SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN <b>CI,MO</b>	4	ST
APIDRA U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	4	ST
BAQSIMI 3 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	3	
BASAGLAR KWIKPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	4	PA
BASAGLAR TEMPO PEN(U-100)INSLN 100 UNIT/ML (3 ML) INSULIN PEN, SENSOR <b>CI,MO</b>	4	PA
BYDUREON BCISE 2 MG/0.85 ML AUTO-INJECTOR <b>MO</b>	4	QL(3.4 per 28 days)
BYETTA 10 MCG/DOSE(250 MCG/ML) 2.4 ML, 5 MCG/DOSE (250 MCG/ML) 1.2 ML PEN INJECTOR <b>MO</b>	4	ST,QL(2.4 per 30 days)
CYCLOSET 0.8 MG TABLET <b>MO</b>	4	ST,QL(180 per 30 days)
diazoxide 50 mg/ml SUSPENSION <b>MO</b>	2	
DUETACT 30-2 MG, 30-4 MG TABLET <b>MO</b>	4	QL(30 per 30 days)
FARXIGA 10 MG TABLET <b>MO</b>	4	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FARXIGA 5 MG TABLET <b>MO</b>	4	QL(30 per 30 days)
FIASP FLEXTOUCH U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
FIASP PENFILL U-100 INSULIN 100 UNIT/ML (3 ML) CARTRIDGE <b>CI,MO</b>	3	
FIASP U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	
glimepiride 1 mg TABLET <b>MO</b>	1	
glimepiride 2 mg, 4 mg TABLET <b>MO</b>	1	
glipizide 10 mg TABLET, ER 24 HR. <b>MO</b>	1	
glipizide 10 mg, 5 mg TABLET <b>MO</b>	1	
glipizide 2.5 mg TABLET <b>MO</b>	1	
glipizide 2.5 mg, 5 mg TABLET, ER 24 HR. <b>MO</b>	1	
glipizide-metformin 2.5-250 mg, 2.5-500 mg, 5-500 mg TABLET <b>MO</b>	1	
GLUCAGEN HYPOKIT 1 MG RECON SOLUTION <b>MO</b>	3	
GLUCAGON (HCL) EMERGENCY KIT 1 MG RECON SOLUTION <b>MO</b>	4	ST
glucagon emergency kit (human) 1 mg RECON SOLUTION <b>MO</b>	4	ST
GLUCAGON EMERGENCY KIT (HUMAN) 1 MG RECON SOLUTION <b>MO</b>	4	ST
GLUCOTROL XL 10 MG, 2.5 MG, 5 MG TABLET, ER 24 HR. <b>MO</b>	4	
GLUMETZA 1,000 MG TABLET, GAST. RETENTION 24 HR. <b>DL</b>	5	ST,QL(60 per 30 days)
GLUMETZA 500 MG TABLET, GAST. RETENTION 24 HR. <b>DL</b>	5	ST,QL(120 per 30 days)
glyburide 1.25 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	2	
glyburide micronized 1.5 mg, 3 mg, 6 mg TABLET <b>MO</b>	2	
glyburide-metformin 1.25-250 mg, 2.5-500 mg, 5-500 mg TABLET <b>MO</b>	2	
GLYNASE 1.5 MG, 3 MG, 6 MG TABLET <b>MO</b>	4	
GLYXAMBI 10-5 MG, 25-5 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
GVOKE 1 MG/0.2 ML SOLUTION <b>MO</b>	3	
GVOKE HYPOPEN 1-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR <b>MO</b>	3	
GVOKE HYPOPEN 2-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR <b>MO</b>	3	
GVOKE PFS 1-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE <b>MO</b>	3	
GVOKE PFS 2-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE <b>MO</b>	3	
HUMALOG JUNIOR KWIKPEN U-100 100 UNIT/ML INSULIN PEN, HALF-UNIT <b>CI,MO</b>	3	
HUMALOG KWIKPEN INSULIN 100 UNIT/ML, 200 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
HUMALOG MIX 50-50 INSULIN U-100 100 UNIT/ML (50-50) SUSPENSION <b>CI,MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HUMALOG MIX 50-50 KWIKPEN 100 UNIT/ML (50-50) INSULIN PEN <b>CI,MO</b>	3	
HUMALOG MIX 75-25 KWIKPEN 100 UNIT/ML (75-25) INSULIN PEN <b>CI,MO</b>	3	
HUMALOG MIX 75-25(U-100)INSULN 100 UNIT/ML (75-25) SUSPENSION <b>CI,MO</b>	3	
HUMALOG TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN, SENSOR <b>CI,MO</b>	3	
HUMALOG U-100 INSULIN 100 UNIT/ML CARTRIDGE <b>CI,MO</b>	3	
HUMALOG U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	
HUMULIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION <b>CI,MO</b>	3	
HUMULIN 70/30 U-100 KWIKPEN 100 UNIT/ML (70-30) INSULIN PEN <b>CI,MO</b>	3	
HUMULIN N NPH INSULIN KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
HUMULIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION <b>CI,MO</b>	3	
HUMULIN R REGULAR U-100 INSULN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	
HUMULIN R U-500 (CONC) INSULIN 500 UNIT/ML SOLUTION <b>CI,DL</b>	5	
HUMULIN R U-500 (CONC) KWIKPEN 500 UNIT/ML (3 ML) INSULIN PEN <b>CI,DL</b>	5	
INPEFA 200 MG, 400 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) INSULIN PEN <b>CI,MO</b>	3	
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) SOLUTION <b>CI,MO</b>	3	
INSULIN ASPART U-100 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
INSULIN ASPART U-100 100 UNIT/ML CARTRIDGE <b>CI,MO</b>	3	
INSULIN ASPART U-100 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	
INSULIN DEGLUDEC 100 UNIT/ML (3 ML), 200 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	4	PA
INSULIN DEGLUDEC 100 UNIT/ML SOLUTION <b>CI,MO</b>	4	PA
INSULIN GLARGINE 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	4	PA
INSULIN GLARGINE 100 UNIT/ML SOLUTION <b>CI,MO</b>	4	PA
INSULIN GLARGINE U-300 CONC 300 UNIT/ML (1.5 ML), 300 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	4	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	4	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML SOLUTION <b>CI,MO</b>	4	PA
INSULIN LISPRO 100 UNIT/ML INSULIN PEN <b>CI,MO</b>	3	
INSULIN LISPRO 100 UNIT/ML INSULIN PEN, HALF-UNIT <b>CI,MO</b>	3	
INSULIN LISPRO 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INSULIN LISPRO PROTAMIN-LISPRO 100 UNIT/ML (75-25) INSULIN PEN <b>CI,MO</b>	3	
INVOKAMET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
INVOKAMET XR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(60 per 30 days)
INVOKANA 100 MG, 300 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
JANUMET 50-1,000 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
JANUMET 50-500 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
JANUMET XR 100-1,000 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	3	QL(30 per 30 days)
JANUMET XR 50-1,000 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	3	QL(60 per 30 days)
JANUMET XR 50-500 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	3	QL(60 per 30 days)
JANUVIA 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
JARDIANCE 10 MG, 25 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
JENTADUETO 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
JENTADUETO XR 2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(60 per 30 days)
JENTADUETO XR 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
KAZANO 12.5-1,000 MG, 12.5-500 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
LANTUS SOLOSTAR U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
LANTUS U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	
LEVEMIR FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	4	PA
LEVEMIR FLEXTOUCH U100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	4	PA
LEVEMIR U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	4	PA
LYUMJEV KWIKPEN U-100 INSULIN 100 UNIT/ML INSULIN PEN <b>CI,MO</b>	3	
LYUMJEV KWIKPEN U-200 INSULIN 200 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
LYUMJEV TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN, SENSOR <b>CI,MO</b>	3	
LYUMJEV U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	
metformin 1,000 mg TABLET, ER 24 HR. <b>MO</b>	4	ST,QL(60 per 30 days)
metformin 1,000 mg TABLET, GAST. RETENTION 24 HR. <b>DL</b>	5	ST,QL(60 per 30 days)
metformin 1,000 mg, 500 mg TABLET <b>MO</b>	1	
metformin 500 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(120 per 30 days)
metformin 500 mg TABLET, ER 24 HR. <b>MO</b>	4	ST,QL(150 per 30 days)
metformin 500 mg TABLET, GAST. RETENTION 24 HR. <b>DL</b>	5	ST,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
metformin 500 mg/5 ml SOLUTION <b>MO</b>	2	QL(750 per 30 days)
metformin 625 mg TABLET <b>DL</b>	5	ST,QL(120 per 30 days)
metformin 750 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
metformin 850 mg TABLET <b>MO</b>	1	
miglitol 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	2	
MOUNJARO 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR <b>MO</b>	3	QL(2 per 28 days)
nateglinide 120 mg, 60 mg TABLET <b>MO</b>	2	
NESINA 12.5 MG, 25 MG, 6.25 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
NOVOLIN 70-30 FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN <b>CI,MO</b>	3	
NOVOLIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION <b>CI,MO</b>	3	
NOVOLIN N FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
NOVOLIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION <b>CI,MO</b>	3	
NOVOLIN R FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
NOVOLIN R REGULAR U100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	
NOVOLOG FLEXPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
NOVOLOG MIX 70-30 U-100 INSULIN 100 UNIT/ML (70-30) SOLUTION <b>CI,MO</b>	3	
NOVOLOG MIX 70-30FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN <b>CI,MO</b>	3	
NOVOLOG PENFILL U-100 INSULIN 100 UNIT/ML CARTRIDGE <b>CI,MO</b>	3	
NOVOLOG U-100 INSULIN ASPART 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	
OSENI 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
OZEMPIC 0.25 MG OR 0.5 MG (2 MG/3 ML) PEN INJECTOR <b>MO</b>	3	QL(3 per 28 days)
OZEMPIC 0.25 MG OR 0.5 MG(2 MG/1.5 ML) PEN INJECTOR <b>MO</b>	3	QL(1.5 per 28 days)
OZEMPIC 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) PEN INJECTOR <b>MO</b>	3	QL(3 per 28 days)
pioglitazone 15 mg, 30 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
pioglitazone 45 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
pioglitazone-glimepiride 30-2 mg, 30-4 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
pioglitazone-metformin 15-500 mg, 15-850 mg TABLET <b>MO</b>	2	QL(90 per 30 days)
PRECOSE 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	4	
PROGLYCEM 50 MG/ML SUSPENSION <b>DL</b>	5	PA
QTERN 10-5 MG, 5-5 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
repaglinide 0.5 mg, 1 mg, 2 mg TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
REZVOGLAR KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	4	PA
RIOMET 500 MG/5 ML SOLUTION <b>MO</b>	4	QL(750 per 30 days)
RYBELSUS 14 MG, 3 MG, 7 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
saxagliptin 2.5 mg, 5 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
saxagliptin-metformin 2.5-1,000 mg TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	2	QL(60 per 30 days)
saxagliptin-metformin 5-1,000 mg, 5-500 mg TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	2	QL(30 per 30 days)
SEGLUROMET 2.5-1,000 MG, 2.5-500 MG, 7.5-1,000 MG, 7.5-500 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
SEMGLEE(INSULIN GLARG-YFGN)PEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	4	PA
SEMGLEE(INSULIN GLARGINE-YFGN) 100 UNIT/ML SOLUTION <b>CI,MO</b>	4	PA
sitagliptin 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
sitagliptin-metformin 50-1,000 mg, 50-500 mg TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
SOLIQUA 100/33 100 UNIT-33 MCG/ML INSULIN PEN <b>CI,MO</b>	3	QL(15 per 24 days)
STEGLATRO 15 MG, 5 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
STEGLUJAN 15-100 MG, 5-100 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
SYMLINPEN 120 2,700 MCG/2.7 ML PEN INJECTOR <b>DL</b>	5	QL(10.8 per 30 days)
SYMLINPEN 60 1,500 MCG/1.5 ML PEN INJECTOR <b>DL</b>	5	QL(10.5 per 28 days)
SYNJARDY 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
SYNJARDY XR 10-1,000 MG, 25-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
SYNJARDY XR 12.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(60 per 30 days)
TOUJEO MAX U-300 SOLOSTAR 300 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
TOUJEO SOLOSTAR U-300 INSULIN 300 UNIT/ML (1.5 ML) INSULIN PEN <b>CI,MO</b>	3	
TRADJENTA 5 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
TRESIBA FLEXTOUCH U-100 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
TRESIBA FLEXTOUCH U-200 200 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	
TRESIBA U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	
TRIJARDY XR 10-5-1,000 MG, 25-5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
TRIJARDY XR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRULICITY 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML PEN INJECTOR <b>MO</b>	3	QL(2 per 28 days)
VICTOZA 2-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR <b>MO</b>	3	QL(9 per 30 days)
VICTOZA 3-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR <b>MO</b>	3	QL(9 per 30 days)
XIGDUO XR 10-1,000 MG, 10-500 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	4	QL(30 per 30 days)
XIGDUO XR 2.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	4	QL(60 per 30 days)
XIGDUO XR 5-500 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	4	QL(30 per 30 days)
XULTOPHY 100/3.6 100 UNIT-3.6 MG /ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	QL(15 per 30 days)
ZEGALOGUE AUTOINJECTOR 0.6 MG/0.6 ML AUTO-INJECTOR <b>MO</b>	3	
ZEGALOGUE SYRINGE 0.6 MG/0.6 ML SYRINGE <b>MO</b>	3	
ZITUVIO 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
<b>BLOOD PRODUCTS AND MODIFIERS</b>		
ADZYNMA 1,500 (+/-) UNIT, 500 (+/-) UNIT KIT <b>DL</b>	5	PA
AGGRASTAT CONCENTRATE 250 MCG/ML CONCENTRATE <b>MO</b>	4	
AGGRASTAT IN SODIUM CHLORIDE 12.5 MG/250 ML (50 MCG/ML), 5 MG/100 ML (50 MCG/ML) SOLUTION <b>MO</b>	4	
AGRYLIN 0.5 MG CAPSULE <b>MO</b>	4	PA
ALVAIZ 18 MG, 9 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
ALVAIZ 36 MG, 54 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
aminocaproic acid 1,000 mg TABLET <b>DL</b>	5	
aminocaproic acid 250 mg/ml, 250 mg/ml (25 %) SOLUTION <b>MO</b>	2	
aminocaproic acid 500 mg TABLET <b>MO</b>	2	
anagrelide 0.5 mg, 1 mg CAPSULE <b>MO</b>	2	
ARANESP (IN POLYSORBATE) 10 MCG/0.4 ML, 40 MCG/0.4 ML SYRINGE <b>MO</b>	4	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(2 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/ML, 200 MCG/ML, 60 MCG/ML SOLUTION <b>DL</b>	5	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 150 MCG/0.3 ML SYRINGE <b>DL</b>	5	PA,QL(1.2 per 30 days)
ARANESP (IN POLYSORBATE) 200 MCG/0.4 ML SYRINGE <b>DL</b>	5	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/0.42 ML SYRINGE <b>MO</b>	4	PA,QL(1.68 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/ML, 40 MCG/ML SOLUTION <b>MO</b>	4	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 300 MCG/0.6 ML SYRINGE <b>DL</b>	5	PA,QL(2.4 per 30 days)
ARANESP (IN POLYSORBATE) 500 MCG/ML SYRINGE <b>DL</b>	5	PA,QL(4 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARANESP (IN POLYSORBATE) 60 MCG/0.3 ML SYRINGE <b>MO</b>	4	PA,QL(1.2 per 30 days)
ARIIXTRA 10 MG/0.8 ML SYRINGE <b>DL</b>	5	PA,QL(24 per 30 days)
ARIIXTRA 2.5 MG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(15 per 30 days)
ARIIXTRA 5 MG/0.4 ML SYRINGE <b>DL</b>	5	PA,QL(12 per 30 days)
ARIIXTRA 7.5 MG/0.6 ML SYRINGE <b>DL</b>	5	PA,QL(18 per 30 days)
aspirin-dipyridamole 25-200 mg CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>	2	ST,QL(60 per 30 days)
BRILINTA 60 MG, 90 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
CABLIVI 11 MG KIT <b>DL</b>	5	PA,QL(30 per 30 days)
cilostazol 100 mg, 50 mg TABLET <b>MO</b>	2	
clopidogrel 300 mg TABLET <b>MO</b>	2	
clopidogrel 75 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
CYKLOKAPRON 1,000 MG/10 ML (100 MG/ML) SOLUTION <b>DL</b>	5	PA
dabigatran etexilate 110 mg, 150 mg, 75 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
dipyridamole 25 mg, 50 mg, 75 mg TABLET <b>MO</b>	2	
DOPTELET (10 TAB PACK) 20 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
DOPTELET (15 TAB PACK) 20 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
DOPTELET (30 TAB PACK) 20 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
EFFIENT 10 MG, 5 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
ELIQUIS 2.5 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
ELIQUIS 5 MG TABLET <b>MO</b>	3	QL(74 per 30 days)
ELIQUIS DVT-PE TREAT 30D START 5 MG (74 TABS) TABLET, DOSE PACK <b>MO</b>	3	QL(74 per 30 days)
enoxaparin 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml SYRINGE <b>HI,MO</b>	2	
enoxaparin 300 mg/3 ml SOLUTION <b>MO</b>	2	
EPOGEN 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION <b>MO</b>	4	PA,QL(14 per 30 days)
EPOGEN 20,000 UNIT/2 ML SOLUTION <b>MO</b>	4	PA,QL(28 per 30 days)
eptifibatide 0.75 mg/ml, 2 mg/ml SOLUTION <b>MO</b>	2	
fondaparinux 10 mg/0.8 ml SYRINGE <b>DL</b>	5	QL(24 per 30 days)
fondaparinux 2.5 mg/0.5 ml SYRINGE <b>DL</b>	5	QL(15 per 30 days)
fondaparinux 5 mg/0.4 ml SYRINGE <b>DL</b>	5	QL(12 per 30 days)
fondaparinux 7.5 mg/0.6 ml SYRINGE <b>DL</b>	5	QL(18 per 30 days)
FRAGMIN 10,000 ANTI-XA UNIT/ML SYRINGE <b>DL</b>	5	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FRAGMIN 12,500 ANTI-XA UNIT/0.5 ML SYRINGE <b>DL</b>	5	QL(15 per 30 days)
FRAGMIN 15,000 ANTI-XA UNIT/0.6 ML SYRINGE <b>DL</b>	5	QL(18 per 30 days)
FRAGMIN 18,000 ANTI-XA UNIT/0.72 ML SYRINGE <b>DL</b>	5	QL(21.6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML SYRINGE <b>DL</b>	5	QL(6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/ML SOLUTION <b>DL</b>	5	QL(120 per 30 days)
FRAGMIN 25,000 ANTI-XA UNIT/ML SOLUTION <b>DL</b>	5	QL(22.8 per 30 days)
FRAGMIN 7,500 ANTI-XA UNIT/0.3 ML SYRINGE <b>DL</b>	5	QL(9 per 30 days)
FULPHILA 6 MG/0.6 ML SYRINGE <b>DL</b>	5	PA,QL(1.2 per 28 days)
FYLNETRA 6 MG/0.6 ML SYRINGE <b>DL</b>	5	PA,QL(1.2 per 28 days)
GRANIX 300 MCG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(7 per 28 days)
GRANIX 300 MCG/ML SOLUTION <b>DL</b>	5	PA,QL(14 per 28 days)
GRANIX 480 MCG/0.8 ML SYRINGE <b>DL</b>	5	PA,QL(11.2 per 28 days)
GRANIX 480 MCG/1.6 ML SOLUTION <b>DL</b>	5	PA,QL(22.4 per 28 days)
heparin (porcine) 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml SOLUTION <b>HI,MO</b>	2	
heparin (porcine) 5,000 unit/ml (1 ml) CARTRIDGE <b>HI,MO</b>	2	
heparin (porcine) 5,000 unit/ml SYRINGE <b>HI,MO</b>	2	
heparin, porcine (pf) 1,000 unit/ml, 5,000 unit/0.5 ml SOLUTION <b>HI,MO</b>	2	
heparin, porcine (pf) 5,000 unit/0.5 ml SYRINGE <b>HI,MO</b>	2	
heparin, porcine (pf) 5,000 unit/0.5 ml, 5,000 unit/ml SYRINGE <b>MO</b>	2	
jantoven 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg TABLET <b>MO</b>	1	
KENGREAL 50 MG RECON SOLUTION <b>DL</b>	5	
LEUKINE 250 MCG RECON SOLUTION <b>DL</b>	5	PA
LOVENOX 100 MG/ML, 120 MG/0.8 ML, 150 MG/ML, 30 MG/0.3 ML, 40 MG/0.4 ML, 60 MG/0.6 ML, 80 MG/0.8 ML SYRINGE <b>DL</b>	5	PA
LOVENOX 300 MG/3 ML SOLUTION <b>DL</b>	5	PA
LYSTEDA 650 MG TABLET <b>MO</b>	4	QL(30 per 5 days)
MOZOBIL 24 MG/1.2 ML (20 MG/ML) SOLUTION <b>DL</b>	5	PA,QL(9.6 per 30 days)
MULPLETA 3 MG TABLET <b>DL</b>	5	PA
NEULASTA 6 MG/0.6 ML SYRINGE <b>DL</b>	5	PA,QL(1.2 per 28 days)
NEULASTA ONPRO 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR <b>DL</b>	5	PA,QL(1.2 per 28 days)
NEUPOGEN 300 MCG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(7 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NEUPOGEN 300 MCG/ML SOLUTION <b>DL</b>	5	PA,QL(14 per 30 days)
NEUPOGEN 480 MCG/0.8 ML SYRINGE <b>DL</b>	5	PA,QL(11.2 per 30 days)
NEUPOGEN 480 MCG/1.6 ML SOLUTION <b>DL</b>	5	PA,QL(22.4 per 30 days)
NIVESTYM 300 MCG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(7 per 30 days)
NIVESTYM 300 MCG/ML SOLUTION <b>DL</b>	5	PA,QL(14 per 30 days)
NIVESTYM 480 MCG/0.8 ML SYRINGE <b>DL</b>	5	PA,QL(11.2 per 30 days)
NIVESTYM 480 MCG/1.6 ML SOLUTION <b>DL</b>	5	PA,QL(22.4 per 30 days)
NYVEPRIA 6 MG/0.6 ML SYRINGE <b>DL</b>	5	PA,QL(1.2 per 28 days)
PLAVIX 75 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
plerixafor 24 mg/1.2 ml (20 mg/ml) SOLUTION <b>DL</b>	5	PA,QL(9.6 per 30 days)
PRADAXA 110 MG, 150 MG, 75 MG CAPSULE <b>MO</b>	4	QL(60 per 30 days)
PRADAXA 110 MG, 30 MG, 40 MG, 50 MG PELLETS IN PACKET <b>DL</b>	5	PA,QL(120 per 30 days)
PRADAXA 150 MG, 20 MG PELLETS IN PACKET <b>DL</b>	5	PA,QL(60 per 30 days)
prasugrel 10 mg, 5 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
PROCRIT 10,000 UNIT/ML SOLUTION <b>MO</b>	4	PA,QL(14 per 30 days)
PROCRIT 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION <b>MO</b>	4	PA,QL(14 per 30 days)
PROCRIT 20,000 UNIT/2 ML SOLUTION <b>DL</b>	4	PA,QL(28 per 30 days)
PROCRIT 20,000 UNIT/ML, 40,000 UNIT/ML SOLUTION <b>DL</b>	4	PA,QL(14 per 30 days)
PROMACTA 12.5 MG POWDER IN PACKET <b>DL,LA</b>	5	PA,QL(360 per 30 days)
PROMACTA 12.5 MG, 75 MG TABLET <b>DL,LA</b>	5	PA,QL(60 per 30 days)
PROMACTA 25 MG POWDER IN PACKET <b>DL,LA</b>	5	PA,QL(180 per 30 days)
PROMACTA 25 MG TABLET <b>DL,LA</b>	5	PA,QL(30 per 30 days)
PROMACTA 50 MG TABLET <b>DL,LA</b>	5	PA,QL(90 per 30 days)
PYRUKYND 20 MG (7)- 5 MG (7), 50 MG (7)- 20 MG (7) TABLET, DOSE PACK <b>DL</b>	5	PA,QL(14 per 14 days)
PYRUKYND 20 MG, 5 MG, 50 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
REBLOZYL 25 MG, 75 MG RECON SOLUTION <b>DL</b>	5	PA
RELEUKO 300 MCG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(7 per 30 days)
RELEUKO 300 MCG/ML SOLUTION <b>DL</b>	5	PA,QL(14 per 30 days)
RELEUKO 480 MCG/0.8 ML SYRINGE <b>DL</b>	5	PA,QL(11.2 per 30 days)
RELEUKO 480 MCG/1.6 ML SOLUTION <b>DL</b>	5	PA,QL(22.4 per 30 days)
RETACRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML SOLUTION <b>MO</b>	4	PA,QL(14 per 30 days)
RIASTAP 1 GRAM (900MG-1,300MG) RECON SOLUTION <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ROLVEDON 13.2 MG/0.6 ML SYRINGE <b>DL</b>	5	PA,QL(1.2 per 28 days)
SAVAYSA 15 MG, 30 MG, 60 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
STIMUFEND 6 MG/0.6 ML SYRINGE <b>DL</b>	5	PA,QL(1.2 per 28 days)
TAVALISSE 100 MG, 150 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
tirofiban-0.9% sodium chloride 12.5 mg/250 ml (50 mcg/ml), 5 mg/100 ml (50 mcg/ml) SOLUTION <b>MO</b>	2	
tranexamic acid 1,000 mg/10 ml (100 mg/ml) SOLUTION <b>MO</b>	2	PA
tranexamic acid 650 mg TABLET <b>MO</b>	2	QL(30 per 5 days)
UDENYCA 6 MG/0.6 ML SYRINGE <b>DL</b>	5	PA,QL(1.2 per 28 days)
UDENYCA AUTOINJECTOR 6 MG/0.6 ML AUTO-INJECTOR <b>DL</b>	5	PA,QL(1.2 per 28 days)
UDENYCA ONBODY 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR <b>DL</b>	5	PA,QL(1.2 per 28 days)
warfarin 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 6 mg, 7.5 mg TABLET <b>MO</b>	1	
warfarin 5 mg TABLET <b>MO</b>	1	
XARELTO 1 MG/ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	ST,QL(600 per 30 days)
XARELTO 10 MG, 20 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
XARELTO 15 MG, 2.5 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
XARELTO DVT-PE TREAT 30D START 15 MG (42)- 20 MG (9) TABLET, DOSE PACK <b>MO</b>	3	QL(51 per 30 days)
XOLREMDI 100 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)
YOSPRALA 325-40 MG, 81-40 MG TABLET, IR, DR, BIPHASIC <b>MO</b>	4	PA,QL(30 per 30 days)
ZARXIO 300 MCG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(7 per 30 days)
ZARXIO 480 MCG/0.8 ML SYRINGE <b>DL</b>	5	PA,QL(11.2 per 30 days)
ZIEXTENZO 6 MG/0.6 ML SYRINGE <b>DL</b>	5	PA,QL(1.2 per 28 days)
ZONTIVITY 2.08 MG TABLET <b>MO</b>	4	QL(30 per 30 days)
<b>CARDIOVASCULAR AGENTS</b>		
ACCUPRIL 10 MG, 20 MG, 40 MG, 5 MG TABLET <b>MO</b>	4	
ACCURETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET <b>MO</b>	4	
acebutolol 200 mg, 400 mg CAPSULE <b>MO</b>	2	
acetazolamide 125 mg, 250 mg TABLET <b>MO</b>	2	
acetazolamide 500 mg CAPSULE, ER <b>MO</b>	2	
acetazolamide sodium 500 mg RECON SOLUTION <b>MO</b>	1	
adenosine 3 mg/ml SOLUTION <b>MO</b>	1	
adenosine 3 mg/ml SYRINGE <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ALDACTAZIDE 25-25 MG, 50-50 MG TABLET <b>MO</b>	4	
ALDACTONE 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	4	
aliskiren 150 mg, 300 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
ALTACE 1.25 MG, 10 MG, 2.5 MG, 5 MG CAPSULE <b>MO</b>	4	PA
ALTOPREV 20 MG, 40 MG, 60 MG TABLET, ER 24 HR. <b>DL</b>	5	ST,QL(30 per 30 days)
amiloride 5 mg TABLET <b>MO</b>	2	
amiloride-hydrochlorothiazide 5-50 mg TABLET <b>MO</b>	1	
amiodarone 100 mg TABLET <b>MO</b>	2	
amiodarone 150 mg/3 ml SYRINGE <b>MO</b>	2	
amiodarone 200 mg TABLET <b>MO</b>	2	
amiodarone 400 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
amiodarone 50 mg/ml SOLUTION <b>MO</b>	2	
amlodipine 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
amlodipine-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
amlodipine-benazepril 10-20 mg, 2.5-10 mg, 5-10 mg, 5-20 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
amlodipine-benazepril 10-40 mg, 5-40 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
amlodipine-olmesartan 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
amlodipine-valszartan 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
amlodipine-valszartan-hctiazid 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
ASPRUZY SPRINKLE 1,000 MG, 500 MG ER GRANULES, PACKET <b>MO</b>	4	QL(60 per 30 days)
ATACAND 16 MG, 4 MG, 8 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
ATACAND 32 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
ATACAND HCT 16-12.5 MG, 32-12.5 MG, 32-25 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
atenolol 100 mg TABLET <b>MO</b>	1	
atenolol 25 mg, 50 mg TABLET <b>MO</b>	1	
atenolol-chlorthalidone 100-25 mg, 50-25 mg TABLET <b>MO</b>	1	
ATORVALIQ 20 MG/5 ML (4 MG/ML) SUSPENSION <b>MO</b>	4	ST,QL(600 per 30 days)
atorvastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	
AVALIDE 150-12.5 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
AVALIDE 300-12.5 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
AVAPRO 150 MG, 300 MG, 75 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AZOR 10-20 MG, 10-40 MG, 5-20 MG, 5-40 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
benazepril 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
benazepril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg TABLET <b>MO</b>	2	
BENICAR 20 MG, 40 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
BENICAR 5 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
BENICAR HCT 20-12.5 MG, 40-12.5 MG, 40-25 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
BETAPACE 120 MG, 160 MG, 240 MG, 80 MG TABLET <b>DL</b>	5	PA
BETAPACE AF 120 MG, 160 MG, 80 MG TABLET <b>DL</b>	5	PA
betaxolol 10 mg, 20 mg TABLET <b>MO</b>	2	
BIDIL 20-37.5 MG TABLET <b>MO</b>	4	PA,QL(180 per 30 days)
BIORPHEN 0.1 MG/ML SOLUTION <b>MO</b>	4	
bisoprolol fumarate 10 mg, 5 mg TABLET <b>MO</b>	2	
bisoprolol-hydrochlorothiazide 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg TABLET <b>MO</b>	1	
bretylium tosylate 50 mg/ml SOLUTION <b>MO</b>	2	
BREVIBLOC 100 MG/10 ML (10 MG/ML) SOLUTION <b>MO</b>	4	
BREVIBLOC IN NAACL (ISO-OSM) 2,000 MG/100 ML, 2,500 MG/250 ML (10 MG/ML) PARENTERAL SOLUTION <b>MO</b>	4	
bumetanide 0.25 mg/ml SOLUTION <b>MO</b>	2	
bumetanide 0.5 mg, 2 mg TABLET <b>MO</b>	2	
bumetanide 1 mg TABLET <b>MO</b>	2	
BYSTOLIC 10 MG TABLET <b>MO</b>	4	PA,QL(120 per 30 days)
BYSTOLIC 2.5 MG, 5 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
BYSTOLIC 20 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
CADUET 10-10 MG, 10-20 MG, 10-40 MG, 10-80 MG, 5-10 MG, 5-20 MG, 5-40 MG, 5-80 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
CALAN SR 120 MG, 240 MG TABLET ER <b>MO</b>	4	
CAMZYOS 10 MG, 15 MG, 2.5 MG, 5 MG CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
candesartan 16 mg, 4 mg, 8 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
candesartan 32 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
candesartan-hydrochlorothiazid 16-12.5 mg, 32-12.5 mg, 32-25 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
captopril 100 mg, 12.5 mg, 25 mg, 50 mg TABLET <b>MO</b>	2	
captopril-hydrochlorothiazide 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CARDIZEM 120 MG, 30 MG, 60 MG TABLET <b>MO</b>	4	
CARDIZEM CD 120 MG, 180 MG, 240 MG CAPSULE, ER 24 HR. <b>DL</b>	5	PA,QL(60 per 30 days)
CARDIZEM CD 300 MG, 360 MG CAPSULE, ER 24 HR. <b>DL</b>	5	PA,QL(30 per 30 days)
CARDIZEM LA 120 MG, 300 MG, 360 MG, 420 MG TABLET, ER 24 HR. <b>MO</b>	4	QL(30 per 30 days)
CARDIZEM LA 180 MG, 240 MG TABLET, ER 24 HR. <b>MO</b>	4	QL(60 per 30 days)
CARDURA 1 MG, 2 MG, 4 MG, 8 MG TABLET <b>MO</b>	4	
CARDURA XL 4 MG, 8 MG TABLET, ER 24 HR. <b>MO</b>	4	QL(30 per 30 days)
CAROSPIR 25 MG/5 ML SUSPENSION <b>MO</b>	4	PA,QL(450 per 30 days)
cartia xt 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
cartia xt 300 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
carvedilol 12.5 mg, 25 mg, 3.125 mg, 6.25 mg TABLET <b>MO</b>	1	
carvedilol phosphate 10 mg, 20 mg, 40 mg, 80 mg CAPSULE ER MULTIPHASE 24 HR. <b>MO</b>	2	QL(30 per 30 days)
CATAPRES-TTS-1 0.1 MG/24 HR PATCH, WEEKLY <b>MO</b>	4	PA,QL(4 per 28 days)
CATAPRES-TTS-2 0.2 MG/24 HR PATCH, WEEKLY <b>MO</b>	4	PA,QL(4 per 28 days)
CATAPRES-TTS-3 0.3 MG/24 HR PATCH, WEEKLY <b>MO</b>	4	PA,QL(4 per 28 days)
chlorothiazide sodium 500 mg RECON SOLUTION <b>MO</b>	1	
chlorthalidone 25 mg TABLET <b>MO</b>	1	
chlorthalidone 50 mg TABLET <b>MO</b>	1	
cholestyramine (with sugar) 4 gram POWDER <b>MO</b>	2	
cholestyramine (with sugar) 4 gram POWDER IN PACKET <b>MO</b>	2	
cholestyramine light 4 gram POWDER <b>MO</b>	2	
cholestyramine light 4 gram POWDER IN PACKET <b>MO</b>	2	
cholestyramine-aspartame 4 gram POWDER IN PACKET <b>MO</b>	2	
CLEVIPREX 25 MG/50 ML, 50 MG/100 ML EMULSION <b>MO</b>	4	
clonidine 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr PATCH, WEEKLY <b>MO</b>	2	QL(4 per 28 days)
clonidine hcl 0.1 mg TABLET <b>MO</b>	1	
clonidine hcl 0.17 mg TABLET, ER 24 HR. <b>DL</b>	5	PA,QL(90 per 30 days)
clonidine hcl 0.2 mg, 0.3 mg TABLET <b>MO</b>	1	
colesevelam 3.75 gram POWDER IN PACKET <b>MO</b>	2	QL(30 per 30 days)
colesevelam 625 mg TABLET <b>MO</b>	2	QL(180 per 30 days)
COLESTID 1 GRAM TABLET <b>MO</b>	4	
COLESTID 5 GRAM GRANULES <b>MO</b>	4	QL(1000 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
COLESTID 5 GRAM PACKET <b>MO</b>	4	
COLESTID FLAVORED 5 GRAM GRANULES <b>MO</b>	4	QL(1000 per 30 days)
COLESTID FLAVORED 7.5 GRAM PACKET <b>MO</b>	4	
colestipol 1 gram TABLET <b>MO</b>	2	
colestipol 5 gram GRANULES <b>MO</b>	2	QL(1000 per 30 days)
colestipol 5 gram PACKET <b>MO</b>	2	
CONJUPRI 2.5 MG, 5 MG TABLET <b>MO</b>	4	QL(30 per 30 days)
COREG 12.5 MG, 25 MG, 3.125 MG, 6.25 MG TABLET <b>MO</b>	4	PA
COREG CR 10 MG, 20 MG, 40 MG, 80 MG CAPSULE ER MULTIPHASE 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
CORGARD 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	4	PA
CORLANOR 5 MG, 7.5 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
CORLANOR 5 MG/5 ML SOLUTION <b>MO</b>	4	PA,QL(560 per 28 days)
CORLOPAM 10 MG/ML SOLUTION <b>MO</b>	4	
CORVERT 0.1 MG/ML SOLUTION <b>MO</b>	4	
COZAAR 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
CRESTOR 10 MG, 20 MG, 40 MG, 5 MG TABLET <b>MO</b>	4	PA
DEMSER 250 MG CAPSULE <b>DL</b>	5	
DIBENZYLINE 10 MG CAPSULE <b>DL</b>	5	
digitek 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET <b>MO</b>	2	QL(30 per 30 days)
digox 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET <b>MO</b>	2	QL(30 per 30 days)
digoxin 125 mcg (0.125 mg) TABLET <b>MO</b>	2	QL(30 per 30 days)
digoxin 250 mcg (0.25 mg), 62.5 mcg (0.0625 mg) TABLET <b>MO</b>	2	QL(30 per 30 days)
digoxin 250 mcg/ml (0.25 mg/ml), 50 mcg/ml (0.05 mg/ml) SOLUTION <b>MO</b>	2	
dilt-xr 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
diltiazem hcl 100 mg RECON SOLUTION <b>MO</b>	2	
diltiazem hcl 120 mg CAPSULE, ER 12 HR. <b>MO</b>	2	QL(90 per 30 days)
diltiazem hcl 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
diltiazem hcl 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
diltiazem hcl 120 mg, 30 mg, 60 mg, 90 mg TABLET <b>MO</b>	2	
diltiazem hcl 120 mg, 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
diltiazem hcl 180 mg, 240 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
diltiazem hcl 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
diltiazem hcl 5 mg/ml SOLUTION <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
diltiazem hcl 60 mg, 90 mg CAPSULE, ER 12 HR. <b>MO</b>	2	QL(180 per 30 days)
DIOVAN 160 MG, 320 MG, 40 MG, 80 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
DIOVAN HCT 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
disopyramide phosphate 100 mg, 150 mg CAPSULE <b>MO</b>	2	
DIURIL 250 MG/5 ML SUSPENSION <b>MO</b>	4	
dobutamine 250 mg/20 ml (12.5 mg/ml) SOLUTION <b>MO</b>	2	BvsD
dobutamine in d5w 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml) PARENTERAL SOLUTION <b>MO</b>	2	BvsD
dofetilide 125 mcg, 250 mcg, 500 mcg CAPSULE <b>MO</b>	2	
dopamine 200 mg/5 ml (40 mg/ml), 400 mg/10 ml (40 mg/ml), 400 mg/5 ml (80 mg/ml), 800 mg/10 ml (80 mg/ml), 800 mg/5 ml (160 mg/ml) SOLUTION <b>MO</b>	2	BvsD
dopamine in 5 % dextrose 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/250 ml (3,200 mcg/ml), 800 mg/500 ml (1,600 mcg/ml) SOLUTION <b>MO</b>	2	BvsD
doxazosin 1 mg, 2 mg, 4 mg, 8 mg TABLET <b>MO</b>	2	
droxidopa 100 mg, 200 mg CAPSULE <b>MO</b>	2	PA,QL(90 per 30 days)
droxidopa 300 mg CAPSULE <b>MO</b>	2	PA,QL(180 per 30 days)
DYRENIUM 100 MG, 50 MG CAPSULE <b>MO</b>	4	
EDARBI 40 MG, 80 MG TABLET <b>MO</b>	4	ST,QL(30 per 30 days)
EDARBYCLOR 40-12.5 MG, 40-25 MG TABLET <b>MO</b>	4	ST,QL(30 per 30 days)
EDECIN 25 MG TABLET <b>DL</b>	5	QL(480 per 30 days)
enalapril maleate 1 mg/ml SOLUTION <b>MO</b>	2	
enalapril maleate 10 mg, 2.5 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	
enalapril-hydrochlorothiazide 10-25 mg, 5-12.5 mg TABLET <b>MO</b>	1	
enalaprilat 1.25 mg/ml SOLUTION <b>MO</b>	1	
ENTRESTO 24-26 MG, 49-51 MG, 97-103 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
ENTRESTO SPRINKLE 15-16 MG, 6-6 MG PELLET <b>MO</b>	3	QL(240 per 30 days)
EPANED 1 MG/ML SOLUTION <b>DL</b>	5	
eplerenone 25 mg, 50 mg TABLET <b>MO</b>	2	PA
eprosartan 600 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
esmolol 100 mg/10 ml (10 mg/ml) SOLUTION <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
esmolol in nacl (iso-osm) 2,000 mg/100 ml, 2,500 mg/250 ml (10 mg/ml) PARENTERAL SOLUTION <b>MO</b>	2	
ethacrynat sodium 50 mg RECON SOLUTION <b>MO</b>	2	
ethacrynic acid 25 mg TABLET <b>MO</b>	2	QL(480 per 30 days)
EVKEEZA 150 MG/ML SOLUTION <b>DL</b>	5	PA
EXFORGE 10-160 MG, 10-320 MG, 5-160 MG, 5-320 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
EXFORGE HCT 10-160-12.5 MG, 10-160-25 MG, 10-320-25 MG, 5-160-12.5 MG, 5-160-25 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
EZALLOR SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG CAPSULE, SPRINKLE <b>MO</b>	4	ST,QL(30 per 30 days)
ezetimibe 10 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ezetimibe-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET <b>MO</b>	2	ST,QL(30 per 30 days)
ezetimibe-rosuvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-5 mg TABLET <b>MO</b>	4	ST,QL(30 per 30 days)
ezetimibe-simvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
felodipine 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
fenofibrate 120 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
fenofibrate 150 mg CAPSULE <b>MO</b>	2	QL(30 per 30 days)
fenofibrate 160 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
fenofibrate 40 mg, 54 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
fenofibrate 50 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
fenofibrate micronized 130 mg, 43 mg CAPSULE <b>MO</b>	2	ST,QL(30 per 30 days)
fenofibrate micronized 134 mg, 200 mg CAPSULE <b>MO</b>	2	QL(30 per 30 days)
fenofibrate micronized 30 mg, 90 mg CAPSULE <b>MO</b>	4	QL(30 per 30 days)
fenofibrate micronized 67 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
fenofibrate nanocrystallized 145 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
fenofibrate nanocrystallized 48 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
fenofibric acid 105 mg, 35 mg TABLET <b>MO</b>	3	QL(30 per 30 days)
fenofibric acid (choline) 135 mg, 45 mg CAPSULE, DR/EC <b>MO</b>	2	QL(30 per 30 days)
FENOGLIDE 120 MG TABLET <b>MO</b>	4	QL(30 per 30 days)
FENOGLIDE 40 MG TABLET <b>MO</b>	4	QL(60 per 30 days)
FIBRICOR 105 MG, 35 MG TABLET <b>MO</b>	4	QL(30 per 30 days)
flecainide 100 mg, 150 mg, 50 mg TABLET <b>MO</b>	2	
FLOLIPID 20 MG/5 ML (4 MG/ML), 40 MG/5 ML (8 MG/ML) SUSPENSION <b>MO</b>	4	ST,QL(150 per 30 days)
fluvastatin 20 mg, 40 mg CAPSULE <b>MO</b>	2	ST,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluvastatin 80 mg TABLET, ER 24 HR. <b>MO</b>	2	ST,QL(30 per 30 days)
fosinopril 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	1	
fosinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg TABLET <b>MO</b>	1	
FUROSCIX 80 MG/10 ML KIT <b>MO</b>	4	PA
furosemide 10 mg/ml SOLUTION <b>HI,MO</b>	2	
furosemide 10 mg/ml SYRINGE <b>MO</b>	2	
furosemide 10 mg/ml, 40 mg/5 ml (8 mg/ml) SOLUTION <b>MO</b>	2	
furosemide 20 mg, 40 mg TABLET <b>MO</b>	1	
furosemide 80 mg TABLET <b>MO</b>	1	
gemfibrozil 600 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
GONITRO 400 MCG POWDER IN PACKET <b>MO</b>	4	
guanfacine 1 mg TABLET <b>MO</b>	2	
guanfacine 2 mg TABLET <b>MO</b>	2	
HEMANGEOL 4.28 MG/ML SOLUTION <b>MO</b>	4	
hydralazine 10 mg, 100 mg TABLET <b>MO</b>	2	
hydralazine 20 mg/ml SOLUTION <b>MO</b>	2	
hydralazine 25 mg TABLET <b>MO</b>	2	
hydralazine 50 mg TABLET <b>MO</b>	1	
hydrochlorothiazide 12.5 mg CAPSULE <b>MO</b>	1	
hydrochlorothiazide 12.5 mg, 25 mg TABLET <b>MO</b>	1	
hydrochlorothiazide 50 mg TABLET <b>MO</b>	1	
HYZAAR 100-12.5 MG, 100-25 MG, 50-12.5 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
ibutilide fumarate 0.1 mg/ml SOLUTION <b>MO</b>	1	
IMMPHENIV 0.1 MG/ML SOLUTION <b>MO</b>	4	
indapamide 1.25 mg, 2.5 mg TABLET <b>MO</b>	1	
INDERAL LA 120 MG, 160 MG, 60 MG, 80 MG CAPSULE, ER 24 HR. <b>DL</b>	5	PA
INNOPRAN XL 120 MG, 80 MG CAPSULE, ER 24 HR. <b>DL</b>	5	
INSPRA 25 MG, 50 MG TABLET <b>MO</b>	4	PA
irbesartan 150 mg, 75 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
irbesartan 300 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
irbesartan-hydrochlorothiazide 150-12.5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
irbesartan-hydrochlorothiazide 300-12.5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ISORDIL 40 MG TABLET <b>DL</b>	5	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ISORDIL TITRADOSE 5 MG TABLET <b>DL</b>	5	PA
isosorbide dinitrate 10 mg, 20 mg, 30 mg, 40 mg, 5 mg TABLET <b>MO</b>	2	
isosorbide mononitrate 10 mg, 20 mg TABLET <b>MO</b>	1	
isosorbide mononitrate 120 mg TABLET, ER 24 HR. <b>MO</b>	2	
isosorbide mononitrate 30 mg, 60 mg TABLET, ER 24 HR. <b>MO</b>	1	
isosorbide-hydralazine 20-37.5 mg TABLET <b>MO</b>	2	QL(180 per 30 days)
isradipine 2.5 mg, 5 mg CAPSULE <b>MO</b>	2	
ISUPREL 0.2 MG/ML SOLUTION <b>MO</b>	4	
ivabradine 5 mg, 7.5 mg TABLET <b>MO</b>	2	PA,QL(60 per 30 days)
JUXTAPID 10 MG, 30 MG, 5 MG CAPSULE <b>DL</b>	5	PA,QL(28 per 28 days)
JUXTAPID 20 MG CAPSULE <b>DL</b>	5	PA,QL(84 per 28 days)
KAPSPARGO SPRINKLE 100 MG, 25 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	4	ST,QL(30 per 30 days)
KAPSPARGO SPRINKLE 200 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	4	ST,QL(60 per 30 days)
KATERZIA 1 MG/ML SUSPENSION <b>MO</b>	4	ST,QL(300 per 30 days)
KERENDIA 10 MG, 20 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
labetalol 100 mg, 200 mg, 300 mg TABLET <b>MO</b>	2	
labetalol 5 mg/ml SOLUTION <b>MO</b>	2	
LABETALOL IN DEXTROSE,ISO-OSM 1 MG/ML SOLUTION <b>MO</b>	2	
LABETALOL IN NACL (ISO-OSMOT) 1 MG/ ML SOLUTION <b>MO</b>	2	
LANOXIN 125 MCG (0.125 MG), 250 MCG (0.25 MG), 62.5 MCG (0.0625 MG) TABLET <b>MO</b>	4	QL(30 per 30 days)
LANOXIN 250 MCG/ML (0.25 MG/ML), 500 MCG/2 ML (0.5 MG/2 ML) SOLUTION <b>MO</b>	4	
LANOXIN PEDIATRIC 100 MCG/ML (0.1 MG/ML) SOLUTION <b>MO</b>	4	
LASIX 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	4	
LEQVIO 284 MG/1.5 ML SYRINGE	5	PA,QL(4.5 per 365 days)
LESCOL XL 80 MG TABLET, ER 24 HR. <b>MO</b>	4	ST,QL(30 per 30 days)
levamlodipine 2.5 mg, 5 mg TABLET <b>MO</b>	4	QL(30 per 30 days)
LEVOPHED (BITARTRATE) 1 MG/ML SOLUTION <b>MO</b>	4	
lidocaine (pf) 20 mg/ml (2 %) SOLUTION <b>MO</b>	2	
lidocaine in 5 % dextrose (pf) 4 mg/ml (0.4 %), 8 mg/ml (0.8 %) PARENTERAL SOLUTION <b>MO</b>	1	
LIPITOR 10 MG, 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LIPOFEN 150 MG CAPSULE <b>MO</b>	4	QL(30 per 30 days)
LIPOFEN 50 MG CAPSULE <b>MO</b>	4	QL(60 per 30 days)
lisinopril 10 mg, 2.5 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
lisinopril 30 mg TABLET <b>MO</b>	1	
lisinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET <b>MO</b>	1	
LIVALO 1 MG, 2 MG, 4 MG TABLET <b>MO</b>	4	ST,QL(30 per 30 days)
LODOCO 0.5 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
LOPID 600 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
LOPRESSOR 100 MG, 50 MG TABLET <b>MO</b>	4	
losartan 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
losartan-hydrochlorothiazide 100-12.5 mg, 100-25 mg, 50-12.5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
LOTENSIN 10 MG, 20 MG, 40 MG TABLET <b>MO</b>	4	
LOTENSIN HCT 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET <b>MO</b>	4	
LOTREL 10-20 MG, 5-10 MG, 5-20 MG CAPSULE <b>MO</b>	4	PA,QL(60 per 30 days)
LOTREL 10-40 MG CAPSULE <b>MO</b>	4	PA,QL(30 per 30 days)
lovastatin 10 mg TABLET <b>MO</b>	1	
lovastatin 20 mg, 40 mg TABLET <b>MO</b>	1	
LOVAZA 1 GRAM CAPSULE <b>MO</b>	4	PA,QL(120 per 30 days)
mannitol 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	1	
mannitol 20 % 20 % PARENTERAL SOLUTION <b>MO</b>	1	
mannitol 25 % 25 % SOLUTION <b>MO</b>	2	
mannitol 5 % 5 % PARENTERAL SOLUTION <b>MO</b>	1	
matzim la 180 mg, 240 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
matzim la 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
MAXZIDE 75-50 MG TABLET <b>MO</b>	4	PA
MAXZIDE-25MG 37.5-25 MG TABLET <b>MO</b>	4	PA
methazolamide 25 mg, 50 mg TABLET <b>MO</b>	2	
methyldopa 250 mg, 500 mg TABLET <b>MO</b>	1	
methyldopa-hydrochlorothiazide 250-15 mg, 250-25 mg TABLET <b>MO</b>	2	
methyldopate 250 mg/5 ml SOLUTION <b>MO</b>	2	
metolazone 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	2	
metoprolol succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>	1	
metoprolol succinate 200 mg TABLET, ER 24 HR. <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
metoprolol ta-hydrochlorothiaz 100-25 mg, 100-50 mg, 50-25 mg TABLET <b>MO</b>	2	
metoprolol tartrate 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	
metoprolol tartrate 37.5 mg, 75 mg TABLET <b>MO</b>	1	
metoprolol tartrate 5 mg/5 ml SOLUTION <b>MO</b>	2	
metyrosine 250 mg CAPSULE <b>DL</b>	5	
mexiletine 150 mg, 200 mg, 250 mg CAPSULE <b>MO</b>	2	
MICARDIS 20 MG, 40 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
MICARDIS 80 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
MICARDIS HCT 40-12.5 MG, 80-25 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
MICARDIS HCT 80-12.5 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
midodrine 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	2	
milrinone 1 mg/ml SOLUTION <b>MO</b>	2	BvsD
milrinone in 5 % dextrose 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml) PIGGYBACK <b>MO</b>	2	BvsD
MINIPRESS 1 MG, 2 MG, 5 MG CAPSULE <b>MO</b>	4	
minoxidil 10 mg, 2.5 mg TABLET <b>MO</b>	2	
moexipril 15 mg, 7.5 mg TABLET <b>MO</b>	1	
MULTAQ 400 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
nadolol 20 mg, 40 mg, 80 mg TABLET <b>MO</b>	2	
nebivolol 10 mg TABLET <b>MO</b>	2	QL(120 per 30 days)
nebivolol 2.5 mg, 5 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
nebivolol 20 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
NEXICLON XR 0.17 MG TABLET, ER 24 HR. <b>DL</b>	5	PA,QL(90 per 30 days)
NEXLETOL 180 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
NEXLIZET 180-10 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
NEXTERONE 150 MG/100 ML (1.5 MG/ML), 360 MG/200 ML (1.8 MG/ML) SOLUTION <b>MO</b>	4	
niacin 1,000 mg, 500 mg, 750 mg TABLET, ER 24 HR. <b>MO</b>	2	
niacin 500 mg TABLET <b>MO</b>	2	
niacor 500 mg TABLET <b>MO</b>	2	
nicardipine 20 mg, 30 mg CAPSULE <b>MO</b>	2	
nicardipine 25 mg/10 ml SOLUTION <b>MO</b>	2	
nifedipine 10 mg, 20 mg CAPSULE <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
nifedipine 30 mg, 60 mg, 90 mg TABLET ER <b>MO</b>	2	QL(60 per 30 days)
nifedipine 30 mg, 60 mg, 90 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
nimodipine 30 mg CAPSULE <b>MO</b>	2	
nisoldipine 17 mg, 20 mg, 34 mg, 40 mg, 8.5 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
nisoldipine 25.5 mg, 30 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
NITRO-BID 2 % OINTMENT <b>MO</b>	2	
NITRO-DUR 0.1 MG/HR, 0.4 MG/HR PATCH, 24 HR. <b>MO</b>	4	
NITRO-DUR 0.2 MG/HR, 0.3 MG/HR, 0.6 MG/HR, 0.8 MG/HR PATCH, 24 HR. <b>DL</b>	5	
nitroglycerin 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr PATCH, 24 HR. <b>MO</b>	2	
nitroglycerin 0.3 mg, 0.6 mg SUBLINGUAL TABLET <b>MO</b>	2	
nitroglycerin 0.4 mg SUBLINGUAL TABLET <b>MO</b>	2	
nitroglycerin 400 mcg/spray SPRAY, NON-AEROSOL <b>MO</b>	2	
nitroglycerin 50 mg/10 ml (5 mg/ml) SOLUTION <b>MO</b>	1	
nitroglycerin in 5 % dextrose 100 mg/250 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml) SOLUTION <b>MO</b>	2	
NITROLINGUAL 400 MCG/SPRAY SPRAY, NON-AEROSOL <b>MO</b>	4	
NITROSTAT 0.3 MG, 0.4 MG, 0.6 MG SUBLINGUAL TABLET <b>MO</b>	3	
norepinephrine bitartrate 1 mg/ml SOLUTION <b>MO</b>	1	
NORLIQVA 1 MG/ML SOLUTION <b>DL</b>	5	ST,QL(300 per 30 days)
NORPACE 100 MG, 150 MG CAPSULE <b>MO</b>	4	
NORPACE CR 100 MG, 150 MG CAPSULE, ER <b>MO</b>	4	
NORTHERA 100 MG, 200 MG CAPSULE <b>DL</b>	5	PA,QL(90 per 30 days)
NORTHERA 300 MG CAPSULE <b>DL</b>	5	PA,QL(180 per 30 days)
NORVASC 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	4	PA
NYMALIZE 30 MG/5 ML SYRINGE <b>DL</b>	5	QL(630 per 28 days)
NYMALIZE 60 MG/10 ML SOLUTION <b>DL</b>	5	QL(1260 per 28 days)
NYMALIZE 60 MG/10 ML SYRINGE <b>DL</b>	5	QL(1260 per 28 days)
olmesartan 20 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
olmesartan 40 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
olmesartan 5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
olmesartan-amlodipin-hctiazid 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
olmesartan-hydrochlorothiazide 20-12.5 mg, 40-12.5 mg, 40-25 mg TABLET <b>MO</b>	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
omega-3 acid ethyl esters 1 gram CAPSULE <b>MO</b>	2	QL(120 per 30 days)
OSMITROL 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	4	
OSMITROL 15 % 15 % PARENTERAL SOLUTION <b>MO</b>	4	
OSMITROL 20 % 20 % PARENTERAL SOLUTION <b>MO</b>	4	
OSMITROL 5 % 5 % PARENTERAL SOLUTION <b>MO</b>	4	
PACERONE 100 MG TABLET <b>MO</b>	2	
pacerone 200 mg TABLET <b>MO</b>	2	
PACERONE 400 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
pentoxifylline 400 mg TABLET ER <b>MO</b>	2	
perindopril erbumine 2 mg, 4 mg, 8 mg TABLET <b>MO</b>	2	
phenoxybenzamine 10 mg CAPSULE <b>DL</b>	5	
phenylephrine hcl 10 mg/ml SOLUTION <b>MO</b>	2	
pindolol 10 mg, 5 mg TABLET <b>MO</b>	2	
pitavastatin calcium 1 mg, 2 mg, 4 mg TABLET <b>MO</b>	2	ST,QL(30 per 30 days)
PRALUENT PEN 150 MG/ML, 75 MG/ML PEN INJECTOR <b>MO</b>	4	PA,QL(2 per 28 days)
pravastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	
prazosin 1 mg, 2 mg, 5 mg CAPSULE <b>MO</b>	2	
PRESTALIA 14-10 MG, 3.5-2.5 MG, 7-5 MG TABLET <b>MO</b>	4	QL(30 per 30 days)
prevalite 4 gram POWDER <b>MO</b>	2	
prevalite 4 gram POWDER IN PACKET <b>MO</b>	2	
procainamide 100 mg/ml, 500 mg/ml SOLUTION <b>MO</b>	1	
PROCARDIA XL 30 MG, 60 MG, 90 MG TABLET, ER 24 HR. <b>MO</b>	4	PA,QL(60 per 30 days)
propafenone 150 mg, 225 mg, 300 mg TABLET <b>MO</b>	2	
propafenone 225 mg, 325 mg CAPSULE, ER 12 HR. <b>MO</b>	2	QL(60 per 30 days)
propafenone 425 mg CAPSULE, ER 12 HR. <b>MO</b>	2	
propranolol 1 mg/ml, 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml) SOLUTION <b>MO</b>	2	
propranolol 10 mg, 20 mg, 40 mg, 60 mg, 80 mg TABLET <b>MO</b>	2	
propranolol 120 mg, 160 mg, 60 mg, 80 mg CAPSULE, ER 24 HR. <b>MO</b>	2	
propranolol-hydrochlorothiazid 40-25 mg, 80-25 mg TABLET <b>MO</b>	2	
QBRELIS 1 MG/ML SOLUTION <b>DL</b>	5	QL(1200 per 30 days)
QUESTRAN 4 GRAM POWDER <b>MO</b>	2	
QUESTRAN 4 GRAM POWDER IN PACKET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
QUESTRAN LIGHT 4 GRAM POWDER <b>MO</b>	2	
quinapril 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
quinapril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET <b>MO</b>	1	
quinidine gluconate 324 mg TABLET ER <b>MO</b>	2	
quinidine sulfate 200 mg, 300 mg TABLET <b>MO</b>	1	
ramipril 1.25 mg, 10 mg, 2.5 mg, 5 mg CAPSULE <b>MO</b>	1	
RANEXA 1,000 MG, 500 MG TABLET, ER 12 HR. <b>MO</b>	4	PA,QL(120 per 30 days)
ranolazine 1,000 mg, 500 mg TABLET, ER 12 HR. <b>MO</b>	2	QL(120 per 30 days)
REPATHA PUSHTRONEX 420 MG/3.5 ML WEARABLE INJECTOR <b>MO</b>	3	PA,QL(3.5 per 28 days)
REPATHA SURECLICK 140 MG/ML PEN INJECTOR <b>MO</b>	3	PA,QL(3 per 28 days)
REPATHA SYRINGE 140 MG/ML SYRINGE <b>MO</b>	3	PA,QL(3 per 28 days)
rosuvastatin 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
ROSZET 10-10 MG, 10-20 MG, 10-40 MG, 10-5 MG TABLET <b>MO</b>	4	ST,QL(30 per 30 days)
RYTHMOL SR 225 MG, 325 MG CAPSULE, ER 12 HR. <b>MO</b>	4	PA,QL(60 per 30 days)
RYTHMOL SR 425 MG CAPSULE, ER 12 HR. <b>MO</b>	4	PA
simvastatin 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	1	
simvastatin 5 mg, 80 mg TABLET <b>MO</b>	1	
SOAANZ 20 MG, 40 MG, 60 MG TABLET <b>MO</b>	4	ST
SODIUM EDECIN 50 MG RECON SOLUTION <b>MO</b>	4	
sorine 120 mg, 160 mg, 240 mg, 80 mg TABLET <b>MO</b>	2	
sotalol 120 mg, 160 mg, 240 mg, 80 mg TABLET <b>MO</b>	2	
sotalol 150 mg/10 ml (15 mg/ml) SOLUTION <b>MO</b>	2	
sotalol af 120 mg, 160 mg, 80 mg TABLET <b>MO</b>	2	
SOTYLIZE 5 MG/ML SOLUTION <b>MO</b>	4	
spironolacton-hydrochlorothiaz 25-25 mg TABLET <b>MO</b>	2	
spironolactone 100 mg TABLET <b>MO</b>	1	
spironolactone 25 mg, 50 mg TABLET <b>MO</b>	1	
spironolactone 25 mg/5 ml SUSPENSION <b>MO</b>	4	PA,QL(450 per 30 days)
SULAR 17 MG, 34 MG, 8.5 MG TABLET, ER 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
taztia xt 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
taztia xt 300 mg, 360 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
TEKTURNA 150 MG, 300 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TEKTURN A HCT 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG TABLET <b>MO</b>	4	ST,QL(30 per 30 days)
telmisartan 20 mg, 40 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
telmisartan 80 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
telmisartan-amlodipine 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 40-12.5 mg, 80-25 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 80-12.5 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
TENORETIC 100 100-25 MG TABLET <b>MO</b>	4	
TENORETIC 50 50-25 MG TABLET <b>MO</b>	4	PA
TENORMIN 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	4	PA
terazosin 1 mg, 10 mg, 2 mg, 5 mg CAPSULE <b>MO</b>	1	
THALITONE 15 MG TABLET <b>MO</b>	4	
tiadylt er 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
tiadylt er 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
TIAZAC 120 MG, 180 MG, 240 MG CAPSULE, ER 24 HR. <b>MO</b>	4	QL(60 per 30 days)
TIAZAC 300 MG, 360 MG, 420 MG CAPSULE, ER 24 HR. <b>MO</b>	4	QL(30 per 30 days)
TIKOSYN 125 MCG, 250 MCG, 500 MCG CAPSULE <b>MO</b>	4	PA
timolol maleate 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	2	
TOPROL XL 100 MG, 200 MG, 25 MG, 50 MG TABLET, ER 24 HR. <b>MO</b>	4	
torsemide 10 mg, 100 mg, 5 mg TABLET <b>MO</b>	2	
torsemide 20 mg TABLET <b>MO</b>	2	
trandolapril 1 mg, 2 mg, 4 mg TABLET <b>MO</b>	1	
trandolapril-verapamil 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	
triamterene 100 mg, 50 mg CAPSULE <b>MO</b>	2	
triamterene-hydrochlorothiazid 37.5-25 mg CAPSULE <b>MO</b>	1	
triamterene-hydrochlorothiazid 37.5-25 mg TABLET <b>MO</b>	1	
triamterene-hydrochlorothiazid 75-50 mg TABLET <b>MO</b>	1	
TRIBENZOR 20-5-12.5 MG, 40-10-12.5 MG, 40-10-25 MG, 40-5-12.5 MG, 40-5-25 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
TRICOR 145 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
TRICOR 48 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
TRILIPIX 135 MG, 45 MG CAPSULE, DR/EC <b>MO</b>	4	PA,QL(30 per 30 days)
TRYVIO 12.5 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
valsartan 160 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
valsartan 320 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
valsartan 4 mg/ml SOLUTION <b>DL</b>	5	ST,QL(2400 per 30 days)
VALSARTAN 4 MG/ML SOLUTION <b>DL</b>	5	ST,QL(2400 per 30 days)
valsartan-hydrochlorothiazide 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
VASCEPA 0.5 GRAM CAPSULE <b>MO</b>	3	QL(240 per 30 days)
VASCEPA 1 GRAM CAPSULE <b>MO</b>	3	QL(120 per 30 days)
VASERETIC 10-25 MG TABLET <b>MO</b>	4	
VASOTEC 10 MG, 2.5 MG, 20 MG, 5 MG TABLET <b>DL</b>	5	PA
VAZCULEP 10 MG/ML SOLUTION <b>MO</b>	4	
vecamyl 2.5 mg TABLET <b>DL</b>	5	QL(300 per 30 days)
verapamil 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>	2	
verapamil 120 mg, 180 mg, 240 mg TABLET ER <b>MO</b>	1	
verapamil 120 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
verapamil 2.5 mg/ml SOLUTION <b>MO</b>	1	
verapamil 2.5 mg/ml SYRINGE <b>MO</b>	1	
verapamil 360 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>	2	QL(60 per 30 days)
VERELAN PM 100 MG, 200 MG, 300 MG CAPSULE ER PELLETS 24 HR. <b>MO</b>	4	PA
VERQUVO 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VYTORIN 10-10 10-10 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
VYTORIN 10-20 10-20 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
VYTORIN 10-40 10-40 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
VYTORIN 10-80 10-80 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
WELCHOL 3.75 GRAM POWDER IN PACKET <b>MO</b>	4	QL(30 per 30 days)
WELCHOL 625 MG TABLET <b>MO</b>	4	QL(180 per 30 days)
ZESTORETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET <b>MO</b>	4	
ZESTRIL 10 MG, 2.5 MG, 20 MG, 30 MG, 40 MG, 5 MG TABLET <b>MO</b>	4	PA
ZETIA 10 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
ZIAC 10-6.25 MG, 2.5-6.25 MG, 5-6.25 MG TABLET <b>MO</b>	4	PA
ZOCOR 10 MG, 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	4	PA
ZYPITAMAG 2 MG, 4 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>CENTRAL NERVOUS SYSTEM AGENTS</b>		
ADDERALL 10 MG, 12.5 MG, 15 MG, 20 MG, 5 MG, 7.5 MG TABLET <b>MO</b>	2	PA,QL(90 per 30 days)
ADDERALL 30 MG TABLET <b>MO</b>	2	PA,QL(60 per 30 days)
ADDERALL XR 10 MG, 15 MG, 5 MG CAPSULE, ER 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
ADDERALL XR 20 MG, 25 MG, 30 MG CAPSULE, ER 24 HR. <b>MO</b>	4	PA,QL(60 per 30 days)
ADZENYS XR-ODT 12.5 MG, 15.7 MG, 18.8 MG, 3.1 MG, 6.3 MG, 9.4 MG TABLET, DISINTEGRATING ER BIPH <b>MO</b>	4	QL(30 per 30 days)
amphetamine 1.25 mg/ml SUSPENSION, IR/ER BIPHASIC <b>MO</b>	4	QL(450 per 30 days)
amphetamine sulfate 10 mg, 5 mg TABLET <b>MO</b>	2	QL(90 per 30 days)
AMPYRA 10 MG TABLET, ER 12 HR. <b>DL</b>	5	PA,QL(60 per 30 days)
APTENSIO XR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER SPRINKLE, BIPHASIC <b>MO</b>	4	QL(30 per 30 days)
atomoxetine 10 mg, 18 mg, 25 mg, 40 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
atomoxetine 100 mg, 60 mg, 80 mg CAPSULE <b>MO</b>	2	QL(30 per 30 days)
AUBAGIO 14 MG, 7 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
AUSTEDO 12 MG, 9 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
AUSTEDO 6 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
AUSTEDO XR 12 MG, 6 MG TABLET, ER 24 HR. <b>DL</b>	5	PA,QL(90 per 30 days)
AUSTEDO XR 18 MG, 30 MG, 36 MG, 42 MG, 48 MG TABLET, ER 24 HR. <b>DL</b>	5	PA,QL(30 per 30 days)
AUSTEDO XR 24 MG TABLET, ER 24 HR. <b>DL</b>	5	PA,QL(60 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) 12-18-24-30 MG TABLET, ER 24 HR., DOSE PACK <b>DL</b>	5	PA,QL(28 per 28 days)
AUSTEDO XR TITRATION KT(WK1-4) 6 MG (14)-12 MG (14)-24 MG (14) TABLET, ER 24 HR., DOSE PACK <b>DL</b>	5	PA,QL(42 per 28 days)
AVONEX 30 MCG/0.5 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(1 per 28 days)
AVONEX 30 MCG/0.5 ML SYRINGE KIT <b>DL</b>	5	PA,QL(1 per 28 days)
AZSTARYS 26.1 MG- 5.2 MG, 39.2 MG- 7.8 MG, 52.3 MG- 10.4 MG CAPSULE <b>MO</b>	4	QL(30 per 30 days)
BAFIERTAM 95 MG CAPSULE, DR/EC <b>DL</b>	5	PA,QL(120 per 30 days)
BETASERON 0.3 MG KIT <b>DL</b>	5	PA,QL(15 per 30 days)
BRIUMVI 25 MG/ML SOLUTION	5	PA
clonidine hcl 0.1 mg TABLET, ER 12 HR. <b>MO</b>	2	QL(120 per 30 days)
CONCERTA 18 MG, 27 MG, 54 MG TABLET, ER 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
CONCERTA 36 MG TABLET, ER 24 HR. <b>MO</b>	4	PA,QL(60 per 30 days)
COPAXONE 20 MG/ML SYRINGE <b>DL</b>	5	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
COPAXONE 40 MG/ML SYRINGE <b>DL</b>	5	PA,QL(12 per 28 days)
COTEMPLA XR-ODT 17.3 MG, 8.6 MG TABLET, DISINTEGRATING ER BIPH <b>MO</b>	4	QL(30 per 30 days)
COTEMPLA XR-ODT 25.9 MG TABLET, DISINTEGRATING ER BIPH <b>MO</b>	4	QL(60 per 30 days)
dalfampridine 10 mg TABLET, ER 12 HR. <b>MO</b>	2	PA,QL(60 per 30 days)
DAYBUE 200 MG/ML SOLUTION <b>DL</b>	5	PA,QL(3600 per 30 days)
DAYTRANA 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR PATCH, 24 HR. <b>MO</b>	4	QL(30 per 30 days)
DESOXYN 5 MG TABLET <b>DL</b>	5	PA,QL(150 per 30 days)
DEXEDRINE SPANSULE 10 MG CAPSULE, ER <b>DL</b>	5	PA,QL(180 per 30 days)
DEXEDRINE SPANSULE 15 MG CAPSULE, ER <b>DL</b>	5	PA,QL(120 per 30 days)
dexmethylphenidate 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg CAPSULE, ER, BIPHASIC <b>MO</b>	2	QL(30 per 30 days)
dexmethylphenidate 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
dextroamphetamine sulfate 10 mg CAPSULE, ER <b>MO</b>	2	QL(180 per 30 days)
dextroamphetamine sulfate 10 mg TABLET <b>MO</b>	2	QL(180 per 30 days)
dextroamphetamine sulfate 15 mg CAPSULE, ER <b>MO</b>	2	QL(120 per 30 days)
dextroamphetamine sulfate 15 mg TABLET <b>MO</b>	2	QL(120 per 30 days)
dextroamphetamine sulfate 2.5 mg, 20 mg, 7.5 mg TABLET <b>MO</b>	2	QL(90 per 30 days)
dextroamphetamine sulfate 30 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
dextroamphetamine sulfate 5 mg CAPSULE, ER <b>MO</b>	2	QL(60 per 30 days)
dextroamphetamine sulfate 5 mg TABLET <b>MO</b>	2	QL(150 per 30 days)
dextroamphetamine sulfate 5 mg/5 ml SOLUTION <b>MO</b>	2	QL(1800 per 30 days)
dextroamphetamine-amphetamine 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg TABLET <b>MO</b>	2	QL(90 per 30 days)
dextroamphetamine-amphetamine 10 mg, 15 mg, 5 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
dextroamphetamine-amphetamine 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE ER TRIPHASIC 24 HR. <b>MO</b>	2	QL(30 per 30 days)
dextroamphetamine-amphetamine 20 mg, 25 mg, 30 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
dextroamphetamine-amphetamine 30 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
dimethyl fumarate 120 mg (14)- 240 mg (46), 240 mg CAPSULE, DR/EC <b>MO</b>	2	PA,QL(60 per 30 days)
dimethyl fumarate 120 mg CAPSULE, DR/EC <b>MO</b>	2	PA,QL(14 per 30 days)
DYANAVEL XR 10 MG, 15 MG, 20 MG, 5 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	4	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DYANAVEL XR 2.5 MG/ML SUSPENSION, IR/ER BIPHASIC <b>MO</b>	4	QL(240 per 30 days)
edaravone 30 mg/100 ml, 60 mg/100 ml <b>SOLUTION DL</b>	5	PA
EVEKEO 10 MG, 5 MG TABLET <b>MO</b>	2	QL(90 per 30 days)
EVEKEO ODT 10 MG, 5 MG TABLET, DISINTEGRATING <b>MO</b>	4	QL(90 per 30 days)
EVEKEO ODT 15 MG, 20 MG TABLET, DISINTEGRATING <b>MO</b>	4	QL(60 per 30 days)
EXSERVAN 50 MG FILM <b>DL</b>	5	PA,QL(60 per 30 days)
EXTAVIA 0.3 MG KIT <b>DL</b>	5	PA,QL(15 per 30 days)
EXTAVIA 0.3 MG RECON SOLUTION <b>DL</b>	5	PA,QL(15 per 30 days)
fingolimod 0.5 mg <b>CAPSULE MO</b>	2	PA,QL(30 per 30 days)
FIRDAPSE 10 MG TABLET <b>DL</b>	5	PA,QL(240 per 30 days)
FOCALIN 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
FOCALIN XR 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG CAPSULE, ER, BIPHASIC <b>MO</b>	4	QL(30 per 30 days)
gabapentin 300 mg <b>TABLET, ER 24 HR. MO</b>	2	ST,QL(30 per 30 days)
gabapentin 600 mg <b>TABLET, ER 24 HR. MO</b>	2	ST,QL(90 per 30 days)
GILENYA 0.25 MG CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
GILENYA 0.5 MG CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
glatiramer 20 mg/ml <b>SYRINGE DL</b>	5	PA,QL(30 per 30 days)
glatiramer 40 mg/ml <b>SYRINGE DL</b>	5	PA,QL(12 per 28 days)
glatopa 20 mg/ml <b>SYRINGE DL</b>	5	PA,QL(30 per 30 days)
glatopa 40 mg/ml <b>SYRINGE DL</b>	5	PA,QL(12 per 28 days)
GRALISE 300 MG TABLET, ER 24 HR. <b>MO</b>	4	ST,QL(30 per 30 days)
GRALISE 450 MG, 600 MG TABLET, ER 24 HR. <b>MO</b>	4	ST,QL(90 per 30 days)
GRALISE 750 MG, 900 MG TABLET, ER 24 HR. <b>MO</b>	4	ST,QL(60 per 30 days)
guanfacine 1 mg, 2 mg, 3 mg, 4 mg <b>TABLET, ER 24 HR. MO</b>	2	QL(30 per 30 days)
HORIZANT 300 MG, 600 MG TABLET ER <b>MO</b>	4	PA,QL(60 per 30 days)
INGREZZA 40 MG, 60 MG, 80 MG CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
INGREZZA INITIATION PK(TARDIV) 40 MG (7)- 80 MG (21) CAPSULE, DOSE PACK <b>DL</b>	5	PA,QL(28 per 28 days)
INGREZZA SPRINKLE 40 MG, 60 MG, 80 MG CAPSULE, SPRINKLE <b>DL</b>	5	PA,QL(30 per 30 days)
INTUNIV ER 1 MG, 2 MG, 3 MG, 4 MG TABLET, ER 24 HR. <b>MO</b>	4	QL(30 per 30 days)
JORNAY PM 100 MG, 20 MG, 40 MG, 60 MG, 80 MG CAPSULE, DR, ER SPRINKLE <b>MO</b>	4	QL(30 per 30 days)
KAPVAY 0.1 MG TABLET, ER 12 HR. <b>MO</b>	4	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KESIMPTA PEN 20 MG/0.4 ML PEN INJECTOR <b>DL</b>	5	PA,QL(1.2 per 28 days)
LEMTRADA 12 MG/1.2 ML SOLUTION <b>DL</b>	5	PA,QL(6 per 365 days)
lisdexamfetamine 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CHEWABLE TABLET <b>MO</b>	2	PA,QL(30 per 30 days)
lisdexamfetamine 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg CAPSULE <b>MO</b>	2	PA,QL(30 per 30 days)
LYRICA 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG CAPSULE <b>MO</b>	4	PA,QL(90 per 30 days)
LYRICA 20 MG/ML SOLUTION <b>MO</b>	4	PA,QL(900 per 30 days)
LYRICA 225 MG, 300 MG CAPSULE <b>MO</b>	4	PA,QL(60 per 30 days)
LYRICA CR 165 MG, 82.5 MG TABLET, ER 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
LYRICA CR 330 MG TABLET, ER 24 HR. <b>MO</b>	4	PA,QL(60 per 30 days)
MAVENCLAD (10 TABLET PACK) 10 MG TABLET <b>DL</b>	5	PA
MAVENCLAD (4 TABLET PACK) 10 MG TABLET <b>DL</b>	5	PA
MAVENCLAD (5 TABLET PACK) 10 MG TABLET <b>DL</b>	5	PA
MAVENCLAD (6 TABLET PACK) 10 MG TABLET <b>DL</b>	5	PA
MAVENCLAD (7 TABLET PACK) 10 MG TABLET <b>DL</b>	5	PA
MAVENCLAD (8 TABLET PACK) 10 MG TABLET <b>DL</b>	5	PA
MAVENCLAD (9 TABLET PACK) 10 MG TABLET <b>DL</b>	5	PA
MAYZENT 0.25 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
MAYZENT 1 MG, 2 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) 0.25 MG (7 TABS) TABLET, DOSE PACK <b>DL</b>	5	PA,QL(7 per 30 days)
MAYZENT STARTER(FOR 2MG MAINT) 0.25 MG (12 TABS) TABLET, DOSE PACK <b>DL</b>	5	PA,QL(12 per 30 days)
METADATE CD 10 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER, BIPHASIC <b>MO</b>	4	QL(30 per 30 days)
METADATE CD 20 MG, 30 MG CAPSULE, ER, BIPHASIC <b>MO</b>	4	QL(60 per 30 days)
metadate er 20 mg TABLET ER <b>MO</b>	2	QL(90 per 30 days)
methamphetamine 5 mg TABLET <b>DL</b>	5	QL(150 per 30 days)
METHYLIN 10 MG/5 ML SOLUTION <b>MO</b>	4	PA,QL(900 per 30 days)
METHYLIN 5 MG/5 ML SOLUTION <b>MO</b>	4	PA,QL(1800 per 30 days)
methylphenidate 10 mg/9 hr, 15 mg/9 hr, 20 mg/9 hr, 30 mg/9 hr PATCH, 24 HR. <b>MO</b>	2	QL(30 per 30 days)
methylphenidate hcl 10 mg CHEWABLE TABLET <b>MO</b>	2	QL(180 per 30 days)
methylphenidate hcl 10 mg TABLET ER <b>MO</b>	2	QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
methylphenidate hcl 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER SPRINKLE, BIPHASIC <b>MO</b>	4	QL(30 per 30 days)
methylphenidate hcl 10 mg, 20 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER, BIPHASIC <b>MO</b>	2	QL(30 per 30 days)
methylphenidate hcl 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	2	QL(90 per 30 days)
methylphenidate hcl 10 mg/5 ml SOLUTION <b>MO</b>	2	QL(900 per 30 days)
methylphenidate hcl 18 mg, 27 mg, 54 mg, 72 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
methylphenidate hcl 2.5 mg, 5 mg CHEWABLE TABLET <b>MO</b>	2	QL(150 per 30 days)
methylphenidate hcl 20 mg TABLET ER <b>MO</b>	2	QL(90 per 30 days)
methylphenidate hcl 20 mg, 30 mg CAPSULE, ER, BIPHASIC <b>MO</b>	2	QL(60 per 30 days)
methylphenidate hcl 36 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(60 per 30 days)
methylphenidate hcl 45 mg, 63 mg TABLET, ER 24 HR. <b>MO</b>	4	QL(30 per 30 days)
methylphenidate hcl 5 mg/5 ml SOLUTION <b>MO</b>	2	QL(1800 per 30 days)
MYDAYIS 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE ER TRIPHASIC 24 HR. <b>MO</b>	4	QL(30 per 30 days)
NUEDEXTA 20-10 MG CAPSULE <b>DL</b>	5	PA,QL(60 per 30 days)
OCREVUS 30 MG/ML SOLUTION	5	PA,QL(40 per 365 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML PEN INJECTOR <b>DL</b>	5	PA,QL(1 per 28 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(1 per 28 days)
PONVORY 20 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
PONVORY 14-DAY STARTER PACK 2 MG (2) - 10 MG (3) TABLET, DOSE PACK <b>DL</b>	5	PA,QL(14 per 30 days)
pregabalin 100 mg, 150 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	2	QL(90 per 30 days)
pregabalin 165 mg, 82.5 mg TABLET, ER 24 HR. <b>MO</b>	2	PA,QL(30 per 30 days)
pregabalin 20 mg/ml SOLUTION <b>MO</b>	2	QL(900 per 30 days)
pregabalin 200 mg, 25 mg CAPSULE <b>MO</b>	2	QL(90 per 30 days)
pregabalin 225 mg, 300 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
pregabalin 330 mg TABLET, ER 24 HR. <b>MO</b>	2	PA,QL(60 per 30 days)
procentra 5 mg/5 ml SOLUTION <b>DL</b>	5	QL(1800 per 30 days)
QALSODY 100 MG/15 ML (6.7 MG/ML) SOLUTION <b>DL</b>	5	PA
QELBREE 100 MG CAPSULE, ER 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
QELBREE 150 MG, 200 MG CAPSULE, ER 24 HR. <b>MO</b>	4	PA,QL(60 per 30 days)
QUILLICHEW ER 20 MG, 40 MG CHEWABLE TABLET, IR/ER BIPHASE <b>MO</b>	4	QL(30 per 30 days)
QUILLICHEW ER 30 MG CHEWABLE TABLET, IR/ER BIPHASE <b>MO</b>	4	QL(60 per 30 days)
QUILLIVANT XR 5 MG/ML (25 MG/5 ML) SUSPENSION, ER, RECON <b>MO</b>	4	QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RADICAVA 30 MG/100 ML SOLUTION <b>DL</b>	5	PA
RADICAVA ORS 105 MG/5 ML SUSPENSION <b>DL</b>	5	PA,QL(70 per 28 days)
RADICAVA ORS STARTER KIT SUSP 105 MG/5 ML SUSPENSION <b>DL</b>	5	PA,QL(70 per 28 days)
REBIF (WITH ALBUMIN) 22 MCG/0.5 ML, 44 MCG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(6 per 28 days)
REBIF REBIDOSE 22 MCG/0.5 ML, 44 MCG/0.5 ML PEN INJECTOR <b>DL</b>	5	PA,QL(6 per 28 days)
REBIF REBIDOSE 8.8MCG/0.2ML-22 MCG/0.5ML (6) PEN INJECTOR <b>DL</b>	5	PA,QL(4.2 per 28 days)
REBIF TITRATION PACK 8.8MCG/0.2ML-22 MCG/0.5ML (6) SYRINGE <b>DL</b>	5	PA,QL(4.2 per 28 days)
RELEXXII 18 MG, 27 MG, 45 MG, 54 MG, 63 MG TABLET, ER 24 HR. <b>MO</b>	4	QL(30 per 30 days)
RELEXXII 36 MG TABLET, ER 24 HR. <b>MO</b>	4	QL(60 per 30 days)
RELEXXII 72 MG TABLET, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
RILUTEK 50 MG TABLET <b>DL</b>	5	
riluzole 50 mg TABLET <b>MO</b>	2	
RITALIN 10 MG, 20 MG, 5 MG TABLET <b>MO</b>	4	PA,QL(90 per 30 days)
RITALIN LA 10 MG, 20 MG, 40 MG CAPSULE, ER, BIPHASIC <b>MO</b>	4	PA,QL(30 per 30 days)
RITALIN LA 30 MG CAPSULE, ER, BIPHASIC <b>MO</b>	4	PA,QL(60 per 30 days)
SAVELLA 100 MG, 12.5 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
SAVELLA 12.5 MG (5)-25 MG(8)-50 MG(42) TABLET, DOSE PACK <b>MO</b>	3	QL(55 per 28 days)
SKYCLARYS 50 MG CAPSULE <b>DL</b>	5	PA,QL(90 per 30 days)
STRATTERA 10 MG, 18 MG, 25 MG, 40 MG CAPSULE <b>MO</b>	4	PA,QL(60 per 30 days)
STRATTERA 100 MG, 60 MG, 80 MG CAPSULE <b>MO</b>	4	PA,QL(30 per 30 days)
TASCENO ODT 0.25 MG, 0.5 MG TABLET, DISINTEGRATING <b>DL</b>	5	PA,QL(30 per 30 days)
TECFIDERA 120 MG (14)- 240 MG (46), 240 MG CAPSULE, DR/EC <b>DL</b>	5	PA,QL(60 per 30 days)
TECFIDERA 120 MG CAPSULE, DR/EC <b>DL</b>	5	PA,QL(14 per 30 days)
TEGLUTIK 50 MG/10 ML SUSPENSION <b>DL</b>	5	PA,QL(600 per 30 days)
teriflunomide 14 mg, 7 mg TABLET <b>MO</b>	2	PA,QL(30 per 30 days)
tetrabenazine 12.5 mg TABLET <b>MO</b>	2	PA,QL(240 per 30 days)
tetrabenazine 25 mg TABLET <b>MO</b>	2	PA,QL(120 per 30 days)
TIGLUTIK 50 MG/10 ML SUSPENSION <b>DL</b>	5	PA,QL(600 per 30 days)
TYSABRI 300 MG/15 ML SOLUTION <b>DL</b>	5	PA,QL(15 per 28 days)
VUMERTY 231 MG CAPSULE, DR/EC <b>DL</b>	5	PA,QL(120 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CHEWABLE TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG CAPSULE <b>MO</b>	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XELSTRYM 13.5 MG/9 HOUR, 18 MG/9 HOUR, 4.5 MG/9 HOUR, 9 MG/9 HOUR PATCH, 24 HR. <b>MO</b>	4	QL(30 per 30 days)
XENAZINE 12.5 MG TABLET <b>DL</b>	5	PA,QL(240 per 30 days)
XENAZINE 25 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
zenzedi 10 mg TABLET <b>MO</b>	2	QL(180 per 30 days)
ZENZEDI 15 MG TABLET <b>MO</b>	2	QL(120 per 30 days)
ZENZEDI 2.5 MG, 20 MG, 7.5 MG TABLET <b>MO</b>	2	QL(90 per 30 days)
ZENZEDI 30 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
zenzedi 5 mg TABLET <b>MO</b>	2	QL(150 per 30 days)
ZEPOSIA 0.92 MG CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
ZEPOSIA STARTER KIT (28-DAY) 0.23 MG-0.46 MG -0.92 MG (21) CAPSULE, DOSE PACK <b>DL</b>	5	PA,QL(28 per 28 days)
ZEPOSIA STARTER KIT (37-DAY) 0.23 MG-0.46 MG -0.92 MG (30) CAPSULE, DOSE PACK	5	PA,QL(37 per 37 days)
ZEPOSIA STARTER PACK (7-DAY) 0.23 MG (4)- 0.46 MG (3) CAPSULE, DOSE PACK <b>DL</b>	5	PA,QL(7 per 7 days)
<b>DENTAL &amp; ORAL AGENTS</b>		
cevimeline 30 mg CAPSULE <b>MO</b>	2	
chlorhexidine gluconate 0.12 % MOUTHWASH <b>MO</b>	1	
EVOXAC 30 MG CAPSULE <b>MO</b>	4	PA
KEPIVANCE 5.16 MG, 6.25 MG RECON SOLUTION <b>DL</b>	5	
kourzeq 0.1 % PASTE <b>MO</b>	2	
oralone 0.1 % PASTE <b>MO</b>	2	
paroex oral rinse 0.12 % MOUTHWASH <b>MO</b>	1	
periogard 0.12 % MOUTHWASH <b>MO</b>	1	
pilocarpine hcl 5 mg, 7.5 mg TABLET <b>MO</b>	2	
SALAGEN (PILOCARPINE) 5 MG, 7.5 MG TABLET <b>MO</b>	4	
triamcinolone acetonide 0.1 % PASTE <b>MO</b>	2	
<b>DERMATOLOGICAL AGENTS</b>		
ABSORICA 10 MG, 20 MG, 25 MG, 30 MG, 35 MG CAPSULE <b>DL</b>	5	ST,QL(60 per 30 days)
ABSORICA 40 MG CAPSULE <b>DL</b>	5	ST,QL(120 per 30 days)
ABSORICA LD 16 MG, 24 MG, 8 MG CAPSULE <b>DL</b>	5	ST,QL(60 per 30 days)
ABSORICA LD 32 MG CAPSULE <b>DL</b>	5	ST,QL(120 per 30 days)
ACANYA 1.2-2.5 % GEL WITH PUMP <b>MO</b>	4	QL(50 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
accutane 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
accutane 40 mg CAPSULE <b>MO</b>	2	QL(120 per 30 days)
acitretin 10 mg CAPSULE <b>MO</b>	2	PA,QL(90 per 30 days)
acitretin 17.5 mg CAPSULE <b>MO</b>	2	PA,QL(60 per 30 days)
acitretin 25 mg CAPSULE <b>MO</b>	2	PA
ACZONE 5 % GEL <b>MO</b>	4	QL(90 per 30 days)
ACZONE 7.5 % GEL WITH PUMP <b>MO</b>	4	QL(90 per 30 days)
adapalene 0.1 % CREAM <b>MO</b>	2	QL(45 per 30 days)
adapalene 0.1 % SOLUTION <b>DL</b>	5	QL(60 per 30 days)
adapalene 0.1 % SWAB <b>MO</b>	2	QL(30 per 30 days)
adapalene 0.3 % GEL <b>MO</b>	2	QL(45 per 30 days)
adapalene 0.3 % GEL WITH PUMP <b>MO</b>	2	QL(45 per 30 days)
adapalene-benzoyl peroxide 0.1-2.5 % GEL WITH PUMP <b>MO</b>	2	QL(45 per 30 days)
adapalene-benzoyl peroxide 0.3-2.5 % GEL WITH PUMP <b>MO</b>	2	QL(60 per 30 days)
AKLIEF 0.005 % CREAM <b>MO</b>	4	PA,QL(90 per 30 days)
ALA-CORT 1 % CREAM <b>MO</b>	2	QL(240 per 30 days)
ALA-SCALP 2 % LOTION <b>MO</b>	2	QL(236.8 per 30 days)
alclometasone 0.05 % CREAM <b>MO</b>	2	QL(240 per 30 days)
alclometasone 0.05 % OINTMENT <b>MO</b>	2	QL(240 per 30 days)
ALTABAX 1 % OINTMENT <b>MO</b>	4	
ALTRENO 0.05 % LOTION <b>MO</b>	4	PA,QL(90 per 30 days)
amcinonide 0.1 % CREAM <b>MO</b>	2	QL(120 per 30 days)
amcinonide 0.1 % OINTMENT <b>DL</b>	5	ST,QL(120 per 30 days)
ammonium lactate 12 % CREAM <b>MO</b>	2	
ammonium lactate 12 % LOTION <b>MO</b>	2	
amnesteem 10 mg, 20 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
amnesteem 40 mg CAPSULE <b>MO</b>	2	QL(120 per 30 days)
AMZEEQ 4 % FOAM <b>MO</b>	4	PA,QL(30 per 30 days)
anusol-hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	2	QL(60 per 30 days)
apexicon e 0.05 % CREAM <b>MO</b>	2	QL(60 per 30 days)
ARAZLO 0.045 % LOTION <b>MO</b>	4	PA
ATRALIN 0.05 % GEL <b>MO</b>	4	PA,QL(45 per 30 days)
AVITA 0.025 % CREAM <b>MO</b>	4	PA,QL(45 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AVITA 0.025 % GEL <b>MO</b>	4	PA,QL(45 per 30 days)
azelaic acid 15 % GEL <b>MO</b>	2	ST,QL(50 per 30 days)
AZELEX 20 % CREAM <b>MO</b>	4	QL(50 per 30 days)
BENZAMYCIN 3-5 % GEL <b>MO</b>	4	QL(46.6 per 30 days)
beser 0.05 % LOTION <b>MO</b>	2	QL(240 per 30 days)
betamethasone dipropionate 0.05 % CREAM <b>MO</b>	2	QL(90 per 30 days)
betamethasone dipropionate 0.05 % LOTION <b>MO</b>	2	QL(120 per 30 days)
betamethasone dipropionate 0.05 % OINTMENT <b>MO</b>	2	QL(90 per 30 days)
betamethasone valerate 0.1 % CREAM <b>MO</b>	2	QL(180 per 30 days)
betamethasone valerate 0.1 % LOTION <b>MO</b>	2	QL(120 per 30 days)
betamethasone valerate 0.1 % OINTMENT <b>MO</b>	2	QL(180 per 30 days)
betamethasone valerate 0.12 % FOAM <b>MO</b>	2	QL(200 per 30 days)
betamethasone, augmented 0.05 % CREAM <b>MO</b>	2	QL(100 per 30 days)
betamethasone, augmented 0.05 % GEL <b>MO</b>	2	QL(100 per 30 days)
betamethasone, augmented 0.05 % LOTION <b>MO</b>	2	QL(120 per 30 days)
betamethasone, augmented 0.05 % OINTMENT <b>MO</b>	2	QL(100 per 30 days)
brimonidine 0.33 % GEL WITH PUMP <b>MO</b>	2	ST,QL(30 per 30 days)
BRYHALI 0.01 % LOTION <b>MO</b>	4	ST,QL(200 per 30 days)
CABTREO 0.15-3.1-1.2 % GEL <b>MO</b>	4	QL(50 per 30 days)
calcipotriene 0.005 % CREAM <b>MO</b>	2	PA,QL(120 per 30 days)
calcipotriene 0.005 % FOAM <b>MO</b>	2	ST,QL(120 per 28 days)
calcipotriene 0.005 % OINTMENT <b>MO</b>	2	QL(240 per 30 days)
calcipotriene 0.005 % SOLUTION <b>MO</b>	2	QL(60 per 30 days)
calcipotriene-betamethasone 0.005-0.064 % OINTMENT <b>MO</b>	2	PA,QL(60 per 30 days)
calcipotriene-betamethasone 0.005-0.064 % SUSPENSION <b>MO</b>	2	PA,QL(420 per 30 days)
calcitriol 3 mcg/gram OINTMENT <b>MO</b>	2	ST,QL(800 per 28 days)
CAPEX 0.01 % SHAMPOO <b>MO</b>	4	QL(840 per 30 days)
CARAC 0.5 % CREAM <b>DL</b>	5	PA,QL(60 per 30 days)
CENTANY 2 % OINTMENT <b>MO</b>	4	
claravis 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
claravis 40 mg CAPSULE <b>MO</b>	2	QL(120 per 30 days)
CLEOCIN T 1 % LOTION <b>MO</b>	4	QL(60 per 30 days)
clindacin 1 % FOAM <b>MO</b>	2	QL(100 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
clindacin etz 1 % SWAB <b>MO</b>	2	
clindacin p 1 % SWAB <b>MO</b>	2	
CLINDAGEL 1 % GEL, ONCE DAILY <b>DL</b>	5	PA,QL(75 per 30 days)
clindamycin phosphate 1 % FOAM <b>MO</b>	2	QL(100 per 30 days)
clindamycin phosphate 1 % GEL <b>MO</b>	2	QL(60 per 30 days)
clindamycin phosphate 1 % GEL, ONCE DAILY <b>MO</b>	2	PA,QL(75 per 30 days)
clindamycin phosphate 1 % LOTION <b>MO</b>	2	QL(60 per 30 days)
clindamycin phosphate 1 % SOLUTION <b>MO</b>	2	QL(60 per 30 days)
clindamycin phosphate 1 % SWAB <b>MO</b>	2	
clindamycin-benzoyl peroxide 1-5 % GEL <b>MO</b>	2	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1-5 %, 1.2 %(1 % base) -3.75 %, 1.2-2.5 % GEL WITH PUMP <b>MO</b>	2	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1.2 %(1 % base) -5 % GEL <b>MO</b>	2	QL(45 per 30 days)
clindamycin-tretinoin 1.2-0.025 % GEL <b>MO</b>	2	QL(60 per 30 days)
clobetasol 0.05 % CREAM <b>MO</b>	2	QL(120 per 30 days)
clobetasol 0.05 % FOAM <b>MO</b>	2	QL(100 per 28 days)
clobetasol 0.05 % GEL <b>MO</b>	2	QL(120 per 28 days)
clobetasol 0.05 % LOTION <b>MO</b>	2	QL(240 per 28 days)
clobetasol 0.05 % OINTMENT <b>MO</b>	2	QL(120 per 28 days)
clobetasol 0.05 % SHAMPOO <b>MO</b>	2	QL(240 per 30 days)
clobetasol 0.05 % SOLUTION <b>MO</b>	2	QL(100 per 30 days)
clobetasol 0.05 % SPRAY, NON-AEROSOL <b>MO</b>	2	QL(240 per 30 days)
clobetasol-emollient 0.05 % CREAM <b>MO</b>	2	QL(120 per 30 days)
clobetasol-emollient 0.05 % FOAM <b>MO</b>	2	QL(100 per 30 days)
CLOBEX 0.05 % LOTION <b>MO</b>	4	ST,QL(240 per 28 days)
CLOBEX 0.05 % SHAMPOO <b>MO</b>	4	ST,QL(240 per 30 days)
CLOBEX 0.05 % SPRAY, NON-AEROSOL <b>MO</b>	4	ST,QL(240 per 30 days)
clocortolone pivalate 0.1 % CREAM <b>MO</b>	2	QL(180 per 30 days)
clodan 0.05 % SHAMPOO <b>MO</b>	2	QL(240 per 30 days)
CONDYLOX 0.5 % GEL <b>MO</b>	4	
CORDRAN 0.025 % CREAM <b>MO</b>	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % CREAM <b>DL</b>	5	ST,QL(240 per 30 days)
CORDRAN 0.05 % LOTION <b>DL</b>	5	ST,QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CORDRAN 0.05 % OINTMENT <b>MO</b>	4	ST,QL(240 per 30 days)
CORDRAN TAPE LARGE ROLL 4 MCG/CM <sup>2</sup> TAPE <b>MO</b>	4	QL(2 per 30 days)
CORTEF 10 MG, 20 MG, 5 MG TABLET <b>MO</b>	4	
crotan 10 % LOTION <b>DL</b>	5	PA,QL(454 per 30 days)
dapsone 5 % GEL <b>MO</b>	2	QL(90 per 30 days)
dapsone 7.5 % GEL WITH PUMP <b>MO</b>	2	QL(90 per 30 days)
DERMA-SMOOTH/FS BODY OIL 0.01 % OIL <b>MO</b>	4	QL(118.28 per 30 days)
DERMA-SMOOTH/FS SCALP OIL 0.01 % OIL <b>MO</b>	4	QL(118.28 per 30 days)
desonide 0.05 % CREAM <b>MO</b>	2	QL(240 per 30 days)
desonide 0.05 % GEL <b>MO</b>	2	QL(240 per 30 days)
desonide 0.05 % LOTION <b>MO</b>	2	QL(240 per 30 days)
desonide 0.05 % OINTMENT <b>MO</b>	2	QL(240 per 30 days)
DESOWEN 0.05 % CREAM <b>MO</b>	4	QL(240 per 30 days)
desoximetasone 0.05 % CREAM <b>MO</b>	2	QL(240 per 30 days)
desoximetasone 0.05 % GEL <b>MO</b>	2	QL(240 per 30 days)
desoximetasone 0.05 % OINTMENT <b>MO</b>	2	QL(240 per 30 days)
desoximetasone 0.25 % CREAM <b>MO</b>	2	QL(120 per 30 days)
desoximetasone 0.25 % OINTMENT <b>MO</b>	2	QL(120 per 30 days)
desoximetasone 0.25 % SPRAY, NON-AEROSOL <b>MO</b>	2	QL(100 per 30 days)
desrx 0.05 % GEL <b>MO</b>	2	QL(240 per 30 days)
diclofenac sodium 3 % GEL <b>MO</b>	2	PA
DIFFERIN 0.1 % CREAM <b>MO</b>	4	PA,QL(45 per 30 days)
DIFFERIN 0.1 % LOTION <b>MO</b>	4	QL(59 per 30 days)
DIFFERIN 0.3 % GEL WITH PUMP <b>MO</b>	4	QL(45 per 30 days)
diflorasone 0.05 % CREAM <b>DL</b>	5	QL(120 per 30 days)
diflorasone 0.05 % OINTMENT <b>MO</b>	4	QL(120 per 30 days)
DIPROLENE (AUGMENTED) 0.05 % OINTMENT <b>MO</b>	4	QL(100 per 30 days)
DOVONEX 0.005 % CREAM <b>MO</b>	4	PA,QL(120 per 30 days)
doxepin 5 % CREAM <b>DL</b>	5	PA,QL(45 per 30 days)
DUOBRII 0.01-0.045 % LOTION <b>MO</b>	4	PA,QL(200 per 28 days)
EFUDEX 5 % CREAM <b>MO</b>	4	PA
ELIDEL 1 % CREAM <b>MO</b>	4	PA,QL(100 per 30 days)
ELIMITE 5 % CREAM <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ENSTILAR 0.005-0.064 % FOAM <b>MO</b>	4	QL(120 per 30 days)
EPIDUO 0.1-2.5 % GEL WITH PUMP <b>MO</b>	4	QL(45 per 30 days)
EPIDUO FORTE 0.3-2.5 % GEL WITH PUMP <b>MO</b>	4	QL(60 per 30 days)
EPIFOAM 1-1 % FOAM <b>MO</b>	2	
EPSOLAY 5 % CREAM <b>MO</b>	4	ST,QL(30 per 30 days)
ery pads 2 % SWAB <b>MO</b>	2	QL(60 per 30 days)
ERYGEL 2 % GEL <b>MO</b>	2	QL(60 per 30 days)
erythromycin with ethanol 2 % GEL <b>MO</b>	2	QL(60 per 30 days)
erythromycin with ethanol 2 % SOLUTION <b>MO</b>	2	QL(120 per 30 days)
erythromycin-benzoyl peroxide 3-5 % GEL <b>MO</b>	2	QL(46.6 per 30 days)
EUCRISA 2 % OINTMENT <b>MO</b>	4	PA,QL(100 per 30 days)
EURAX 10 % CREAM <b>MO</b>	4	PA
EURAX 10 % LOTION <b>MO</b>	4	PA,QL(454 per 30 days)
EVOCLIN 1 % FOAM <b>MO</b>	4	PA,QL(100 per 30 days)
FABIOR 0.1 % FOAM <b>MO</b>	4	PA,QL(100 per 30 days)
FINACEA 15 % FOAM <b>MO</b>	4	ST,QL(50 per 30 days)
FINACEA 15 % GEL <b>MO</b>	4	ST,QL(50 per 30 days)
fluocinolone 0.01 % OIL <b>MO</b>	2	QL(118.28 per 30 days)
fluocinolone 0.01 % SOLUTION <b>MO</b>	2	QL(180 per 30 days)
fluocinolone 0.01 %, 0.025 % CREAM <b>MO</b>	2	QL(120 per 30 days)
fluocinolone 0.025 % OINTMENT <b>MO</b>	2	QL(120 per 30 days)
fluocinolone and shower cap 0.01 % OIL <b>MO</b>	2	QL(118.28 per 30 days)
fluocinonide 0.05 % CREAM <b>MO</b>	2	QL(120 per 30 days)
fluocinonide 0.05 % GEL <b>MO</b>	2	QL(120 per 30 days)
fluocinonide 0.05 % OINTMENT <b>MO</b>	2	QL(120 per 30 days)
fluocinonide 0.05 % SOLUTION <b>MO</b>	2	QL(120 per 30 days)
fluocinonide 0.1 % CREAM <b>MO</b>	2	QL(120 per 28 days)
fluocinonide-e 0.05 % CREAM <b>MO</b>	2	QL(120 per 30 days)
fluocinonide-emollient 0.05 % CREAM <b>MO</b>	2	QL(120 per 30 days)
FLUOROPLEX 1 % CREAM <b>DL</b>	5	
fluorouracil 0.5 % CREAM <b>DL</b>	5	QL(60 per 30 days)
fluorouracil 2 % SOLUTION <b>MO</b>	2	QL(30 per 30 days)
fluorouracil 5 % CREAM <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluorouracil 5 % SOLUTION <b>MO</b>	2	QL(60 per 30 days)
flurandrenolide 0.05 % CREAM <b>MO</b>	2	QL(240 per 30 days)
flurandrenolide 0.05 % LOTION <b>MO</b>	4	QL(240 per 30 days)
flurandrenolide 0.05 % OINTMENT <b>MO</b>	2	QL(240 per 30 days)
fluticasone propionate 0.005 % OINTMENT <b>MO</b>	2	QL(240 per 30 days)
fluticasone propionate 0.05 % CREAM <b>MO</b>	2	QL(240 per 30 days)
fluticasone propionate 0.05 % LOTION <b>MO</b>	2	QL(240 per 30 days)
halcinonide 0.1 % CREAM <b>MO</b>	2	QL(120 per 30 days)
halcinonide 0.1 % SOLUTION <b>MO</b>	2	QL(120 per 30 days)
halobetasol propionate 0.05 % CREAM <b>MO</b>	2	QL(100 per 30 days)
halobetasol propionate 0.05 % FOAM <b>MO</b>	4	PA,QL(100 per 30 days)
halobetasol propionate 0.05 % OINTMENT <b>MO</b>	2	QL(100 per 30 days)
HALOG 0.1 % CREAM <b>DL</b>	5	QL(120 per 30 days)
HALOG 0.1 % OINTMENT <b>MO</b>	4	QL(120 per 30 days)
HALOG 0.1 % SOLUTION <b>MO</b>	4	QL(120 per 30 days)
hydrocortisone 1 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	2	QL(28.4 per 30 days)
hydrocortisone 1 %, 2.5 % CREAM <b>MO</b>	2	QL(240 per 30 days)
hydrocortisone 1 %, 2.5 % OINTMENT <b>MO</b>	2	QL(240 per 30 days)
hydrocortisone 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	2	
hydrocortisone 2 % LOTION <b>DL</b>	5	QL(236.8 per 30 days)
hydrocortisone 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	2	QL(60 per 30 days)
hydrocortisone 2.5 % LOTION <b>MO</b>	2	QL(236 per 30 days)
hydrocortisone butyry-emollient 0.1 % CREAM <b>MO</b>	2	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % CREAM <b>MO</b>	2	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % LOTION <b>MO</b>	2	QL(236 per 30 days)
hydrocortisone butyrate 0.1 % OINTMENT <b>MO</b>	2	QL(180 per 30 days)
hydrocortisone butyrate 0.1 % SOLUTION <b>MO</b>	2	QL(240 per 30 days)
hydrocortisone valerate 0.2 % CREAM <b>MO</b>	2	QL(240 per 30 days)
hydrocortisone valerate 0.2 % OINTMENT <b>MO</b>	2	QL(240 per 30 days)
HYFTOR 0.2 % GEL <b>DL</b>	5	PA
imiquimod 3.75 % CREAM IN PACKET <b>MO</b>	4	ST,QL(28 per 28 days)
imiquimod 3.75 % CREAM, METERED DOSE PUMP <b>DL</b>	5	ST,QL(15 per 30 days)
imiquimod 5 % CREAM IN PACKET <b>MO</b>	2	QL(12 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
IMPEKLO 0.05 % LOTION IN METERED DOSE PUMP <b>DL</b>	5	ST,QL(136 per 28 days)
isotretinoin 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
isotretinoin 25 mg, 35 mg CAPSULE <b>DL</b>	5	QL(60 per 30 days)
isotretinoin 40 mg CAPSULE <b>MO</b>	2	QL(120 per 30 days)
ivermectin 1 % CREAM <b>MO</b>	2	ST,QL(45 per 30 days)
KLISYRI 1 % OINTMENT IN PACKET <b>DL</b>	5	PA,QL(5 per 30 days)
LEXETTE 0.05 % FOAM <b>MO</b>	4	PA,QL(100 per 30 days)
lindane 1 % SHAMPOO <b>MO</b>	2	QL(60 per 30 days)
LOCOID 0.1 % LOTION <b>MO</b>	4	QL(236 per 30 days)
LOCOID LIPOCREAM 0.1 % CREAM <b>MO</b>	4	QL(240 per 30 days)
LUXIQ 0.12 % FOAM <b>MO</b>	4	ST,QL(200 per 30 days)
mafénide acetate 50 gram PACKET <b>MO</b>	2	
malathion 0.5 % LOTION <b>MO</b>	2	
methoxsalen 10 mg CAPSULE, LIQ FILLED, RAPID REL <b>MO</b>	2	
MIRVASO 0.33 % GEL WITH PUMP <b>MO</b>	4	ST,QL(30 per 30 days)
mometasone 0.1 % CREAM <b>MO</b>	2	QL(180 per 30 days)
mometasone 0.1 % OINTMENT <b>MO</b>	2	QL(180 per 30 days)
mometasone 0.1 % SOLUTION <b>MO</b>	2	QL(180 per 30 days)
mupirocin 2 % OINTMENT <b>MO</b>	1	
mupirocin calcium 2 % CREAM <b>MO</b>	2	ST
myorisan 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
myorisan 40 mg CAPSULE <b>MO</b>	2	QL(120 per 30 days)
NATROBA 0.9 % SUSPENSION <b>MO</b>	4	QL(240 per 30 days)
NEO-SYNALAR 0.5 % (0.35 % BASE)-0.025 % CREAM <b>MO</b>	4	
neuac 1.2 %(1 % base) -5 % GEL <b>MO</b>	2	QL(45 per 30 days)
OLUX 0.05 % FOAM <b>MO</b>	4	PA,QL(100 per 28 days)
OLUX-E 0.05 % FOAM <b>MO</b>	4	PA,QL(100 per 30 days)
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL <b>MO</b>	4	
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL WITH PUMP <b>MO</b>	4	QL(50 per 30 days)
OPZELURA 1.5 % CREAM <b>DL</b>	5	PA,QL(240 per 28 days)
OTEZLA 30 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG (47) TABLET, DOSE PACK <b>DL</b>	5	PA,QL(55 per 28 days)
OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG(19) TABLET, DOSE PACK <b>DL</b>	5	PA,QL(27 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OVIDE 0.5 % LOTION <b>MO</b>	4	PA
PANDEL 0.1 % CREAM <b>DL</b>	5	QL(160 per 30 days)
permethrin 5 % CREAM <b>MO</b>	2	
pimecrolimus 1 % CREAM <b>MO</b>	2	PA,QL(100 per 30 days)
podofilox 0.5 % GEL <b>MO</b>	2	
podofilox 0.5 % SOLUTION <b>MO</b>	2	QL(7 per 30 days)
prednicarbate 0.1 % CREAM <b>MO</b>	2	QL(240 per 30 days)
prednicarbate 0.1 % OINTMENT <b>MO</b>	2	QL(240 per 30 days)
procto-med hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	2	QL(60 per 30 days)
proctosol hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	2	QL(60 per 30 days)
protozone-hc 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	2	QL(60 per 30 days)
PROTOPIC 0.03 %, 0.1 % OINTMENT <b>MO</b>	4	QL(200 per 30 days)
PRUDOXIN 5 % CREAM <b>DL</b>	5	PA,QL(45 per 30 days)
QBREXZA 2.4 % TOWELETTE <b>MO</b>	4	PA,QL(30 per 30 days)
REGRANEX 0.01 % GEL <b>DL</b>	5	PA
RETIN-A 0.01 %, 0.025 % GEL <b>MO</b>	4	PA,QL(45 per 30 days)
RETIN-A 0.025 %, 0.05 %, 0.1 % CREAM <b>MO</b>	4	PA,QL(45 per 30 days)
RETIN-A MICRO 0.04 % GEL <b>DL</b>	5	PA,QL(45 per 30 days)
RETIN-A MICRO 0.1 % GEL <b>MO</b>	4	PA,QL(45 per 30 days)
RETIN-A MICRO PUMP 0.04 %, 0.1 % GEL WITH PUMP <b>DL</b>	5	PA,QL(50 per 30 days)
RETIN-A MICRO PUMP 0.06 %, 0.08 % GEL WITH PUMP <b>MO</b>	4	PA,QL(50 per 30 days)
SANTYL 250 UNIT/GRAM OINTMENT <b>MO</b>	4	QL(180 per 30 days)
selenium sulfide 2.5 % LOTION <b>MO</b>	1	QL(120 per 30 days)
SILVADENE 1 % CREAM <b>MO</b>	3	
silver sulfadiazine 1 % CREAM <b>MO</b>	2	
SOOLANTRA 1 % CREAM <b>MO</b>	4	ST,QL(45 per 30 days)
SORILUX 0.005 % FOAM <b>DL</b>	5	ST,QL(120 per 28 days)
spinosad 0.9 % SUSPENSION <b>MO</b>	4	QL(240 per 30 days)
SSD 1 % CREAM <b>MO</b>	1	
SULFAMYLYN 50 GRAM PACKET <b>MO</b>	4	
SULFAMYLYN 85 MG/G CREAM <b>MO</b>	4	
SYNALAR 0.01 % SOLUTION <b>MO</b>	4	QL(180 per 30 days)
TACLONEX 0.005-0.064 % OINTMENT <b>DL</b>	5	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TACLONEX 0.005-0.064 % SUSPENSION <b>DL</b>	5	PA,QL(420 per 30 days)
tacrolimus 0.03 %, 0.1 % OINTMENT <b>MO</b>	2	QL(200 per 30 days)
tazarotene 0.05 %, 0.1 % GEL <b>MO</b>	2	PA,QL(200 per 30 days)
tazarotene 0.1 % CREAM <b>MO</b>	2	PA,QL(120 per 30 days)
tazarotene 0.1 % FOAM <b>DL</b>	5	PA,QL(100 per 30 days)
TAZORAC 0.05 %, 0.1 % CREAM <b>MO</b>	4	PA,QL(120 per 30 days)
TAZORAC 0.05 %, 0.1 % GEL <b>MO</b>	4	PA,QL(200 per 30 days)
TEMOVATE 0.05 % OINTMENT <b>MO</b>	4	PA,QL(120 per 28 days)
TEXACORT 2.5 % SOLUTION <b>MO</b>	2	QL(240 per 30 days)
TOLAK 4 % CREAM <b>MO</b>	4	PA
TOPICORT 0.05 % CREAM <b>MO</b>	2	QL(240 per 30 days)
TOPICORT 0.05 % GEL <b>MO</b>	2	QL(240 per 30 days)
TOPICORT 0.05 % OINTMENT <b>MO</b>	4	QL(240 per 30 days)
TOPICORT 0.25 % CREAM <b>MO</b>	2	QL(120 per 30 days)
TOPICORT 0.25 % OINTMENT <b>MO</b>	2	QL(120 per 30 days)
TOPICORT 0.25 % SPRAY, NON-AEROSOL <b>MO</b>	4	QL(100 per 30 days)
tovet emollient 0.05 % FOAM <b>MO</b>	2	QL(100 per 30 days)
tretinoin 0.01 %, 0.025 %, 0.05 % GEL <b>MO</b>	2	PA,QL(45 per 30 days)
tretinoin 0.025 %, 0.05 %, 0.1 % CREAM <b>MO</b>	2	PA,QL(45 per 30 days)
tretinoin microspheres 0.04 %, 0.08 %, 0.1 % GEL WITH PUMP <b>MO</b>	2	PA,QL(50 per 30 days)
tretinoin microspheres 0.04 %, 0.1 % GEL <b>MO</b>	2	PA,QL(45 per 30 days)
TWYNEO 0.1-3 % CREAM <b>MO</b>	4	QL(30 per 30 days)
ULTRAVATE 0.05 % LOTION <b>MO</b>	4	QL(120 per 30 days)
UVADEX 20 MCG/ML SOLUTION <b>MO</b>	4	
VANOS 0.1 % CREAM <b>MO</b>	4	QL(120 per 28 days)
VECTICAL 3 MCG/GRAM OINTMENT <b>DL</b>	5	ST,QL(800 per 28 days)
VELTIN 1.2-0.025 % GEL <b>MO</b>	4	PA,QL(60 per 30 days)
VERDESO 0.05 % FOAM <b>DL</b>	5	QL(200 per 30 days)
VEREGEN 15 % OINTMENT <b>DL</b>	5	QL(30 per 30 days)
VTAMA 1 % CREAM <b>DL</b>	5	PA,QL(60 per 30 days)
WINLEVI 1 % CREAM <b>MO</b>	4	PA
XEPI 1 % CREAM <b>MO</b>	4	PA
zenatane 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>	2	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
zenatane 40 mg CAPSULE <b>MO</b>	2	QL(120 per 30 days)
ZIANA 1.2-0.025 % GEL <b>MO</b>	4	PA,QL(60 per 30 days)
ZILXI 1.5 % FOAM <b>MO</b>	4	PA,QL(30 per 30 days)
ZONALON 5 % CREAM <b>MO</b>	4	PA,QL(45 per 30 days)
ZORYVE 0.15 %, 0.3 % CREAM <b>DL</b>	5	PA,QL(120 per 30 days)
ZORYVE 0.3 % FOAM <b>DL</b>	5	PA,QL(120 per 30 days)
ZYCLARA 2.5 %, 3.75 % CREAM, METERED DOSE PUMP <b>DL</b>	5	ST,QL(15 per 30 days)
ZYCLARA 3.75 % CREAM IN PACKET <b>MO</b>	4	ST,QL(28 per 28 days)
<b>ELECTROLYTES/MINERALS/METALS/VITAMINS</b>		
AMINOSYN 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN 7 % WITH ELECTROLYTES 7 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN 8.5 % 8.5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN II 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN II 15 % 15 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN II 7 % 7 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN II 8.5 % 8.5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN II 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN M 3.5 % 3.5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN-PF 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN-PF 7 % (SULFITE-FREE) 7 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AMINOSYN-RF 5.2 % 5.2 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
AURYXIA 210 MG IRON TABLET <b>MO</b>	4	PA,QL(360 per 30 days)
bal-care dha 27-1-430 mg COMBO PACK, DR TAB/DR CAP <b>MO</b>	2	
c-nate dha 28 mg iron-1 mg -200 mg CAPSULE <b>MO</b>	2	
calcium acetate(phosphat bind) 667 mg CAPSULE <b>MO</b>	2	
calcium acetate(phosphat bind) 667 mg TABLET <b>MO</b>	2	
calcium chloride 100 mg/ml (10 %) SOLUTION <b>MO</b>	1	
calcium chloride 100 mg/ml (10 %) SYRINGE <b>MO</b>	1	
calcium gluconate 100 mg/ml (10%) SOLUTION <b>MO</b>	1	
CARBAGLU 200 MG TABLET, DISPERSIBLE <b>DL</b>	5	PA
carglumic acid 200 mg TABLET, DISPERSIBLE <b>DL</b>	5	PA
CARNITOR 100 MG/ML, 200 MG/ML SOLUTION <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CARNITOR 330 MG TABLET <b>MO</b>	4	
CARNITOR (SUGAR-FREE) 100 MG/ML SOLUTION <b>MO</b>	4	
CHEMET 100 MG CAPSULE <b>DL</b>	5	
CITRANATAL B-CALM (FE GLUC) 20 MG IRON-1 MG -25 MG/25 MG TABLET, SEQUENTIAL <b>MO</b>	4	
CLINIMIX 5%/D15W SULFITE FREE 5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX 4.25%/D10W SULF FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX 4.25%/D5W SULFIT FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX 5%-D20W(SULFITE-FREE) 5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX 6%-D5W (SULFITE-FREE) 6-5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX 8%-D10W(SULFITE-FREE) 8-10 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX 8%-D14W(SULFITE-FREE) 8-14 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX E 2.75%/D5W SULF FREE 2.75 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX E 4.25%/D10W SUL FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX E 4.25%/D5W SULF FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX E 5%/D15W SULFIT FREE 5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX E 5%/D20W SULFIT FREE 5 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX E 8%-D10W SULFITEFREE 8-10 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINIMIX E 8%-D14W SULFITEFREE 8-14 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
CLINISOL SF 15 % 15 % PARENTERAL SOLUTION <b>MO</b>	2	BvsD
CLINOLIPID 20 % EMULSION <b>MO</b>	4	BvsD
complete natal dha 29 mg iron- 1 mg-200 mg COMBO PACK <b>MO</b>	2	
CUPRIMINE 250 MG CAPSULE <b>DL</b>	5	PA,QL(600 per 30 days)
CUVRIOR 300 MG TABLET <b>DL</b>	5	PA,QL(300 per 30 days)
d10 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	1	
d2.5 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	1	
d5 % and 0.9 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	2	
d5 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	2	
deferasirox 125 mg, 250 mg, 500 mg TABLET, DISPERSIBLE <b>DL</b>	5	PA
deferasirox 180 mg, 360 mg, 90 mg GRANULES IN PACKET <b>DL</b>	5	PA
deferasirox 180 mg, 360 mg, 90 mg TABLET <b>MO</b>	2	PA
deferiprone 1,000 mg TABLET <b>DL</b>	5	PA,QL(300 per 30 days)
deferiprone 500 mg TABLET <b>DL</b>	5	PA,QL(720 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
deferoxamine 2 gram, 500 mg RECON SOLUTION <b>MO</b>	2	BvsD
DEPEN TITRATABS 250 MG TABLET <b>DL</b>	5	PA
DESFERAL 500 MG RECON SOLUTION <b>MO</b>	4	BvsD
dextrose 10 % and 0.2 % nacl PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 10 % in water (d10w) 10 % PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 20 % in water (d20w) 20 % PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 25 % in water (d25w) SYRINGE <b>MO</b>	1	
dextrose 30 % in water (d30w) PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 40 % in water (d40w) 40 % PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 5 % in water (d5w) PARENTERAL SOLUTION <b>MO</b>	2	
dextrose 5 % in water (d5w) 5 % PIGGYBACK <b>MO</b>	2	
dextrose 5 %-lactated ringers PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 5%-0.2 % sod chloride PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 5%-0.3 % sod.chloride PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 50 % in water (d50w) PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 50 % in water (d50w) SYRINGE <b>MO</b>	2	
dextrose 70 % in water (d70w) PARENTERAL SOLUTION <b>MO</b>	2	
DUET DHA WITH OMEGA-3 25 MG IRON-1 MG -400 MG COMBO PACK <b>MO</b>	4	
electrolyte-148 PARENTERAL SOLUTION <b>MO</b>	2	
electrolyte-48 in d5w PARENTERAL SOLUTION <b>MO</b>	1	
electrolyte-a PARENTERAL SOLUTION <b>MO</b>	2	
EXJADE 125 MG, 250 MG, 500 MG TABLET, DISPERSIBLE <b>DL</b>	5	PA
FERRIPROX 1,000 MG TABLET <b>DL</b>	5	PA,QL(300 per 30 days)
FERRIPROX 100 MG/ML SOLUTION <b>DL</b>	5	PA,QL(3600 per 30 days)
FERRIPROX 500 MG TABLET <b>DL</b>	5	PA,QL(720 per 30 days)
FERRIPROX (2 TIMES A DAY) 1,000 MG TABLET, MODIFIED RELEASE <b>DL</b>	5	PA,QL(300 per 30 days)
FOSRENOL 1,000 MG, 500 MG, 750 MG CHEWABLE TABLET <b>DL</b>	5	ST
FOSRENOL 1,000 MG, 750 MG POWDER IN PACKET <b>DL</b>	5	ST
GLYCOPHOS 1 MMOL/ML SOLUTION <b>MO</b>	1	
INTRALIPID 20 %, 30 % EMULSION <b>MO</b>	4	BvsD
IONOSOL-B IN D5W 5 % PARENTERAL SOLUTION <b>MO</b>	4	
IONOSOL-MB IN D5W 5 % PARENTERAL SOLUTION <b>MO</b>	4	
ISOLYTE S PH 7.4 PARENTERAL SOLUTION <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ISOLYTE-P IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION <b>MO</b>	4	
ISOLYTE-S PARENTERAL SOLUTION <b>MO</b>	4	
JADENU 180 MG, 360 MG, 90 MG TABLET <b>DL</b>	5	PA
JADENU SPRINKLE 180 MG, 360 MG, 90 MG GRANULES IN PACKET <b>DL</b>	5	PA
JYNARQUE 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM) TABLET, SEQUENTIAL <b>DL</b>	5	PA,QL(56 per 28 days)
JYNARQUE 15 MG, 30 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
K-TAB 10 MEQ, 20 MEQ TABLET ER <b>MO</b>	4	
KABIVEN 3.31-10.8-3.9 % EMULSION <b>MO</b>	4	BvsD
kionex (with sorbitol) 15-20 gram/60 ml SUSPENSION <b>MO</b>	2	
klor-con 20 meq PACKET <b>MO</b>	2	QL(240 per 30 days)
KLOR-CON 10 10 MEQ TABLET ER <b>MO</b>	2	
KLOR-CON 8 8 MEQ TABLET ER <b>MO</b>	2	
klor-con m10 10 meq TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	2	
KLOR-CON M15 15 MEQ TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	2	
klor-con m20 20 meq TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	2	
KOSHER PRENATAL PLUS IRON 30 MG IRON- 1 MG TABLET <b>MO</b>	4	
lactated ringers PARENTERAL SOLUTION <b>MO</b>	1	
lanthanum 1,000 mg, 500 mg, 750 mg CHEWABLE TABLET <b>DL</b>	5	ST
levocarnitine 100 mg/ml, 200 mg/ml SOLUTION <b>MO</b>	2	
levocarnitine 330 mg TABLET <b>MO</b>	2	
levocarnitine (with sugar) 100 mg/ml SOLUTION <b>MO</b>	2	
LOKELMA 10 GRAM, 5 GRAM POWDER IN PACKET <b>MO</b>	4	PA,QL(30 per 30 days)
m-natal plus 27 mg iron- 1 mg TABLET <b>MO</b>	2	
magnesium sulfate 500 mg/ml (50 %) SOLUTION <b>MO</b>	1	
magnesium sulfate 500 mg/ml (50 %) SYRINGE <b>MO</b>	1	
magnesium sulfate in d5w 1 gram/100 ml PIGGYBACK <b>MO</b>	1	
magnesium sulfate in water 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %) PIGGYBACK <b>MO</b>	1	
magnesium sulfate in water 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %) PARENTERAL SOLUTION <b>MO</b>	1	
NATACHEW (FE BIS-GLYCINATE) 28 MG IRON -1 MG CHEWABLE TABLET <b>MO</b>	4	
NEONATAL COMPLETE 29-1 MG TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NEONATAL PLUS VITAMIN 27 MG IRON- 1 MG TABLET <b>MO</b>	2	
NEONATAL-DHA 29-1-200-500 MG COMBO PACK <b>MO</b>	2	
NORMOSOL-M IN 5 % DEXTROSE PARENTERAL SOLUTION <b>MO</b>	4	
NORMOSOL-R PARENTERAL SOLUTION <b>MO</b>	4	
NORMOSOL-R IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION <b>MO</b>	4	
NORMOSOL-R PH 7.4 PARENTERAL SOLUTION <b>MO</b>	4	
NUTRILIPID 20 % EMULSION <b>MO</b>	4	BvsD
OB COMPLETE ONE 40-10-1-300 MG CAPSULE <b>MO</b>	4	
OB COMPLETE PETITE 35 MG IRON-5 MG IRON-1 MG CAPSULE <b>MO</b>	4	
OB COMPLETE PREMIER 30-20-1 MG TABLET <b>MO</b>	4	
OMEGAVEN 10 % EMULSION <b>DL</b>	5	BvsD
penicillamine 250 mg <b>CAPSULE DL</b>	5	PA,QL(600 per 30 days)
penicillamine 250 mg <b>TABLET DL</b>	5	
PERIKABIVEN 2.36-7.5-3.5 % EMULSION <b>MO</b>	4	BvsD
PHOSLYRA 667 MG (169 MG CALCIUM)/5 ML SOLUTION <b>MO</b>	4	ST
PLASMA-LYTE 148 PARENTERAL SOLUTION <b>MO</b>	4	
PLASMA-LYTE A PARENTERAL SOLUTION <b>MO</b>	4	
PLENAMINE 15 % PARENTERAL SOLUTION <b>MO</b>	2	BvsD
pnv-dha 27 mg iron-1 mg -300 mg <b>CAPSULE MO</b>	2	
pnv-omega 28-1-300 mg <b>CAPSULE MO</b>	2	
potassium acetate 2 meq/ml <b>SOLUTION MO</b>	1	
potassium chlorid-d5-0.45%nacl 10 meq/l, 30 meq/l, 40 meq/l PARENTERAL <b>SOLUTION MO</b>	1	
potassium chlorid-d5-0.45%nacl 20 meq/l PARENTERAL SOLUTION <b>MO</b>	2	
potassium chloride 10 meq <b>CAPSULE, ER MO</b>	2	
potassium chloride 10 meq, 20 meq <b>TABLET ER MO</b>	2	
potassium chloride 10 meq, 20 meq <b>TABLET, ER PARTICLES/CRYSTALS MO</b>	2	
potassium chloride 15 meq <b>TABLET, ER PARTICLES/CRYSTALS MO</b>	2	
potassium chloride 2 meq/ml <b>SOLUTION MO</b>	2	
potassium chloride 20 meq <b>PACKET MO</b>	2	QL(240 per 30 days)
potassium chloride 20 meq/15 ml <b>LIQUID MO</b>	2	QL(1125 per 30 days)
potassium chloride 40 meq/15 ml <b>LIQUID MO</b>	2	
potassium chloride 8 meq <b>CAPSULE, ER MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
potassium chloride 8 meq TABLET ER <b>MO</b>	2	
potassium chloride in 0.9%nacl 20 meq/l PARENTERAL SOLUTION <b>MO</b>	2	
potassium chloride in 0.9%nacl 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride in 5 % dex 10 meq/l, 20 meq/l, 30 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride in lr-d5 20 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride in water 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml PIGGYBACK <b>MO</b>	2	
potassium chloride-0.45 % nacl 20 meq/l PARENTERAL SOLUTION <b>MO</b>	2	
potassium chloride-d5-0.2%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride-d5-0.3%nacl 20 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride-d5-0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium citrate 10 meq (1,080 mg), 15 meq, 5 meq (540 mg) TABLET ER <b>MO</b>	2	
pr natal 400 29-1-400 mg COMBO PACK <b>MO</b>	2	
pr natal 400 ec 29-1-400 mg COMBO PACK, DR TAB/DR CAP <b>MO</b>	2	
pr natal 430 29 mg iron-1 mg -430 mg COMBO PACK <b>MO</b>	2	
pr natal 430 ec 29-1-430 mg COMBO PACK, DR TAB/DR CAP <b>MO</b>	2	
PREMASOL 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	2	BvsD
PRENATA 29 MG IRON- 1 MG CHEWABLE TABLET <b>MO</b>	2	
PRENATABS FA 29-1 MG TABLET <b>MO</b>	2	
prenatal plus (calcium carb) 27 mg iron- 1 mg TABLET <b>MO</b>	2	
prenatal plus dha 27 mg iron-1 mg -312 mg-250 mg COMBO PACK <b>MO</b>	4	
prenatal plus vitamin-mineral 27 mg iron- 1 mg TABLET <b>MO</b>	2	
prenatal vitamin plus low iron 27 mg iron- 1 mg TABLET <b>MO</b>	2	
prenatal-u 106.5-1 mg CAPSULE <b>MO</b>	2	
PRENATE ELITE 26 MG IRON- 1 MG TABLET <b>MO</b>	2	
PROSOL 20 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
RENAGEL 800 MG TABLET <b>DL</b>	5	ST
RENVELA 0.8 GRAM POWDER IN PACKET <b>DL</b>	5	PA,QL(540 per 30 days)
RENVELA 2.4 GRAM POWDER IN PACKET <b>DL</b>	5	PA,QL(180 per 30 days)
RENVELA 800 MG TABLET <b>DL</b>	5	PA,QL(540 per 30 days)
ringer's PARENTERAL SOLUTION <b>MO</b>	1	
SAMSCA 15 MG, 30 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
se-natal 19 chewable 29 mg iron- 1 mg CHEWABLE TABLET <b>MO</b>	2	
SELECT-OB 29 MG IRON- 1 MG CHEWABLE TABLET <b>MO</b>	4	
SELECT-OB (FOLIC ACID) 29 MG IRON- 1 MG CHEWABLE TABLET <b>MO</b>	4	
SELECT-OB + DHA 29 MG IRON-1 MG -250 MG COMBO PACK <b>MO</b>	4	
sevelamer carbonate 0.8 gram POWDER IN PACKET <b>MO</b>	2	QL(540 per 30 days)
sevelamer carbonate 2.4 gram POWDER IN PACKET <b>MO</b>	2	QL(180 per 30 days)
sevelamer carbonate 800 mg TABLET <b>MO</b>	2	QL(540 per 30 days)
sevelamer hcl 400 mg, 800 mg TABLET <b>MO</b>	2	ST
SMOFLIPID 20 % EMULSION <b>MO</b>	4	BvsD
sodium bicarbonate 8.4 % (1 meq/ml) SYRINGE <b>MO</b>	2	
sodium chloride 2.5 meq/ml SOLUTION <b>MO</b>	2	
sodium chloride 0.45 % 0.45 % PARENTERAL SOLUTION <b>MO</b>	2	
sodium chloride 0.9 % PARENTERAL SOLUTION <b>MO</b>	2	
sodium chloride 0.9 % PIGGYBACK <b>MO</b>	2	
sodium chloride 0.9 % SOLUTION <b>MO</b>	2	
sodium chloride 3 % hypertonic 3 % PARENTERAL SOLUTION <b>MO</b>	1	
sodium chloride 5 % hypertonic 5 % PARENTERAL SOLUTION <b>MO</b>	1	
sodium phosphate 3 mmol/ml SOLUTION <b>MO</b>	1	
sodium polystyrene sulfonate POWDER <b>MO</b>	2	
SPS (WITH SORBITOL) 15-20 GRAM/60 ML SUSPENSION <b>MO</b>	2	
SPS (WITH SORBITOL) 30-40 GRAM/120 ML ENEMA <b>MO</b>	2	
SYPRINE 250 MG CAPSULE <b>DL</b>	5	PA,QL(240 per 30 days)
THAM 36 MG/ML (0.3 M) SOLUTION <b>MO</b>	4	
tolvaptan 15 mg, 30 mg TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
TPN ELECTROLYTES 35-20-5 MEQ/20 ML SOLUTION <b>MO</b>	4	
TRAVASOL 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
TRICARE 27 MG IRON- 1 MG TABLET <b>MO</b>	2	
trientine 250 mg CAPSULE <b>DL</b>	5	QL(240 per 30 days)
trientine 500 mg CAPSULE <b>DL</b>	5	QL(120 per 30 days)
trinatal rx 1 60 mg iron-1 mg TABLET <b>MO</b>	2	
TRISTART DHA 31 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	4	
TROPHAMINE 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	4	BvsD
UROCIT-K 10 10 MEQ (1,080 MG) TABLET ER <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
UROCIT-K 15 15 MEQ TABLET ER <b>MO</b>	4	
UROCIT-K 5 5 MEQ (540 MG) TABLET ER <b>MO</b>	4	
VAPRISOL IN 5 % DEXTROSE 20 MG/100 ML SOLUTION <b>MO</b>	4	
VELPHORO 500 MG CHEWABLE TABLET <b>DL</b>	5	ST
VELTASSA 16.8 GRAM, 25.2 GRAM, 8.4 GRAM POWDER IN PACKET <b>MO</b>	3	QL(30 per 30 days)
virt-c dha 35-1-200 mg CAPSULE <b>MO</b>	2	
virt-nate dha 28 mg iron-1 mg -200 mg CAPSULE <b>MO</b>	2	
virt-pn dha 27 mg iron-1 mg -300 mg CAPSULE <b>MO</b>	2	
VITAFOL FE PLUS 90 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	4	
VITAFOL GUMMIES 3.33 MG IRON- 0.33 MG CHEWABLE TABLET <b>MO</b>	4	
VITAFOL NANO 18 MG IRON- 1 MG TABLET <b>MO</b>	4	
VITAFOL ULTRA 29 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	4	
VITAFOL-OB 65-1 MG TABLET <b>MO</b>	4	
VITAFOL-OB+DHA 65-1-250 MG COMBO PACK <b>MO</b>	4	
VITAFOL-ONE 29 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	4	
VITAMEDMD ONE RX 30 MG IRON-1MG -200 MG CAPSULE <b>MO</b>	4	
wescap-pn dha 27 mg iron-1 mg -300 mg CAPSULE <b>MO</b>	2	
wesnatal dha complete 29 mg iron- 1 mg-200 mg COMBO PACK <b>MO</b>	2	
wesnate dha 28 mg iron-1 mg -200 mg CAPSULE <b>MO</b>	2	
westab plus 27 mg iron- 1 mg TABLET <b>MO</b>	2	
westgel dha 31 mg iron- 1 mg-200 mg CAPSULE <b>MO</b>	2	
XPHOZAH 20 MG, 30 MG TABLET <b>DL</b>	5	ST,QL(60 per 30 days)
zatean-pn dha 27 mg iron-1 mg -300 mg CAPSULE <b>MO</b>	2	
zatean-pn plus 28-1-300 mg CAPSULE <b>MO</b>	2	
<b>GASTROINTESTINAL AGENTS</b>		
ACIPHEX 20 MG TABLET, DR/EC <b>MO</b>	4	PA,QL(60 per 30 days)
ACIPHEX SPRINKLE 10 MG CAPSULE, DR SPRINKLE <b>DL</b>	5	QL(60 per 30 days)
ACIPHEX SPRINKLE 5 MG CAPSULE, DR SPRINKLE <b>DL</b>	5	QL(30 per 30 days)
AEMCOLO 194 MG TABLET, DR/EC <b>MO</b>	4	PA,QL(12 per 30 days)
alosetron 0.5 mg, 1 mg TABLET <b>MO</b>	2	PA,QL(60 per 30 days)
AMITIZA 24 MCG, 8 MCG CAPSULE <b>MO</b>	4	PA,QL(60 per 30 days)
amoxicil-clarithromy-lansopraz 500-500-30 mg COMBO PACK <b>MO</b>	2	ST
atropine 0.1 mg/ml, 0.25 mg/5 ml (0.05 mg/ml) SYRINGE <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BENTYL 10 MG/ML SOLUTION <b>MO</b>	4	
bismuth subcit k-metronidz-tcn 140-125-125 mg CAPSULE <b>MO</b>	2	QL(120 per 30 days)
CARAFATE 1 GRAM TABLET <b>MO</b>	4	
CARAFATE 100 MG/ML SUSPENSION <b>MO</b>	4	
CHENODAL 250 MG TABLET <b>DL</b>	5	PA
cimetidine 200 mg, 300 mg, 400 mg, 800 mg TABLET <b>MO</b>	2	
cimetidine hcl 300 mg/5 ml SOLUTION <b>MO</b>	2	
CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/160 ML SOLUTION <b>MO</b>	3	
CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/175 ML SOLUTION <b>MO</b>	3	
constulose 10 gram/15 ml SOLUTION <b>MO</b>	2	
CUVPOSA 1 MG/5 ML (0.2 MG/ML) SOLUTION <b>MO</b>	4	
CYTOTEC 100 MCG, 200 MCG TABLET <b>DL</b>	5	
DARTISLA 1.7 MG TABLET, DISINTEGRATING <b>MO</b>	4	ST,QL(120 per 30 days)
DEXILANT 30 MG, 60 MG CAPSULE, DR, BIPHASIC <b>MO</b>	4	ST,QL(30 per 30 days)
dexlansoprazole 30 mg, 60 mg CAPSULE, DR, BIPHASIC <b>MO</b>	4	ST,QL(30 per 30 days)
dicyclomine 10 mg CAPSULE <b>MO</b>	2	
dicyclomine 10 mg/5 ml, 10 mg/ml SOLUTION <b>MO</b>	2	
dicyclomine 20 mg TABLET <b>MO</b>	2	
diphenoxylate-atropine 2.5-0.025 mg TABLET <b>MO</b>	2	
diphenoxylate-atropine 2.5-0.025 mg/5 ml LIQUID <b>MO</b>	2	
ENDARI 5 GRAM POWDER IN PACKET <b>DL</b>	5	PA,QL(180 per 30 days)
enulose 10 gram/15 ml SOLUTION <b>MO</b>	2	
esomeprazole magnesium 10 mg, 20 mg, 40 mg DR GRANULES IN PACKET <b>MO</b>	2	QL(30 per 30 days)
esomeprazole magnesium 20 mg CAPSULE, DR/EC <b>MO</b>	2	QL(60 per 30 days)
esomeprazole magnesium 40 mg CAPSULE, DR/EC <b>MO</b>	2	QL(60 per 30 days)
esomeprazole sodium 20 mg, 40 mg RECON SOLUTION <b>MO</b>	2	
ESOMEPRAZOLE STRONTIUM 49.3 MG CAPSULE, DR/EC <b>MO</b>	4	QL(30 per 30 days)
famotidine 10 mg/ml SOLUTION <b>MO</b>	2	
famotidine 20 mg, 40 mg TABLET <b>MO</b>	2	
famotidine 40 mg/5 ml (8 mg/ml) SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	
famotidine (pf) 20 mg/2 ml SOLUTION <b>MO</b>	2	
famotidine (pf)-nacl (iso-os) 20 mg/50 ml PIGGYBACK <b>MO</b>	1	
GATTEX 30-VIAL 5 MG KIT <b>DL,LA</b>	5	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GATTEX ONE-VIAL 5 MG KIT <b>DL,LA</b>	5	PA
gavilyte-c 240-22.72-6.72 -5.84 gram RECON SOLUTION <b>MO</b>	2	
gavilyte-g 236-22.74-6.74 -5.86 gram RECON SOLUTION <b>MO</b>	2	
gavilyte-n 420 gram RECON SOLUTION <b>MO</b>	2	
generlac 10 gram/15 ml SOLUTION <b>MO</b>	2	
glutamine (sickle cell) 5 gram POWDER IN PACKET <b>DL</b>	5	PA,QL(180 per 30 days)
GLYCATE 1.5 MG TABLET <b>MO</b>	2	
glycopyrrolate 0.2 mg/ml, 1 mg/5 ml (0.2 mg/ml) SOLUTION <b>MO</b>	2	
glycopyrrolate 1 mg, 1.5 mg, 2 mg TABLET <b>MO</b>	2	
glycopyrrolate (pf) 0.6 mg/3 ml (0.2 mg/ml) SYRINGE <b>MO</b>	4	
glycopyrrolate (pf) in water 0.2 mg/ml SYRINGE <b>MO</b>	2	
GOLYTELY 236-22.74-6.74 -5.86 GRAM RECON SOLUTION <b>MO</b>	4	ST
IBSRELA 50 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
IQIRVO 80 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
KONVOMEP 2-84 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	ST,QL(600 per 30 days)
KRISTALOSE 10 GRAM, 20 GRAM PACKET <b>MO</b>	2	
lactulose 10 gram PACKET <b>DL</b>	5	
lactulose 10 gram/15 ml (15 ml), 20 gram/30 ml SOLUTION <b>MO</b>	2	
lactulose 10 gram/15 ml SOLUTION <b>MO</b>	2	
lansoprazole 15 mg, 30 mg CAPSULE, DR/EC <b>MO</b>	2	QL(60 per 30 days)
lansoprazole 15 mg, 30 mg TABLET, DISINTEGRATING DR <b>MO</b>	2	QL(30 per 30 days)
LINZESS 145 MCG, 290 MCG, 72 MCG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
LOMOTIL 2.5-0.025 MG TABLET <b>MO</b>	4	
loperamide 2 mg CAPSULE <b>MO</b>	2	
LOTRONEX 0.5 MG, 1 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
lubiprostone 24 mcg, 8 mcg CAPSULE <b>MO</b>	2	QL(60 per 30 days)
methscopolamine 2.5 mg, 5 mg TABLET <b>MO</b>	2	
misoprostol 100 mcg TABLET <b>MO</b>	2	
misoprostol 200 mcg TABLET <b>MO</b>	2	
MOTEGRITY 1 MG, 2 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
MOTOFEN 1-0.025 MG TABLET <b>MO</b>	4	
MOVANTIK 12.5 MG, 25 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
MOVIPREP 100-7.5-2.691 GRAM POWDER IN PACKET <b>MO</b>	4	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MYALEPT 5 MG/ML (FINAL CONC.) RECON SOLUTION <b>DL</b>	5	PA,QL(30 per 30 days)
MYTESI 125 MG TABLET, DR/EC <b>DL</b>	5	PA,QL(60 per 30 days)
NEXIUM 20 MG, 40 MG CAPSULE, DR/EC <b>MO</b>	4	PA,QL(60 per 30 days)
NEXIUM IV 40 MG RECON SOLUTION <b>MO</b>	4	PA
NEXIUM PACKET 10 MG, 2.5 MG, 20 MG, 40 MG, 5 MG DR GRANULES IN PACKET <b>MO</b>	4	QL(30 per 30 days)
nizatidine 150 mg, 300 mg CAPSULE <b>MO</b>	1	
OCALIVA 10 MG, 5 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
OMECLAMOX-PAK 20 MG-500 MG- 500 MG (40) COMBO PACK <b>MO</b>	4	ST
omeprazole 10 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
omeprazole 20 mg, 40 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
omeprazole-sodium bicarbonate 20-1,680 mg, 40-1,680 mg PACKET <b>DL</b>	5	ST,QL(30 per 30 days)
omeprazole-sodium bicarbonate 20-1.1 mg-gram, 40-1.1 mg-gram CAPSULE <b>MO</b>	2	ST,QL(30 per 30 days)
opium tincture 10 mg/ml (morphine) TINCTURE <b>MO</b>	4	QL(180 per 30 days)
OSMOPREP 1.5 GRAM TABLET <b>MO</b>	4	ST
pantoprazole 20 mg, 40 mg TABLET, DR/EC <b>MO</b>	1	QL(60 per 30 days)
pantoprazole 40 mg DR GRANULES IN PACKET <b>MO</b>	2	QL(30 per 30 days)
pantoprazole 40 mg RECON SOLUTION <b>MO</b>	2	
peg 3350-electrolytes 236-22.74-6.74 -5.86 gram RECON SOLUTION <b>MO</b>	2	
peg-electrolyte soln 420 gram RECON SOLUTION <b>MO</b>	2	
peg-prep 5-210 mg-gram KIT <b>MO</b>	2	
peg3350-sod sul-nacl-kcl-asb-c 100-7.5-2.691 gram POWDER IN PACKET <b>MO</b>	2	ST
pepcid 20 mg, 40 mg TABLET <b>MO</b>	4	PA
PLENVU 140-9-5.2 GRAM POWDER IN PACKET, SEQUENTIAL <b>MO</b>	4	ST
PREVACID 30 MG CAPSULE, DR/EC <b>MO</b>	4	PA,QL(60 per 30 days)
PREVACID SOLUTAB 15 MG, 30 MG TABLET, DISINTEGRATING DR <b>MO</b>	4	QL(30 per 30 days)
PRILOSEC 10 MG, 2.5 MG SUSPENSION, DR FOR RECON <b>MO</b>	4	
PROTONIX 20 MG, 40 MG TABLET, DR/EC <b>MO</b>	4	PA,QL(60 per 30 days)
PROTONIX 40 MG DR GRANULES IN PACKET <b>MO</b>	4	QL(30 per 30 days)
PROTONIX 40 MG RECON SOLUTION <b>MO</b>	4	PA
PYLERA 140-125-125 MG CAPSULE <b>MO</b>	4	ST,QL(120 per 30 days)
rabeprazole 20 mg TABLET, DR/EC <b>MO</b>	2	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RELISTOR 12 MG/0.6 ML SOLUTION <b>DL</b>	5	PA,QL(36 per 30 days)
RELISTOR 12 MG/0.6 ML SYRINGE <b>DL</b>	5	PA,QL(36 per 28 days)
RELISTOR 150 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
RELISTOR 8 MG/0.4 ML SYRINGE <b>DL</b>	5	PA,QL(12 per 30 days)
RELTONE 200 MG CAPSULE <b>DL</b>	5	PA,QL(150 per 30 days)
RELTONE 400 MG CAPSULE <b>DL</b>	5	PA,QL(60 per 30 days)
ROBINUL 1 MG TABLET <b>MO</b>	4	PA
ROBINUL FORTE 2 MG TABLET <b>MO</b>	4	PA
sodium,potassium,mag sulfates 17.5-3.13-1.6 gram RECON SOLUTION <b>MO</b>	2	
sucralfate 1 gram TABLET <b>MO</b>	2	
sucralfate 100 mg/ml SUSPENSION <b>MO</b>	2	
SUFLAVE 178.7-7.3-0.5 GRAM RECON SOLUTION <b>MO</b>	4	ST
SUPREP BOWEL PREP KIT 17.5-3.13-1.6 GRAM RECON SOLUTION <b>MO</b>	4	ST
SUTAB 1.479-0.188- 0.225 GRAM TABLET <b>MO</b>	4	ST
SYMPROIC 0.2 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
TALICIA 10-250-12.5 MG CAPSULE, IR/DR, BIPHASIC <b>MO</b>	4	ST
TRULANCE 3 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
URSO 250 250 MG TABLET <b>MO</b>	4	PA
URSO FORTE 500 MG TABLET <b>MO</b>	4	PA
ursodiol 200 mg CAPSULE <b>DL</b>	5	PA,QL(150 per 30 days)
ursodiol 250 mg, 500 mg TABLET <b>MO</b>	2	
ursodiol 300 mg CAPSULE <b>MO</b>	2	
ursodiol 400 mg CAPSULE <b>DL</b>	5	PA,QL(60 per 30 days)
VIBERZI 100 MG, 75 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
VOQUEZNA 10 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
VOQUEZNA 20 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
VOQUEZNA DUAL PAK 20 MG (28)- 500 MG (84) COMBO PACK <b>MO</b>	4	ST,QL(112 per 30 days)
VOQUEZNA TRIPLE PAK 20-500-500 MG COMBO PACK <b>MO</b>	4	ST,QL(112 per 30 days)
XERMELO 250 MG TABLET <b>DL</b>	5	PA,QL(84 per 28 days)
XIFAXAN 200 MG TABLET <b>MO</b>	4	PA,QL(9 per 30 days)
XIFAXAN 550 MG TABLET <b>DL</b>	5	PA,QL(84 per 28 days)
ZEGERID 20-1,680 MG, 40-1,680 MG PACKET <b>DL</b>	5	ST,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZEGERID 20-1.1 MG-GRAM, 40-1.1 MG-GRAM CAPSULE <b>DL</b>	5	ST,QL(30 per 30 days)
ZINPLAVA 25 MG/ML SOLUTION <b>DL</b>	5	PA
<b>GENETIC/ENZYME/PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT</b>		
ALDURAZYME 2.9 MG/5 ML SOLUTION <b>DL</b>	5	PA
AMVUTTRA 25 MG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(0.5 per 90 days)
ARALAST NP 1,000 MG, 500 MG RECON SOLUTION <b>DL</b>	5	PA
<i>betaine 1 gram/scoop POWDER</i> <b>DL</b>	5	
BUPHENYL 0.94 GRAM/GRAM POWDER <b>DL</b>	5	PA
BUPHENYL 500 MG TABLET <b>DL</b>	5	PA
CERDELGA 84 MG CAPSULE <b>DL</b>	5	PA
CEREZYME 400 UNIT RECON SOLUTION <b>DL</b>	5	PA
CHOLBAM 250 MG, 50 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)
CREON 12,000-38,000 -60,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT CAPSULE, DR/EC <b>MO</b>	3	
CREON 24,000-76,000 -120,000 UNIT CAPSULE, DR/EC <b>MO</b>	3	
CRYSVITA 10 MG/ML, 20 MG/ML SOLUTION <b>DL</b>	5	PA,QL(2 per 28 days)
CRYSVITA 30 MG/ML SOLUTION <b>DL</b>	5	PA,QL(6 per 28 days)
CYSTADANE 1 GRAM/SCOOP POWDER <b>DL</b>	5	PA
CYSTAGON 150 MG, 50 MG CAPSULE <b>MO</b>	4	
<i>dichlorphenamide 50 mg TABLET</i> <b>DL</b>	5	PA,QL(120 per 30 days)
DUVYZAT 8.86 MG/ML SUSPENSION <b>DL</b>	5	PA,QL(360 per 30 days)
ELAPRASE 6 MG/3 ML SOLUTION <b>DL</b>	5	PA
ELELYSO 200 UNIT RECON SOLUTION <b>DL</b>	5	PA
ELEVIDYS 1.33 X 10EXP13 VG/ML SUSPENSION <b>DL</b>	5	PA
ELFABRIO 2 MG/ML SOLUTION <b>DL</b>	5	PA
EVRYSDI 0.75 MG/ML RECON SOLUTION <b>DL</b>	5	PA,QL(240 per 30 days)
FABRAZYME 35 MG, 5 MG RECON SOLUTION <b>DL</b>	5	PA
GALAFOLD 123 MG CAPSULE <b>DL</b>	5	PA,QL(14 per 28 days)
GLASSIA 1 GRAM/50 ML (2 %) SOLUTION <b>DL</b>	5	PA
<i>javygtor 100 mg TABLET, SOLUBLE</i> <b>DL</b>	5	PA
<i>javygtor 100 mg, 500 mg POWDER IN PACKET</i> <b>DL</b>	5	PA
JOENJA 70 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KANUMA 2 MG/ML SOLUTION <b>DL</b>	5	PA
KEVEYIS 50 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
KUVAN 100 MG TABLET, SOLUBLE <b>DL</b>	5	PA
KUVAN 100 MG, 500 MG POWDER IN PACKET <b>DL</b>	5	PA
LAMZEDE 10 MG RECON SOLUTION <b>DL</b>	5	PA
LUMIZYME 50 MG RECON SOLUTION <b>DL</b>	5	PA
MEPSEVII 2 MG/ML SOLUTION <b>DL</b>	5	PA
<i>miglustat 100 mg CAPSULE</i> <b>DL</b>	5	PA,QL(90 per 30 days)
NAGLAZYME 5 MG/5 ML SOLUTION <b>DL</b>	5	PA
NEXVIAZYME 100 MG RECON SOLUTION <b>DL</b>	5	PA
<i>nitisinone 10 mg, 2 mg, 20 mg, 5 mg CAPSULE</i> <b>DL</b>	5	
NITYR 10 MG, 2 MG, 5 MG TABLET <b>DL</b>	5	
NULIBRY 9.5 MG RECON SOLUTION <b>DL</b>	5	PA
OLPRUVA 2 GRAM, 3 GRAM, 4 GRAM, 5 GRAM, 6 GRAM, 6.67 GRAM PELLETS IN PACKET <b>DL</b>	5	PA
ONPATRO 2 MG/ML SOLUTION <b>DL</b>	5	PA
OPFOLDA 65 MG CAPSULE <b>MO</b>	4	PA
ORFADIN 10 MG, 2 MG, 20 MG, 5 MG CAPSULE <b>DL</b>	5	
ORFADIN 4 MG/ML SUSPENSION <b>DL</b>	5	
<i>ormalvi 50 mg TABLET</i> <b>DL</b>	5	PA,QL(120 per 30 days)
PALYNZIQ 10 MG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(15 per 30 days)
PALYNZIQ 2.5 MG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(4 per 28 days)
PALYNZIQ 20 MG/ML SYRINGE <b>DL</b>	5	PA,QL(90 per 30 days)
PANCREAZE 10,500-35,500- 61,500 UNIT, 4,200-14,200- 24,600 UNIT CAPSULE, DR/EC <b>MO</b>	4	ST
PANCREAZE 16,800-56,800- 98,400 UNIT, 2,600-8,800- 15,200 UNIT, 21,000-54,700- 83,900 UNIT, 37,000-97,300- 149,900 UNIT CAPSULE, DR/EC <b>DL</b>	5	ST
PERTZYE 16,000-57,500- 60,500 UNIT, 24,000-86,250- 90,750 UNIT, 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT CAPSULE, DR/EC	5	ST
PHEBURANE 483 MG/GRAM GRANULES <b>DL</b>	5	PA
POMBILITI 105 MG RECON SOLUTION <b>DL</b>	5	PA
PROSYSBI 25 MG CAPSULE, DR SPRINKLE <b>DL</b>	5	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PROSYSBI 300 MG DR GRANULES IN PACKET <b>DL</b>	5	PA,QL(210 per 30 days)
PROSYSBI 75 MG CAPSULE, DR SPRINKLE <b>DL</b>	5	PA,QL(780 per 30 days)
PROSYSBI 75 MG DR GRANULES IN PACKET <b>DL</b>	5	PA,QL(780 per 30 days)
PROLASTIN-C 1,000 MG (+/-)/20 ML SOLUTION <b>DL</b>	5	PA
RAVICTI 1.1 GRAM/ML LIQUID <b>DL</b>	5	PA,QL(525 per 30 days)
REVCOVI 2.4 MG/1.5 ML (1.6 MG/ML) SOLUTION <b>DL</b>	5	
sapropterin 100 mg TABLET, SOLUBLE <b>DL</b>	5	PA
sapropterin 100 mg, 500 mg POWDER IN PACKET <b>DL</b>	5	PA
sodium phenylbutyrate 0.94 gram/gram POWDER <b>DL</b>	5	
sodium phenylbutyrate 500 mg TABLET <b>DL</b>	5	
STRENSIQ 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML SOLUTION <b>DL</b>	5	PA
SUCRAID 8,500 UNIT/ML SOLUTION <b>DL</b>	5	
TEGSEDI 284 MG/1.5 ML SYRINGE <b>DL</b>	5	PA,QL(6 per 28 days)
VIJOICE 125 MG, 50 MG TABLET <b>DL</b>	5	PA,QL(28 per 28 days)
VIJOICE 250 MG/DAY (200 MG X1-50 MG X1) TABLET <b>DL</b>	5	PA,QL(56 per 28 days)
VIJOICE 50 MG GRANULES IN PACKET <b>DL</b>	5	PA,QL(28 per 28 days)
VIOKACE 10,440-39,150- 39,150 UNIT, 20,880-78,300- 78,300 UNIT TABLET <b>DL</b>	5	ST
VPRIV 400 UNIT RECON SOLUTION <b>DL</b>	5	PA
VYNDAMAX 61 MG CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
VYNDAQEL 20 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)
WAINUA 45 MG/0.8 ML AUTO-INJECTOR <b>DL</b>	5	PA,QL(0.8 per 28 days)
XENPOZYME 20 MG, 4 MG RECON SOLUTION <b>DL</b>	5	PA
XURIDEN 2 GRAM GRANULES IN PACKET <b>DL</b>	5	PA,QL(120 per 30 days)
yargesa 100 mg CAPSULE <b>DL</b>	5	PA,QL(90 per 30 days)
ZAVESCA 100 MG CAPSULE <b>DL</b>	5	PA,QL(90 per 30 days)
ZEMAIRA 1,000 MG, 4,000 MG, 5,000 MG RECON SOLUTION <b>DL</b>	5	PA
ZENPEP 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT CAPSULE, DR/EC <b>MO</b>	4	
ZENPEP 25,000-79,000- 105,000 UNIT CAPSULE, DR/EC <b>MO</b>	4	
ZOKINVY 50 MG, 75 MG CAPSULE <b>DL</b>	5	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>GENITOURINARY AGENTS</b>		
alfuzosin 10 mg TABLET, ER 24 HR. <b>MO</b>	1	
AVODART 0.5 MG CAPSULE <b>MO</b>	4	PA,QL(30 per 30 days)
bethanechol chloride 10 mg, 25 mg, 5 mg, 50 mg TABLET <b>MO</b>	2	
CIALIS 2.5 MG, 5 MG TABLET <b>MO</b>	4	PA
darifenacin 15 mg, 7.5 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
DETROL 1 MG, 2 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
DETROL LA 2 MG, 4 MG CAPSULE, ER 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
DITROPAN XL 10 MG, 5 MG TABLET, ER 24 HR. <b>MO</b>	4	PA,QL(60 per 30 days)
dutasteride 0.5 mg CAPSULE <b>MO</b>	2	QL(30 per 30 days)
dutasteride-tamsulosin 0.5-0.4 mg CAPSULE ER MULTIPHASE 24 HR. <b>MO</b>	2	QL(30 per 30 days)
ELMIRON 100 MG CAPSULE <b>MO</b>	4	QL(90 per 30 days)
fesoterodine 4 mg, 8 mg TABLET, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
finasteride 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
flavoxate 100 mg TABLET <b>MO</b>	2	
FLOMAX 0.4 MG CAPSULE <b>MO</b>	4	
GELNIQUE 10 % (100 MG/GRAM) GEL IN PACKET <b>MO</b>	4	ST,QL(30 per 30 days)
GEMTESA 75 MG TABLET <b>MO</b>	4	QL(30 per 30 days)
JALYN 0.5-0.4 MG CAPSULE ER MULTIPHASE 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
MYRBETRIQ 25 MG, 50 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
MYRBETRIQ 8 MG/ML SUSPENSION, ER, RECON <b>MO</b>	3	QL(300 per 30 days)
oxybutynin chloride 10 mg, 5 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
oxybutynin chloride 15 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
oxybutynin chloride 2.5 mg TABLET <b>MO</b>	2	QL(90 per 30 days)
oxybutynin chloride 5 mg TABLET <b>MO</b>	2	
oxybutynin chloride 5 mg/5 ml SYRUP <b>MO</b>	2	
OXYTROL 3.9 MG/24 HR PATCH, SEMIWEEKLY <b>MO</b>	4	ST,QL(8 per 28 days)
PROSCAR 5 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
RAPAFLO 4 MG, 8 MG CAPSULE <b>MO</b>	4	PA,QL(30 per 30 days)
silodosin 4 mg, 8 mg CAPSULE <b>MO</b>	2	QL(30 per 30 days)
solifenacain 10 mg, 5 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
tadalafil 2.5 mg, 5 mg TABLET <b>MO</b>	2	PA
tamsulosin 0.4 mg CAPSULE <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
THIOLA 100 MG TABLET <b>DL</b>	5	
THIOLA EC 100 MG, 300 MG TABLET, DR/EC <b>DL</b>	5	
tiopronin 100 mg TABLET <b>DL</b>	5	
tiopronin 100 mg, 300 mg TABLET, DR/EC <b>DL</b>	5	
tolterodine 1 mg, 2 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
tolterodine 2 mg, 4 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
TOVIAZ 4 MG, 8 MG TABLET, ER 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
trospium 20 mg TABLET <b>MO</b>	2	
trospium 60 mg CAPSULE, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
UROXATRAL 10 MG TABLET, ER 24 HR. <b>MO</b>	4	
VESICARE 10 MG, 5 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
VESICARE LS 1 MG/ML SUSPENSION <b>MO</b>	4	PA,QL(300 per 30 days)
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (ADRENAL)</b>		
ACTHAR 80 UNIT/ML GEL <b>DL</b>	5	PA,QL(30 per 30 days)
ACTHAR SELFJECT 40 UNIT/0.5 ML, 80 UNIT/ML PEN INJECTOR <b>DL</b>	5	PA,QL(45 per 30 days)
AGAMREE 40 MG/ML SUSPENSION <b>DL</b>	5	PA,QL(225 per 30 days)
ALKINDI SPRINKLE 0.5 MG, 1 MG, 2 MG, 5 MG CAPSULE, SPRINKLE <b>DL</b>	5	PA
betamethasone acet,sod phos 6 mg/ml SUSPENSION <b>MO</b>	2	
CELESTONE SOLUSPAN 6 MG/ML SUSPENSION <b>MO</b>	4	
CORTROPHIN GEL 80 UNIT/ML GEL <b>DL</b>	5	PA,QL(30 per 30 days)
deflazacort 18 mg, 30 mg, 36 mg, 6 mg TABLET <b>DL</b>	5	PA
deflazacort 22.75 mg/ml SUSPENSION <b>DL</b>	5	PA
DEPO-MEDROL 20 MG/ML, 40 MG/ML, 80 MG/ML SUSPENSION <b>MO</b>	4	
dexabliss 1.5 mg (39 tabs) TABLET, DOSE PACK <b>MO</b>	2	
dexamethasone 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg TABLET <b>MO</b>	2	
dexamethasone 0.5 mg/5 ml ELIXIR <b>MO</b>	2	
dexamethasone 0.5 mg/5 ml SOLUTION <b>MO</b>	2	
dexamethasone 1.5 mg (21 tabs), 1.5 mg (35 tabs), 1.5 mg (51 tabs) TABLET, DOSE PACK <b>MO</b>	2	
dexamethasone intensol 1 mg/ml DROPS <b>MO</b>	2	
dexamethasone sodium phos (pf) 10 mg/ml SOLUTION <b>MO</b>	2	
dexamethasone sodium phos (pf) 10 mg/ml SYRINGE <b>MO</b>	2	
dexamethasone sodium phosphate 10 mg/ml, 4 mg/ml SOLUTION <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dexamethasone sodium phosphate 4 mg/ml SYRINGE <b>MO</b>	2	
EMFLAZA 18 MG, 30 MG, 36 MG, 6 MG TABLET <b>DL</b>	5	PA
EMFLAZA 22.75 MG/ML SUSPENSION <b>DL</b>	5	PA
fludrocortisone 0.1 mg TABLET <b>MO</b>	2	
HEMADY 20 MG TABLET <b>MO</b>	4	PA,QL(24 per 28 days)
KENALOG 0.147 MG/GRAM AEROSOL <b>MO</b>	4	QL(200 per 30 days)
KENALOG 10 MG/ML, 40 MG/ML SUSPENSION <b>MO</b>	4	
KENALOG-80 80 MG/ML SUSPENSION <b>MO</b>	4	
MEDROL 16 MG, 2 MG, 32 MG, 4 MG, 8 MG TABLET <b>MO</b>	4	BvsD
MEDROL (PAK) 4 MG TABLET, DOSE PACK <b>MO</b>	4	
methylprednisolone 16 mg, 32 mg, 4 mg, 8 mg TABLET <b>MO</b>	2	BvsD
methylprednisolone 4 mg TABLET, DOSE PACK <b>MO</b>	2	
methylprednisolone acetate 40 mg/ml, 80 mg/ml SUSPENSION <b>HI,MO</b>	2	
methylprednisolone sodium succ 1,000 mg, 125 mg, 40 mg RECON SOLUTION <b>HI,MO</b>	2	
methylprednisolone sodium succ 500 mg RECON SOLUTION <b>MO</b>	2	
millipred 5 mg TABLET <b>MO</b>	2	BvsD
millipred dp 5 mg (21 tabs), 5 mg (48 tabs) TABLET, DOSE PACK <b>MO</b>	2	
ORAPRED ODT 10 MG, 15 MG, 30 MG TABLET, DISINTEGRATING <b>MO</b>	4	
PEDIAPRED 5 MG BASE/5 ML (6.7 MG/5 ML) SOLUTION <b>MO</b>	4	
prednisolone 15 mg/5 ml SOLUTION <b>MO</b>	2	
prednisolone 5 mg TABLET <b>MO</b>	2	BvsD
prednisolone sodium phosphate 10 mg, 15 mg, 30 mg TABLET, DISINTEGRATING <b>MO</b>	2	
prednisolone sodium phosphate 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml) SOLUTION <b>MO</b>	2	
prednisone 1 mg, 2.5 mg, 50 mg TABLET <b>MO</b>	1	BvsD
prednisone 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	BvsD
prednisone 10 mg, 5 mg TABLET, DOSE PACK <b>MO</b>	2	
prednisone 5 mg/5 ml SOLUTION <b>MO</b>	2	BvsD
prednisone intensol 5 mg/ml CONCENTRATE <b>MO</b>	2	BvsD
RAYOS 1 MG, 2 MG, 5 MG TABLET, DR/EC <b>DL</b>	5	PA
SOLU-CORTEF 100 MG RECON SOLUTION <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SOLU-CORTEF ACT-O-VIAL (PF) 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML RECON SOLUTION <b>MO</b>	4	
SOLU-MEDROL 1,000 MG, 2 GRAM, 500 MG RECON SOLUTION <b>MO</b>	4	
SOLU-MEDROL (PF) 1,000 MG/8 ML, 125 MG/2 ML, 40 MG/ML, 500 MG/4 ML RECON SOLUTION <b>HI,MO</b>	4	
taperdex 1.5 mg (21 tabs), 1.5 mg (27 tabs), 1.5 mg (49 tabs) TABLET, DOSE PACK <b>MO</b>	2	
triamcinolone acetonide 0.025 %, 0.05 %, 0.1 %, 0.5 % OINTMENT <b>MO</b>	2	
triamcinolone acetonide 0.025 %, 0.1 % LOTION <b>MO</b>	2	
triamcinolone acetonide 0.025 %, 0.5 % CREAM <b>MO</b>	2	
triamcinolone acetonide 0.1 % CREAM <b>MO</b>	2	
triamcinolone acetonide 0.147 mg/gram AEROSOL <b>MO</b>	2	QL(200 per 30 days)
triamcinolone acetonide 40 mg/ml SUSPENSION <b>MO</b>	2	
trianex 0.05 % OINTMENT <b>MO</b>	2	
triderm 0.1 %, 0.5 % CREAM <b>MO</b>	2	
tritocin 0.05 % OINTMENT <b>MO</b>	2	
VERIPRED 20 20 MG/5 ML (4 MG/ML) SOLUTION <b>MO</b>	2	
ZCORT 1.5 MG (25 TABS) TABLET, DOSE PACK <b>MO</b>	2	
ZILRETTA 32 MG SUSPENSION, ER, RECON <b>MO</b>	4	PA
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PITUITARY)</b>		
CHORIONIC GONADOTROPIN, HUMAN 10,000 UNIT RECON SOLUTION <b>MO</b>	4	PA
DDAVP 0.1 MG TABLET <b>MO</b>	4	PA
DDAVP 0.2 MG TABLET <b>DL</b>	5	PA
DDAVP 4 MCG/ML SOLUTION <b>MO</b>	4	PA
desmopressin 0.1 mg, 0.2 mg TABLET <b>MO</b>	2	
desmopressin 10 mcg/spray (0.1 ml) SPRAY WITH PUMP <b>MO</b>	2	PA,QL(25 per 30 days)
desmopressin 10 mcg/spray (0.1 ml) SPRAY, NON-AEROSOL <b>MO</b>	2	PA,QL(25 per 30 days)
desmopressin 4 mcg/ml SOLUTION <b>DL</b>	5	
EGRIFTA SV 2 MG RECON SOLUTION <b>DL</b>	5	PA,QL(30 per 30 days)
GENOTROPIN 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML) CARTRIDGE <b>DL</b>	5	PA
GENOTROPIN MINIQUICK 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML SYRINGE <b>DL</b>	5	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HUMATROPE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT) CARTRIDGE <b>DL</b>	5	PA
HUMATROPE 5 (15 UNIT) MG RECON SOLUTION <b>DL</b>	5	PA
INCRELEX 10 MG/ML SOLUTION <b>DL</b>	5	PA
NGENLA 24 MG/1.2 ML (20 MG/ML), 60 MG/1.2 ML (50 MG/ML) PEN INJECTOR <b>DL</b>	5	PA
NOCDURNA (MEN) 55.3 MCG TABLET, DISINTEGRATING <b>MO</b>	4	PA,QL(30 per 30 days)
NOCDURNA (WOMEN) 27.7 MCG TABLET, DISINTEGRATING <b>MO</b>	4	PA,QL(30 per 30 days)
NORDITROPIN FLEXPRO 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR <b>DL</b>	5	PA
NOVAREL 5,000 UNIT RECON SOLUTION <b>MO</b>	4	PA
NUTROPIN AQ NUSPIN 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML) PEN INJECTOR <b>DL</b>	5	PA
OMNITROPE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) CARTRIDGE <b>DL</b>	5	PA
OMNITROPE 5.8 MG RECON SOLUTION <b>DL</b>	5	PA
PREGNYL 10,000 UNIT RECON SOLUTION <b>MO</b>	4	PA
SAIZEN 5 MG RECON SOLUTION <b>DL</b>	5	PA,QL(28 per 28 days)
SAIZEN 8.8 MG RECON SOLUTION <b>DL</b>	5	PA
SAIZEN SAIZENPREP 8.8 MG/1.51 ML (FINAL CONC.) CARTRIDGE <b>DL</b>	5	PA
SEROSTIM 4 MG, 5 MG, 6 MG RECON SOLUTION <b>DL</b>	5	PA,QL(28 per 28 days)
SKYTROFA 11 MG, 7.6 MG, 9.1 MG CARTRIDGE <b>DL</b>	5	PA,QL(8 per 28 days)
SKYTROFA 13.3 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG CARTRIDGE <b>DL</b>	5	PA,QL(4 per 28 days)
SOGROYA 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR <b>DL</b>	5	PA,QL(6 per 28 days)
ZOMACTON 10 MG RECON SOLUTION <b>DL</b>	5	PA
ZOMACTON 5 MG RECON SOLUTION <b>DL</b>	5	PA,QL(28 per 28 days)
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PROSTAGLANDINS)</b>		
carboprost tromethamine 250 mcg/ml SOLUTION <b>MO</b>	2	
carboprost tromethamine 250 mcg/ml SYRINGE <b>MO</b>	2	
HEMABATE 250 MCG/ML SOLUTION <b>MO</b>	4	
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (SEX HORMONES/MODIFIERS)</b>		
ACTIVELLA 1-0.5 MG TABLET <b>MO</b>	4	
afirmelle 0.1-20 mg-mcg TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
altavera (28) 0.15-0.03 mg TABLET <b>MO</b>	2	
alyacen 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	2	
alyacen 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	2	
amabelz 0.5-0.1 mg, 1-0.5 mg TABLET <b>MO</b>	2	
amethia 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	4	QL(91 per 90 days)
amethyst (28) 90-20 mcg (28) TABLET <b>MO</b>	2	
ANDRODERM 2 MG/24 HOUR PATCH, 24 HR. <b>MO</b>	4	PA,QL(90 per 30 days)
ANDRODERM 4 MG/24 HR PATCH, 24 HR. <b>MO</b>	4	PA,QL(30 per 30 days)
ANDROGEL 1 % (25 MG/2.5GRAM), 1 % (50 MG/5 GRAM) GEL IN PACKET <b>MO</b>	4	PA,QL(300 per 30 days)
ANDROGEL 1.62 % (20.25 MG/1.25 GRAM) GEL IN PACKET <b>DL</b>	5	PA,QL(37.5 per 30 days)
ANDROGEL 1.62 % (40.5 MG/2.5 GRAM) GEL IN PACKET <b>DL</b>	5	PA,QL(150 per 30 days)
ANDROGEL 20.25 MG/1.25 GRAM (1.62 %) GEL IN METERED DOSE PUMP <b>DL</b>	5	PA,QL(150 per 30 days)
ANGELIQ 0.25-0.5 MG, 0.5-1 MG TABLET <b>MO</b>	4	
ANNOVERA 0.15-0.013 MG/24 HOUR RING <b>MO</b>	4	QL(1 per 365 days)
apri 0.15-0.03 mg TABLET <b>MO</b>	2	
aranelle (28) 0.5/1/0.5-35 mg-mcg TABLET <b>MO</b>	2	
ashlyna 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	2	QL(91 per 90 days)
aubra 0.1-20 mg-mcg TABLET <b>MO</b>	2	
aubra eq 0.1-20 mg-mcg TABLET <b>MO</b>	2	
aurovela 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	2	
aurovela 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	2	
aurovela 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	2	
aurovela fe 1-20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	2	
aurovela fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	2	
AVEED 750 MG/3 ML (250 MG/ML) SOLUTION <b>DL</b>	5	PA
aviane 0.1-20 mg-mcg TABLET <b>MO</b>	2	
AYGESTIN 5 MG TABLET <b>MO</b>	2	
ayuna 0.15-0.03 mg TABLET <b>MO</b>	2	
azurette (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	2	
BALCOLTRA 0.1 MG-0.02 MG (21)/IRON (7) TABLET <b>MO</b>	4	
balziva (28) 0.4-35 mg-mcg TABLET <b>MO</b>	2	
BEYAZ 3-0.02-0.451 MG (24) (4) TABLET <b>MO</b>	4	
BIJUVA 0.5-100 MG, 1-100 MG CAPSULE <b>MO</b>	4	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
blisovi 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	2	
blisovi fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	2	
blisovi fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	2	
briellyn 0.4-35 mg-mcg TABLET <b>MO</b>	2	
camila 0.35 mg TABLET <b>MO</b>	2	
camrese 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	4	QL(91 per 90 days)
camrese lo 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	2	QL(91 per 90 days)
caziant (28) 0.1/.125/.15-25 mg-mcg TABLET <b>MO</b>	2	
charlotte 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>	2	
chateal (28) 0.15-0.03 mg TABLET <b>MO</b>	2	
chateal eq (28) 0.15-0.03 mg TABLET <b>MO</b>	2	
CLIMARA 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.06 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, WEEKLY <b>MO</b>	4	QL(4 per 28 days)
CLIMARA PRO 0.045-0.015 MG/24 HR PATCH, WEEKLY <b>MO</b>	4	QL(4 per 28 days)
COMBIPATCH 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR PATCH, SEMIWEEKLY <b>MO</b>	4	QL(8 per 28 days)
CRINONE 4 %, 8 % GEL <b>MO</b>	4	
cryselle (28) 0.3-30 mg-mcg TABLET <b>MO</b>	2	
cyred 0.15-0.03 mg TABLET <b>MO</b>	2	
cyred eq 0.15-0.03 mg TABLET <b>MO</b>	2	
danazol 100 mg, 200 mg, 50 mg CAPSULE <b>MO</b>	2	
dasetta 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	2	
dasetta 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	2	
daysee 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	2	QL(91 per 90 days)
deblitane 0.35 mg TABLET <b>MO</b>	2	
DELESTROGEN 10 MG/ML, 20 MG/ML, 40 MG/ML OIL <b>MO</b>	4	
DEPO-ESTRADIOL 5 MG/ML OIL <b>MO</b>	2	QL(5 per 30 days)
DEPO-PROVERA 150 MG/ML SUSPENSION <b>MO</b>	4	QL(1 per 90 days)
DEPO-PROVERA 150 MG/ML SYRINGE <b>MO</b>	4	QL(1 per 90 days)
DEPO-SUBQ PROVERA 104 104 MG/0.65 ML SYRINGE <b>MO</b>	4	QL(0.65 per 90 days)
DEPO-TESTOSTERONE 100 MG/ML, 200 MG/ML OIL <b>MO</b>	2	
desog-e.estradiol/e.estradiol 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	2	
desogestrel-ethinyl estradiol 0.15-0.03 mg TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DIVIGEL 0.25 MG/0.25 GRAM (0.1 %), 0.5 MG/0.5 GRAM (0.1 %), 0.75 MG/0.75 GRAM (0.1%), 1 MG/GRAM (0.1 %), 1.25 MG/1.25 GRAM (0.1 %) GEL IN PACKET <b>MO</b>	4	
dolishale 90-20 mcg (28) TABLET <b>MO</b>	2	
dotti 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b>	2	QL(8 per 28 days)
drospirenone-e.estriadiol-lm.fa 3-0.02-0.451 mg (24) (4), 3-0.03-0.451 mg (21) (7) TABLET <b>MO</b>	2	
drospirenone-ethinyl estradiol 3-0.02 mg, 3-0.03 mg TABLET <b>MO</b>	2	
DUAVEE 0.45-20 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
ELESTRIN 0.87 GRAM/ACTUATION GEL IN METERED DOSE PUMP <b>MO</b>	4	QL(52 per 30 days)
elinest 0.3-30 mg-mcg TABLET <b>MO</b>	2	
ELLA 30 MG TABLET <b>MO</b>	3	QL(1 per 30 days)
eluryng 0.12-0.015 mg/24 hr RING <b>MO</b>	2	QL(1 per 28 days)
emzahh 0.35 mg TABLET <b>MO</b>	2	
ENDOMETRIN 100 MG INSERT <b>MO</b>	4	
enilloring 0.12-0.015 mg/24 hr RING <b>MO</b>	2	QL(1 per 28 days)
enpresse 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	2	
enskyce 0.15-0.03 mg TABLET <b>MO</b>	2	
errin 0.35 mg TABLET <b>MO</b>	2	
estarrylla 0.25-35 mg-mcg TABLET <b>MO</b>	2	
ESTRACE 0.01 % (0.1 MG/GRAM) CREAM <b>MO</b>	4	PA
ESTRACE 0.5 MG, 1 MG, 2 MG TABLET <b>MO</b>	2	
estradiol 0.01 % (0.1 mg/gram) CREAM <b>MO</b>	2	
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, WEEKLY <b>MO</b>	2	QL(4 per 28 days)
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b>	2	QL(8 per 28 days)
estradiol 0.25 mg/0.25 gram (0.1 %), 0.5 mg/0.5 gram (0.1 %), 0.75 mg/0.75 gram (0.1%), 1 mg/gram (0.1 %), 1.25 mg/1.25 gram (0.1 %) GEL IN PACKET <b>MO</b>	2	
estradiol 0.5 mg, 1 mg, 2 mg TABLET <b>MO</b>	1	
estradiol 1.25 gram/actuation GEL IN METERED DOSE PUMP <b>MO</b>	2	
estradiol 10 mcg TABLET <b>MO</b>	2	
estradiol valerate 10 mg/ml, 20 mg/ml, 40 mg/ml OIL <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
estradiol-norethindrone acet 0.5-0.1 mg, 1-0.5 mg TABLET <b>MO</b>	2	
ESTRING 2 MG (7.5 MCG /24 HOUR) RING <b>MO</b>	4	QL(1 per 90 days)
ESTROGEL 1.25 GRAM/ACTUATION GEL IN METERED DOSE PUMP <b>MO</b>	4	
ethynodiol diac-eth estradiol 1-35 mg-mcg, 1-50 mg-mcg TABLET <b>MO</b>	2	
etonogestrel-ethinyl estradiol 0.12-0.015 mg/24 hr RING <b>MO</b>	2	QL(1 per 28 days)
EVAMIST 1.53 MG/SPRAY (1.7%) SPRAY, NON-AEROSOL <b>MO</b>	4	
EVISTA 60 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
falmina (28) 0.1-20 mg-mcg TABLET <b>MO</b>	2	
FEMRING 0.05 MG/24 HR, 0.1 MG/24 HR RING <b>MO</b>	4	QL(1 per 90 days)
femynor 0.25-35 mg-mcg TABLET <b>MO</b>	2	
finzala 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>	2	
FORTESTA 10 MG/0.5 GRAM /ACTUATION GEL IN METERED DOSE PUMP <b>MO</b>	4	PA,QL(120 per 30 days)
fyavolv 0.5-2.5 mg-mcg, 1-5 mg-mcg TABLET <b>MO</b>	2	
gemmily 1 mg-20 mcg (24)/75 mg (4) CAPSULE <b>MO</b>	2	
GENERESS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET <b>MO</b>	4	
hailey 1.5-30 mg-mcg TABLET <b>MO</b>	2	
hailey 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	2	
hailey fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	2	
hailey fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	2	
haloette 0.12-0.015 mg/24 hr RING <b>MO</b>	2	QL(1 per 28 days)
heather 0.35 mg TABLET <b>MO</b>	2	
iclevia 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	2	QL(91 per 90 days)
incassia 0.35 mg TABLET <b>MO</b>	2	
isibloom 0.15-0.03 mg TABLET <b>MO</b>	2	
jaimiess 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	2	QL(91 per 90 days)
jasmiel (28) 3-0.02 mg TABLET <b>MO</b>	2	
JATENZO 158 MG, 198 MG CAPSULE <b>MO</b>	4	PA,QL(120 per 30 days)
JATENZO 237 MG CAPSULE <b>MO</b>	4	PA,QL(60 per 30 days)
jencycla 0.35 mg TABLET <b>MO</b>	2	
jinteli 1-5 mg-mcg TABLET <b>MO</b>	2	
jolessa 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	2	QL(91 per 90 days)
joyeaux 0.1 mg-0.02 mg (21)/iron (7) TABLET <b>MO</b>	2	
juleber 0.15-0.03 mg TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
junel 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	2	
junel 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	2	
junel fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	2	
junel fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	2	
junel fe 24 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	2	
kaitlib fe 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET <b>MO</b>	2	
kalliga 0.15-0.03 mg TABLET <b>MO</b>	2	
kariva (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	2	
kelnor 1-50 (28) 1-50 mg-mcg TABLET <b>MO</b>	2	
kelnor 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	2	
kurvelo (28) 0.15-0.03 mg TABLET <b>MO</b>	2	
l norgest/e.estradiol-e.estrad 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	2	QL(91 per 90 days)
larin 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	2	
larin 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	2	
larin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	2	
larin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	2	
larin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	2	
larissia 0.1-20 mg-mcg TABLET <b>MO</b>	2	
LAYOLIS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET <b>MO</b>	4	
leena 28 0.5/1/0.5-35 mg-mcg TABLET <b>MO</b>	2	
lessina 0.1-20 mg-mcg TABLET <b>MO</b>	2	
levonest (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	2	
levonorg-eth estrad triphasic 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	2	
levonorgest-eth.estradiol-iron 0.1 mg-0.02 mg (21)/iron (7) TABLET <b>MO</b>	4	
levonorgestrel-ethinyl estrad 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28) TABLET <b>MO</b>	2	
levonorgestrel-ethinyl estrad 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	2	QL(91 per 90 days)
levora-28 0.15-0.03 mg TABLET <b>MO</b>	2	
LO LOESTRIN FE 1 MG-10 MCG (24)/10 MCG (2) TABLET <b>MO</b>	4	
lo-zumandimine (28) 3-0.02 mg TABLET <b>MO</b>	2	
LOESTRIN 1.5/30 (21) 1.5-30 MG-MCG TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LOESTRIN 1/20 (21) 1-20 MG-MCG TABLET <b>MO</b>	2	
LOESTRIN FE 1.5/30 (28-DAY) 1.5 MG-30 MCG (21)/75 MG (7) TABLET <b>MO</b>	2	
LOESTRIN FE 1/20 (28-DAY) 1 MG-20 MCG (21)/75 MG (7) TABLET <b>MO</b>	2	
lojaimiess 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	2	QL(91 per 90 days)
loryna (28) 3-0.02 mg TABLET <b>MO</b>	2	
LOSEASONIQUE 0.1 MG-20 MCG (84)/10 MCG (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	4	QL(91 per 90 days)
low-ogestrel (28) 0.3-30 mg-mcg TABLET <b>MO</b>	2	
lutera (28) 0.1-20 mg-mcg TABLET <b>MO</b>	2	
lyleq 0.35 mg TABLET <b>MO</b>	2	
lyllana 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b>	2	QL(8 per 28 days)
lyza 0.35 mg TABLET <b>MO</b>	2	
marlissa (28) 0.15-0.03 mg TABLET <b>MO</b>	2	
medroxyprogesterone 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	2	
medroxyprogesterone 150 mg/ml SUSPENSION <b>MO</b>	2	QL(1 per 90 days)
medroxyprogesterone 150 mg/ml SYRINGE <b>MO</b>	2	QL(1 per 90 days)
megestrol 20 mg, 40 mg TABLET <b>MO</b>	2	
megestrol 400 mg/10 ml (10 ml), 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml) SUSPENSION <b>MO</b>	2	
MENEST 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG TABLET <b>MO</b>	2	
MENOSTAR 14 MCG/24 HR PATCH, WEEKLY <b>MO</b>	4	QL(8 per 28 days)
merzee 1 mg-20 mcg (24)/75 mg (4) CAPSULE <b>MO</b>	2	
METHITEST 10 MG TABLET <b>DL</b>	5	
methyltestosterone 10 mg CAPSULE <b>DL</b>	5	
mibelas 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>	2	
microgestin 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	2	
microgestin 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	2	
microgestin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	2	
microgestin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	2	
microgestin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	2	
mili 0.25-35 mg-mcg TABLET <b>MO</b>	2	
mimvey 1-0.5 mg TABLET <b>MO</b>	2	
MINASTRIN 24 FE 1 MG-20 MCG(24) /75 MG (4) CHEWABLE TABLET <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MINIVELLE 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY <b>MO</b>	4	QL(8 per 28 days)
MIRCETTE (28) 0.15-0.02 MGX21 /0.01 MG X 5 TABLET <b>MO</b>	2	
mono-linyah 0.25-35 mg-mcg TABLET <b>MO</b>	2	
NATAZIA 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG TABLET <b>MO</b>	4	
NATESTO 5.5 MG/0.122 GRAM/ACTUATION GEL IN METERED DOSE PUMP <b>MO</b>	4	PA,QL(21.96 per 30 days)
necon 0.5/35 (28) 0.5-35 mg-mcg TABLET <b>MO</b>	2	
NEXTSTELLIS 3 MG- 14.2 MG (28) TABLET <b>MO</b>	4	
nikki (28) 3-0.02 mg TABLET <b>MO</b>	2	
NORA-BE 0.35 MG TABLET <b>MO</b>	2	
nora-be 0.35 mg TABLET <b>MO</b>	2	
norelgestromin-ethin.estradol 150-35 mcg/24 hr PATCH, WEEKLY <b>MO</b>	2	QL(3 per 28 days)
noreth-ethinyl estradiol-iron 0.4mg-35mcg(21) and 75 mg (7), 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET <b>MO</b>	2	
norethindrone (contraceptive) 0.35 mg TABLET <b>MO</b>	2	
norethindrone ac-eth estradiol 0.5-2.5 mg-mcg, 1-20 mg-mcg, 1-5 mg-mcg, 1.5-30 mg-mcg TABLET <b>MO</b>	2	
norethindrone acetate 5 mg TABLET <b>MO</b>	2	
norethindrone-e.estradol-iron 1 mg-20 mcg (21)/75 mg (7), 1-20(5)/1-30(7) /1mg-35mcg (9), 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	2	
norethindrone-e.estradol-iron 1 mg-20 mcg (24)/75 mg (4) CAPSULE <b>MO</b>	2	
norethindrone-e.estradol-iron 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>	2	
norgestimate-ethinyl estradiol 0.18/0.215/0.25 mg-25 mcg, 0.18/0.215/0.25 mg-35 mcg (28), 0.25-35 mg-mcg TABLET <b>MO</b>	2	
nortrel 0.5/35 (28) 0.5-35 mg-mcg TABLET <b>MO</b>	2	
nortrel 1/35 (21) 1-35 mg-mcg (21) TABLET <b>MO</b>	2	
nortrel 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	2	
nortrel 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	2	
NUVARING 0.12-0.015 MG/24 HR RING <b>MO</b>	4	QL(1 per 28 days)
nylia 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	2	
nylia 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	2	
nymyo 0.25-35 mg-mcg TABLET <b>MO</b>	2	
ocella 3-0.03 mg TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ORTHO TRI-CYCLEN (28) 0.18/0.215/0.25 MG-35 MCG (28) TABLET <b>MO</b>	4	
ORTHO-NOVUM 7/7/7 (28) 0.5/0.75/1 MG- 35 MCG TABLET <b>MO</b>	2	
OSPHENA 60 MG TABLET <b>MO</b>	3	PA
oxandrolone 10 mg TABLET <b>MO</b>	2	PA,QL(60 per 30 days)
oxandrolone 2.5 mg TABLET <b>MO</b>	2	PA,QL(120 per 30 days)
philith 0.4-35 mg-mcg TABLET <b>MO</b>	2	
pimtrea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	2	
pirmella 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg TABLET <b>MO</b>	2	
portia 28 0.15-0.03 mg TABLET <b>MO</b>	2	
PREFEST 1 MG (15)/1 MG- 0.09 MG (15) TABLET <b>MO</b>	2	
PREMARIN 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG TABLET <b>MO</b>	4	
PREMARIN 0.625 MG/GRAM CREAM <b>MO</b>	3	
PREMARIN 25 MG RECON SOLUTION <b>MO</b>	4	
PREMPHASE 0.625 MG (14)/ 0.625MG-5MG(14) TABLET <b>MO</b>	4	
PREMPRO 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG TABLET <b>MO</b>	4	
progesterone 50 mg/ml OIL <b>MO</b>	2	
progesterone micronized 100 mg, 200 mg CAPSULE <b>MO</b>	2	
PROMETRIUM 100 MG, 200 MG CAPSULE <b>MO</b>	4	
PROVERA 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	4	
QUARTETTE 0.15 MG-20 MCG/ 0.15 MG-25 MCG TABLET, DOSE PACK, 3 MONTH <b>MO</b>	4	QL(91 per 90 days)
raloxifene 60 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
reclipsen (28) 0.15-0.03 mg TABLET <b>MO</b>	2	
rivelsa 0.15 mg-20 mcg/ 0.15 mg-25 mcg TABLET, DOSE PACK, 3 MONTH <b>MO</b>	2	QL(91 per 90 days)
SAFYRAL 3-0.03-0.451 MG (21) (7) TABLET <b>MO</b>	4	
SEASONIQUE 0.15 MG-30 MCG (84)/10 MCG (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	4	QL(91 per 90 days)
setlakin 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	2	QL(91 per 90 days)
sharobel 0.35 mg TABLET <b>MO</b>	2	
simliya (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	2	
simpesse 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	2	QL(91 per 90 days)
SLYND 4 MG (28) TABLET <b>MO</b>	4	
sprintec (28) 0.25-35 mg-mcg TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
sronyx 0.1-20 mg-mcg TABLET <b>MO</b>	2	
syeda 3-0.03 mg TABLET <b>MO</b>	2	
tarina 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	2	
tarina fe 1-20 eq (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	2	
tarina fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	2	
taysofy 1 mg-20 mcg (24)/75 mg (4) CAPSULE <b>MO</b>	2	
TAYTULLA 1 MG-20 MCG (24)/75 MG (4) CAPSULE <b>MO</b>	4	
TESTIM 50 MG/5 GRAM (1 %) GEL <b>MO</b>	4	PA,QL(300 per 30 days)
testosterone 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram) GEL IN PACKET <b>MO</b>	2	PA,QL(300 per 30 days)
testosterone 1.62 % (20.25 mg/1.25 gram) GEL IN PACKET <b>MO</b>	2	PA,QL(37.5 per 30 days)
testosterone 1.62 % (40.5 mg/2.5 gram) GEL IN PACKET <b>MO</b>	2	PA,QL(150 per 30 days)
testosterone 10 mg/0.5 gram /actuation GEL IN METERED DOSE PUMP <b>MO</b>	2	PA,QL(120 per 30 days)
testosterone 12.5 mg/ 1.25 gram (1 %) GEL IN METERED DOSE PUMP <b>MO</b>	2	PA,QL(300 per 30 days)
testosterone 20.25 mg/1.25 gram (1.62 %) GEL IN METERED DOSE PUMP <b>MO</b>	2	PA,QL(150 per 30 days)
testosterone 30 mg/actuation (1.5 ml) SOLUTION IN METERED DOSE PUMP <b>MO</b>	4	PA,QL(180 per 30 days)
testosterone 50 mg/5 gram (1 %) GEL <b>MO</b>	4	PA,QL(300 per 30 days)
testosterone cypionate 100 mg/ml, 200 mg/ml OIL <b>MO</b>	2	
testosterone enanthate 200 mg/ml OIL <b>MO</b>	2	QL(25 per 90 days)
tilia fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET <b>MO</b>	2	
TLANDO 112.5 MG CAPSULE <b>MO</b>	4	PA,QL(120 per 30 days)
tri-femynor 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	2	
tri-estarrylla 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	2	
tri-legest fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET <b>MO</b>	2	
tri-linyah 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	2	
tri-lo-estarrylla 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>	2	
tri-lo-marzia 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>	2	
tri-lo-mili 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>	2	
tri-lo-sprintec 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>	2	
tri-mili 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	2	
tri-nymyo 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	2	
tri-sprintec (28) 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	2	
tri-vylibra 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	2	
tri-vylibra lo 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
trivora (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	2	
tulana 0.35 mg TABLET <b>MO</b>	2	
turqoz (28) 0.3-30 mg-mcg TABLET <b>MO</b>	2	
TYBLUME 0.1 MG- 20 MCG CHEWABLE TABLET <b>MO</b>	4	
tydemy 3-0.03-0.451 mg (21) (7) TABLET <b>MO</b>	2	
VAGIFEM 10 MCG TABLET <b>MO</b>	4	PA
velivet triphasic regimen (28) 0.1/.125/.15-25 mg-mcg TABLET <b>MO</b>	2	
vestura (28) 3-0.02 mg TABLET <b>MO</b>	2	
vienna 0.1-20 mg-mcg TABLET <b>MO</b>	2	
viorele (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	2	
VIVELLE-DOT 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY <b>MO</b>	4	QL(8 per 28 days)
VOGELXO 1 % (50 MG/5 GRAM) GEL IN PACKET <b>MO</b>	4	PA,QL(300 per 30 days)
VOGELXO 12.5 MG/ 1.25 GRAM (1 %) GEL IN METERED DOSE PUMP <b>MO</b>	4	PA,QL(300 per 30 days)
VOGELXO 50 MG/5 GRAM (1 %) GEL <b>MO</b>	4	PA,QL(300 per 30 days)
volnea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	2	
vyfemla (28) 0.4-35 mg-mcg TABLET <b>MO</b>	2	
vylibra 0.25-35 mg-mcg TABLET <b>MO</b>	2	
wera (28) 0.5-35 mg-mcg TABLET <b>MO</b>	2	
wymzya fe 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET <b>MO</b>	2	
xulane 150-35 mcg/24 hr PATCH, WEEKLY <b>MO</b>	2	QL(3 per 28 days)
XYOSTED 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(2 per 28 days)
YASMIN (28) 3-0.03 MG TABLET <b>MO</b>	4	
YAZ (28) 3-0.02 MG TABLET <b>MO</b>	4	
yuvafem 10 mcg TABLET <b>MO</b>	2	
zafemy 150-35 mcg/24 hr PATCH, WEEKLY <b>MO</b>	2	QL(3 per 28 days)
zarah 3-0.03 mg TABLET <b>MO</b>	2	
zovia 1-35 (28) 1-35 mg-mcg TABLET <b>MO</b>	2	
zumandimine (28) 3-0.03 mg TABLET <b>MO</b>	2	
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (THYROID)</b>		
ARMOUR THYROID 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG TABLET <b>MO</b>	3	
CYTOMEL 25 MCG, 5 MCG, 50 MCG TABLET <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ERMEZA 30 MCG/ML SOLUTION <b>MO</b>	4	
EUTHYROX 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	1	
LEVO-T 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	3	
levothyroxine 100 mcg RECON SOLUTION <b>MO</b>	2	
levothyroxine 100 mcg, 112 mcg, 125 mcg, 13 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg CAPSULE <b>MO</b>	2	
levothyroxine 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg TABLET <b>MO</b>	1	
levothyroxine 100 mcg/ml, 20 mcg/ml, 40 mcg/ml SOLUTION <b>MO</b>	2	
levothyroxine 175 mcg, 200 mcg, 300 mcg TABLET <b>MO</b>	1	
levothyroxine 200 mcg, 500 mcg RECON SOLUTION <b>DL</b>	5	
LEVOXYL 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	2	
liothyronine 10 mcg/ml SOLUTION <b>MO</b>	2	
liothyronine 25 mcg, 5 mcg, 50 mcg TABLET <b>MO</b>	2	
np thyroid 120 mg, 15 mg, 30 mg, 60 mg, 90 mg TABLET <b>MO</b>	3	
SYNTHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	3	
THYQUIDITY 20 MCG/ML SOLUTION <b>MO</b>	4	
TIROSINT 100 MCG, 112 MCG, 125 MCG, 13 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 37.5 MCG, 44 MCG, 50 MCG, 62.5 MCG, 75 MCG, 88 MCG CAPSULE <b>MO</b>	4	
TIROSINT-SOL 100 MCG/ML, 112 MCG/ML, 125 MCG/ML, 13 MCG/ML, 137 MCG/ML, 150 MCG/ML, 175 MCG/ML, 200 MCG/ML, 25 MCG/ML, 37.5 MCG/ML, 44 MCG/ML, 50 MCG/ML, 62.5 MCG/ML, 75 MCG/ML, 88 MCG/ML SOLUTION <b>MO</b>	4	
TRIOSTAT 10 MCG/ML SOLUTION <b>MO</b>	4	
UNITHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	3	
<b>HORMONAL AGENTS, SUPPRESSANT (ADRENAL)</b>		
ISTURISA 1 MG TABLET <b>DL</b>	5	PA,QL(240 per 30 days)
ISTURISA 10 MG TABLET <b>DL</b>	5	PA,QL(180 per 30 days)
ISTURISA 5 MG TABLET <b>DL</b>	5	PA,QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LYSODREN 500 MG TABLET <b>DL</b>	5	
RECORLEV 150 MG TABLET <b>DL</b>	5	PA,QL(240 per 30 days)
<b>HORMONAL AGENTS, SUPPRESSANT (PITUITARY)</b>		
cabergoline 0.5 mg TABLET <b>MO</b>	2	
ELIGARD 7.5 MG (1 MONTH) SYRINGE <b>MO</b>	4	PA
ELIGARD (3 MONTH) 22.5 MG SYRINGE <b>MO</b>	4	PA
ELIGARD (4 MONTH) 30 MG SYRINGE <b>MO</b>	4	PA
ELIGARD (6 MONTH) 45 MG SYRINGE <b>MO</b>	4	PA
FENSOLVI 45 MG SYRINGE	5	PA,QL(1 per 180 days)
FIRMAGON 120 MG RECON SOLUTION <b>DL</b>	5	PA
FIRMAGON KIT W DILUENT SYRINGE 120 MG RECON SOLUTION <b>DL</b>	5	PA
FIRMAGON KIT W DILUENT SYRINGE 80 MG RECON SOLUTION <b>MO</b>	4	PA
lanreotide 120 mg/0.5 ml SYRINGE <b>DL</b>	5	PA,QL(0.5 per 28 days)
lanreotide 60 mg/0.2 ml SYRINGE <b>DL</b>	5	PA,QL(0.2 per 28 days)
lanreotide 90 mg/0.3 ml SYRINGE <b>DL</b>	5	PA,QL(0.3 per 28 days)
leuprolide 1 mg/0.2 ml KIT <b>MO</b>	2	
leuprolide (3 month) 22.5 mg SUSPENSION FOR RECONSTITUTION <b>MO</b>	4	PA,QL(1 per 90 days)
LUPRON DEPOT 3.75 MG SYRINGE KIT <b>MO</b>	4	PA,QL(1 per 30 days)
LUPRON DEPOT 7.5 MG SYRINGE KIT <b>DL</b>	5	PA,QL(1 per 30 days)
LUPRON DEPOT (3 MONTH) 11.25 MG, 22.5 MG SYRINGE KIT <b>MO</b>	4	PA,QL(1 per 90 days)
LUPRON DEPOT (4 MONTH) 30 MG SYRINGE KIT <b>MO</b>	4	PA,QL(1 per 112 days)
LUPRON DEPOT (6 MONTH) 45 MG SYRINGE KIT	5	PA,QL(1 per 168 days)
LUPRON DEPOT-PED 11.25 MG KIT <b>DL</b>	5	PA,QL(1 per 28 days)
LUPRON DEPOT-PED 15 MG, 7.5 MG (PED) KIT <b>DL</b>	5	PA,QL(1 per 28 days)
LUPRON DEPOT-PED 45 MG SYRINGE KIT	5	PA,QL(1 per 168 days)
LUPRON DEPOT-PED (3 MONTH) 11.25 MG, 30 MG SYRINGE KIT	5	PA,QL(1 per 90 days)
MYCAPSSA 20 MG CAPSULE, DR/EC <b>DL</b>	5	PA,QL(112 per 28 days)
octreotide acetate 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml SOLUTION <b>MO</b>	2	PA
octreotide acetate 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml) SYRINGE <b>MO</b>	2	PA
ORGOVYX 120 MG TABLET <b>DL</b>	5	PA,QL(32 per 30 days)
ORILISSA 150 MG TABLET <b>DL</b>	5	PA,QL(28 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ORILISSA 200 MG TABLET <b>DL</b>	5	PA,QL(56 per 28 days)
SANDOSTATIN 100 MCG/ML, 50 MCG/ML, 500 MCG/ML SOLUTION <b>DL</b>	5	PA
SANDOSTATIN LAR DEPOT 10 MG, 20 MG, 30 MG SUSPENSION, ER, RECON <b>DL</b>	5	PA
SIGNIFOR 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) SOLUTION <b>DL</b>	5	PA,QL(60 per 30 days)
SIGNIFOR LAR 10 MG, 20 MG, 30 MG, 40 MG, 60 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	PA,QL(1 per 28 days)
SOMATULINE DEPOT 120 MG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(0.5 per 28 days)
SOMATULINE DEPOT 60 MG/0.2 ML SYRINGE <b>DL</b>	5	PA,QL(0.2 per 28 days)
SOMATULINE DEPOT 90 MG/0.3 ML SYRINGE <b>DL</b>	5	PA,QL(0.3 per 28 days)
SOMAVERT 10 MG, 15 MG, 20 MG RECON SOLUTION <b>DL</b>	5	PA,QL(60 per 30 days)
SOMAVERT 25 MG, 30 MG RECON SOLUTION <b>DL</b>	5	PA,QL(30 per 30 days)
SYNAREL 2 MG/ML SPRAY, NON-AEROSOL <b>DL</b>	5	
TRELSTAR 11.25 MG, 22.5 MG, 3.75 MG SUSPENSION FOR RECONSTITUTION <b>MO</b>	4	PA
TRIPTODUR 22.5 MG SUSPENSION FOR RECONSTITUTION	5	PA,QL(1 per 168 days)
ZOLADEX 10.8 MG IMPLANT <b>MO</b>	4	PA,QL(1 per 84 days)
ZOLADEX 3.6 MG IMPLANT <b>MO</b>	4	PA,QL(1 per 28 days)
<b>HORMONAL AGENTS, SUPPRESSANT (THYROID)</b>		
methimazole 10 mg, 5 mg TABLET <b>MO</b>	2	
propylthiouracil 50 mg TABLET <b>MO</b>	2	
<b>IMMUNOLOGICAL AGENTS</b>		
ABRILADA(CF) 20 MG/0.4 ML SYRINGE KIT <b>DL</b>	5	PA,QL(2 per 28 days)
ABRILADA(CF) 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	5	PA,QL(6 per 28 days)
ABRILADA(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
ABRYSCO (PF) 120 MCG/0.5 ML RECON SOLUTION <b>AV,DL</b>	1	
ACTEMRA 162 MG/0.9 ML SYRINGE <b>DL</b>	5	PA,QL(3.6 per 28 days)
ACTEMRA ACTPEN 162 MG/0.9 ML PEN INJECTOR <b>DL</b>	5	PA,QL(3.6 per 28 days)
ACTHIB (PF) 10 MCG/0.5 ML RECON SOLUTION <b>DL</b>	1	
ACTIMMUNE 100 MCG/0.5 ML SOLUTION <b>DL</b>	5	PA
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SUSPENSION <b>AV,DL</b>	1	
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SYRINGE <b>AV,DL</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ADALIMUMAB-AACF 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
ADALIMUMAB-AATY 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT <b>DL</b>	5	PA,QL(6 per 28 days)
ADALIMUMAB-AATY 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT <b>DL</b>	5	PA,QL(6 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML PEN INJECTOR <b>DL</b>	5	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML SYRINGE <b>DL</b>	5	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADBM 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT <b>DL</b>	5	PA,QL(2 per 28 days)
ADALIMUMAB-ADBM 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM 40 MG/0.4 ML, 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	5	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM(CF) PEN CROHNS 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM(CF) PEN PS-UV 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
ADALIMUMAB-FKJP 20 MG/0.4 ML SYRINGE KIT <b>DL</b>	5	PA,QL(2 per 28 days)
ADALIMUMAB-FKJP 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
ADALIMUMAB-FKJP 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	5	PA,QL(6 per 28 days)
ADALIMUMAB-RYVK 40 MG/0.4 ML AUTO-INJECTOR, KIT <b>DL</b>	5	PA,QL(6 per 28 days)
ADBRY 150 MG/ML SYRINGE <b>DL</b>	5	PA,QL(6 per 28 days)
ADBRY 300 MG/2 ML AUTO-INJECTOR <b>DL</b>	5	PA,QL(6 per 28 days)
ALYGLO 10 % SOLUTION <b>DL</b>	5	PA
AMJEVITA(CF) 10 MG/0.2 ML, 20 MG/0.2 ML SYRINGE <b>DL</b>	5	PA,QL(1.2 per 28 days)
AMJEVITA(CF) 20 MG/0.4 ML, 40 MG/0.4 ML SYRINGE <b>DL</b>	5	PA,QL(2.4 per 28 days)
AMJEVITA(CF) 40 MG/0.8 ML SYRINGE <b>DL</b>	5	PA,QL(4.8 per 28 days)
AMJEVITA(CF) AUTOINJECTOR 40 MG/0.4 ML AUTO-INJECTOR <b>DL</b>	5	PA,QL(2.4 per 28 days)
AMJEVITA(CF) AUTOINJECTOR 40 MG/0.8 ML, 80 MG/0.8 ML AUTO-INJECTOR <b>DL</b>	5	PA,QL(4.8 per 28 days)
ARAVA 10 MG, 20 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
ARCALYST 220 MG RECON SOLUTION <b>DL</b>	5	PA
AREXVY (PF) 120 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
ASCENIV 10 % SOLUTION <b>DL</b>	5	PA
ASTAGRAF XL 0.5 MG, 1 MG, 5 MG CAPSULE, ER 24 HR. <b>MO</b>	4	BvsD
ATGAM 50 MG/ML SOLUTION <b>DL</b>	5	PA
AVSOLA 100 MG RECON SOLUTION <b>DL</b>	5	PA
AZASAN 100 MG, 75 MG TABLET <b>MO</b>	2	BvsD
azathioprine 100 mg, 50 mg, 75 mg TABLET <b>MO</b>	2	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
azathioprine sodium 100 mg RECON SOLUTION <b>MO</b>	2	BvsD
BCG VACCINE, LIVE (PF) 50 MG SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
BENLYSTA 120 MG RECON SOLUTION <b>DL</b>	5	PA,QL(20 per 28 days)
BENLYSTA 200 MG/ML AUTO-INJECTOR <b>DL</b>	5	PA,QL(8 per 28 days)
BENLYSTA 200 MG/ML SYRINGE <b>DL</b>	5	PA,QL(8 per 28 days)
BENLYSTA 400 MG RECON SOLUTION <b>DL</b>	5	PA,QL(6 per 28 days)
BERINERT 500 UNIT (10 ML) KIT <b>DL</b>	5	PA,QL(15 per 30 days)
BERINERT 500 UNIT (10 ML) RECON SOLUTION <b>DL</b>	5	PA,QL(15 per 30 days)
BESREMI 500 MCG/ML SYRINGE <b>DL</b>	5	PA,QL(2 per 28 days)
BEXSERO 50-50-50-25 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	
BIMZELX 160 MG/ML SYRINGE <b>DL</b>	5	PA,QL(2 per 28 days)
BIMZELX AUTOINJECTOR 160 MG/ML AUTO-INJECTOR <b>DL</b>	5	PA,QL(2 per 28 days)
BIVIGAM 10 % SOLUTION <b>DL</b>	5	PA
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SUSPENSION <b>AV,DL</b>	1	
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SYRINGE <b>AV,DL</b>	1	
CELLCEPT 200 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	BvsD
CELLCEPT 250 MG CAPSULE <b>DL</b>	5	BvsD
CELLCEPT 500 MG TABLET <b>DL</b>	5	BvsD
CELLCEPT INTRAVENOUS 500 MG RECON SOLUTION <b>MO</b>	4	BvsD
CIBINQO 100 MG, 200 MG, 50 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
CIMZIA 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT <b>DL</b>	5	PA,QL(3 per 30 days)
CIMZIA POWDER FOR RECONST 400 MG (200 MG X 2 VIALS) KIT <b>DL</b>	5	PA,QL(3 per 30 days)
CIMZIA STARTER KIT 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT <b>DL</b>	5	PA,QL(3 per 30 days)
CINRYZE 500 UNIT (5 ML) RECON SOLUTION <b>DL</b>	5	PA,QL(20 per 30 days)
COSENTYX 150 MG/ML SYRINGE <b>DL</b>	5	PA,QL(8 per 28 days)
COSENTYX 25 MG/ML SOLUTION <b>DL</b>	5	PA
COSENTYX 75 MG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(2 per 28 days)
COSENTYX (2 SYRINGES) 150 MG/ML SYRINGE <b>DL</b>	5	PA,QL(8 per 28 days)
COSENTYX PEN 150 MG/ML PEN INJECTOR <b>DL</b>	5	PA,QL(8 per 28 days)
COSENTYX PEN (2 PENS) 150 MG/ML PEN INJECTOR <b>DL</b>	5	PA,QL(8 per 28 days)
COSENTYX UNOREADY PEN 300 MG/2 ML (150 MG/ML) PEN INJECTOR <b>DL</b>	5	PA,QL(8 per 28 days)
CUTAQUIG 16.5 % SOLUTION <b>DL</b>	5	PA
cyclosporine 100 mg, 25 mg CAPSULE <b>MO</b>	2	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cyclosporine modified 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	2	BvsD
cyclosporine modified 100 mg/ml SOLUTION <b>MO</b>	2	BvsD
CYLTEZO(CF) 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT <b>DL</b>	5	PA,QL(2 per 28 days)
CYLTEZO(CF) 40 MG/0.4 ML, 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	5	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN CROHN'S-UC-HS 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN PSORIASIS-UV 40 MG/0.4 ML, 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
CYTOGAM 50 MG/ML SOLUTION <b>DL</b>	5	PA
DAPTACEL (DTAP PEDIATRIC) (PF) 15-10-5 LF-MCG-LF/0.5ML SUSPENSION <b>DL</b>	1	
DENGVAXIA (PF) 10EXP4.5-6 CCID50/0.5 ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	1	
DUPIXENT PEN 200 MG/1.14 ML PEN INJECTOR <b>DL</b>	5	PA,QL(3.42 per 28 days)
DUPIXENT PEN 300 MG/2 ML PEN INJECTOR <b>DL</b>	5	PA,QL(8 per 28 days)
DUPIXENT SYRINGE 100 MG/0.67 ML SYRINGE <b>DL</b>	5	PA,QL(1.34 per 28 days)
DUPIXENT SYRINGE 200 MG/1.14 ML SYRINGE <b>DL</b>	5	PA,QL(3.42 per 28 days)
DUPIXENT SYRINGE 300 MG/2 ML SYRINGE <b>DL</b>	5	PA,QL(8 per 28 days)
ENBREL 25 MG (1 ML) RECON SOLUTION <b>DL</b>	5	PA,QL(8 per 28 days)
ENBREL 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) SYRINGE <b>DL</b>	5	PA,QL(8 per 28 days)
ENBREL 25 MG/0.5 ML SOLUTION <b>DL</b>	5	PA,QL(8 per 28 days)
ENBREL MINI 50 MG/ML (1 ML) CARTRIDGE <b>DL</b>	5	PA,QL(8 per 28 days)
ENBREL SURECLICK 50 MG/ML (1 ML) PEN INJECTOR <b>DL</b>	5	PA,QL(8 per 28 days)
ENGERIX-B (PF) 20 MCG/ML SUSPENSION <b>AV,DL</b>	1	BvsD
ENGERIX-B (PF) 20 MCG/ML SYRINGE <b>AV,DL</b>	1	BvsD
ENGERIX-B PEDIATRIC (PF) 10 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	BvsD
ENJAYMO 50 MG/ML SOLUTION <b>DL</b>	5	PA
ENSPRYNG 120 MG/ML SYRINGE <b>DL</b>	5	PA,QL(2 per 28 days)
ENTYVIO 300 MG RECON SOLUTION	5	PA,QL(8 per 365 days)
ENTYVIO PEN 108 MG/0.68 ML PEN INJECTOR <b>DL</b>	5	PA,QL(1.36 per 28 days)
ENVARSUS XR 0.75 MG, 1 MG TABLET, ER 24 HR. <b>MO</b>	4	PA
ENVARSUS XR 4 MG TABLET, ER 24 HR. <b>DL</b>	4	PA
everolimus (immunosuppressive) 0.25 mg TABLET <b>MO</b>	2	BvsD,QL(60 per 30 days)
everolimus (immunosuppressive) 0.5 mg TABLET <b>DL</b>	5	BvsD,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
everolimus (immunosuppressive) 0.75 mg, 1 mg TABLET <b>DL</b>	5	BvsD,QL(60 per 30 days)
FABHALTA 200 MG CAPSULE <b>DL</b>	5	PA,QL(60 per 30 days)
FIRAZYR 30 MG/3 ML SYRINGE <b>DL</b>	5	PA,QL(18 per 30 days)
FLEBOGAMMA DIF 10 %, 5 % SOLUTION <b>DL</b>	5	PA
GAMASTAN 15-18 % RANGE SOLUTION <b>MO</b>	4	PA
GAMIFANT 5 MG/ML SOLUTION <b>DL</b>	5	PA
GAMMAGARD LIQUID 10 % SOLUTION <b>DL</b>	5	PA
GAMMAGARD S-D (IGA < 1 MCG/ML) 10 GRAM, 5 GRAM RECON SOLUTION <b>DL</b>	5	PA
GAMMAKED 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION <b>DL</b>	5	PA
GAMMAPLEX 10 % SOLUTION <b>DL</b>	5	PA
GAMMAPLEX (WITH SORBITOL) 5 % SOLUTION <b>DL</b>	5	PA
GAMUNEX-C 1 GRAM/10 ML (10 %) SOLUTION <b>DL</b>	5	PA
GAMUNEX-C 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION <b>DL</b>	5	PA
GARDASIL 9 (PF) 0.5 ML SUSPENSION <b>AV,DL</b>	1	
GARDASIL 9 (PF) 0.5 ML SYRINGE <b>AV,DL</b>	1	
gengraf 100 mg, 25 mg CAPSULE <b>MO</b>	2	BvsD
gengraf 100 mg/ml SOLUTION <b>MO</b>	2	BvsD
HADLIMA 40 MG/0.8 ML SYRINGE <b>DL</b>	5	PA,QL(4.8 per 28 days)
HADLIMA PUSHTOUCH 40 MG/0.8 ML AUTO-INJECTOR <b>DL</b>	5	PA,QL(4.8 per 28 days)
HADLIMA(CF) 40 MG/0.4 ML SYRINGE <b>DL</b>	5	PA,QL(2.4 per 28 days)
HADLIMA(CF) PUSHTOUCH 40 MG/0.4 ML AUTO-INJECTOR <b>DL</b>	5	PA,QL(2.4 per 28 days)
HAEGARDA 2,000 UNIT, 3,000 UNIT RECON SOLUTION <b>DL</b>	5	PA,QL(24 per 28 days)
HAVRIX (PF) 1,440 ELISA UNIT/ML SYRINGE <b>AV,DL</b>	1	
HAVRIX (PF) 720 ELISA UNIT/0.5 ML SYRINGE <b>DL</b>	1	
HEPLISAV-B (PF) 20 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	BvsD
HIBERIX (PF) 10 MCG/0.5 ML RECON SOLUTION <b>DL</b>	1	
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION <b>DL</b>	5	PA
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SYRINGE <b>DL</b>	5	PA
HULIO(CF) 20 MG/0.4 ML SYRINGE KIT <b>DL</b>	5	PA,QL(2 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HULIO(CF) 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	5	PA,QL(6 per 28 days)
HULIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
HUMIRA 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	5	PA,QL(6 per 28 days)
HUMIRA PEN 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
HUMIRA PEN CROHNS-UC-HS START 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
HUMIRA PEN PSOR-UVEITS-ADOL HS 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
HUMIRA(CF) 10 MG/0.1 ML SYRINGE KIT <b>DL</b>	5	PA,QL(2 per 28 days)
HUMIRA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT <b>DL</b>	5	PA,QL(6 per 28 days)
HUMIRA(CF) PEDI CROHNS STARTER 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML SYRINGE KIT <b>DL</b>	5	PA,QL(6 per 28 days)
HUMIRA(CF) PEN 40 MG/0.4 ML, 80 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
HUMIRA(CF) PEN CROHNS-UC-HS 80 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PEDIATRIC UC 80 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PSOR-UV-ADOL HS 80 MG/0.8 ML-40 MG/0.4 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
HYPERRAB (PF) 300 UNIT/ML SOLUTION <b>DL</b>	5	BvsD
HYPERTET (PF) 250 UNIT/ML SYRINGE <b>DL</b>	4	BvsD
HYRIMOZ PEN CROHN'S-UC STARTER 80 MG/0.8 ML PEN INJECTOR <b>DL</b>	5	PA,QL(4.8 per 28 days)
HYRIMOZ PEN PSORIASIS STARTER 80MG/0.8ML(X1)- 40 MG/0.4ML(X2) PEN INJECTOR <b>DL</b>	5	PA,QL(3.2 per 28 days)
HYRIMOZ(CF) 10 MG/0.1 ML SYRINGE <b>DL</b>	5	PA,QL(0.2 per 28 days)
HYRIMOZ(CF) 20 MG/0.2 ML SYRINGE <b>DL</b>	5	PA,QL(1.2 per 28 days)
HYRIMOZ(CF) 40 MG/0.4 ML SYRINGE <b>DL</b>	5	PA,QL(2.4 per 28 days)
HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML SYRINGE <b>DL</b>	5	PA,QL(4.8 per 28 days)
HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML- 40 MG/0.4 ML SYRINGE <b>DL</b>	5	PA,QL(3.6 per 28 days)
HYRIMOZ(CF) PEN 40 MG/0.4 ML PEN INJECTOR <b>DL</b>	5	PA,QL(2.4 per 28 days)
HYRIMOZ(CF) PEN 80 MG/0.8 ML PEN INJECTOR <b>DL</b>	5	PA,QL(4.8 per 28 days)
icatibant 30 mg/3 ml SYRINGE <b>DL</b>	5	PA,QL(18 per 30 days)
IDACIO(CF) 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	5	PA,QL(6 per 28 days)
IDACIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
IDACIO(CF) PEN CROHN-UC STARTR 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
IDACIO(CF) PEN PSORIASIS START 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(6 per 28 days)
ILUMYA 100 MG/ML SYRINGE	5	PA,QL(6 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
IMOGLAM RABIES-HT (PF) 150 UNIT/ML SOLUTION <b>DL</b>	4	BvsD
IMOVOX RABIES VACCINE (PF) 2.5 UNIT RECON SOLUTION <b>AV,DL</b>	1	BvsD
IMURAN 50 MG TABLET <b>MO</b>	4	PA
INFANRIX (DTAP) (PF) 25-58-10 LF-MCG-LF/0.5ML SYRINGE <b>DL</b>	1	
INFLECTRA 100 MG RECON SOLUTION <b>DL</b>	5	PA
INFLIXIMAB 100 MG RECON SOLUTION <b>DL</b>	5	PA
INTRON A 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML) RECON SOLUTION <b>MO</b>	4	PA
INTRON A 50 MILLION UNIT (1 ML) RECON SOLUTION <b>MO</b>	3	PA
IPOPOL 40-8-32 UNIT/0.5 ML SUSPENSION <b>AV,DL</b>	1	
IXCHIQ (PF) 1,000 TCID50/0.5 ML RECON SOLUTION <b>AV,DL</b>	1	
IXIARO (PF) 6 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	
JYLAJAMVO 2 MG/ML SOLUTION <b>DL</b>	4	PA
JYNNEOS (PF) 0.5X TO 3.95X 10EXP8 UNIT/0.5 SUSPENSION <b>AV,DL</b>	1	
KEDRAB (PF) 150 UNIT/ML SOLUTION <b>DL</b>	5	BvsD
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML PEN INJECTOR <b>DL</b>	5	PA,QL(2.28 per 28 days)
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML SYRINGE <b>DL</b>	5	PA,QL(2.28 per 28 days)
KINERET 100 MG/0.67 ML SYRINGE <b>DL</b>	5	PA,QL(20.1 per 30 days)
KINRIX (PF) 25 LF-58 MCG-10 LF/0.5 ML SYRINGE <b>DL</b>	1	
leflunomide 10 mg, 20 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
LUPKYNIS 7.9 MG CAPSULE <b>DL</b>	5	PA,QL(180 per 30 days)
M-M-R II (PF) 1,000-12,500 TCID50/0.5 ML RECON SOLUTION <b>AV,DL</b>	1	
MENACTRA (PF) 4 MCG/0.5 ML SOLUTION <b>AV,DL</b>	1	
MENQUADFI (PF) 10 MCG/0.5 ML SOLUTION <b>AV,DL</b>	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML KIT <b>AV,DL</b>	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML SOLUTION <b>AV,DL</b>	1	
methotrexate sodium 2.5 mg TABLET <b>MO</b>	2	BvsD
methotrexate sodium 25 mg/ml SOLUTION <b>MO</b>	1	
methotrexate sodium (pf) 1 gram RECON SOLUTION <b>MO</b>	2	
methotrexate sodium (pf) 25 mg/ml SOLUTION <b>MO</b>	1	
MONJUVI 200 MG RECON SOLUTION <b>DL</b>	5	PA
MRESVIA (PF) 50 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	
mycophenolate mofetil 200 mg/ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
mycophenolate mofetil 250 mg CAPSULE <b>MO</b>	2	BvsD
mycophenolate mofetil 500 mg TABLET <b>MO</b>	2	BvsD
mycophenolate mofetil (hcl) 500 mg RECON SOLUTION <b>MO</b>	2	BvsD
mycophenolate sodium 180 mg, 360 mg TABLET, DR/EC <b>MO</b>	2	BvsD
MYFORTIC 180 MG TABLET, DR/EC <b>MO</b>	4	BvsD
MYFORTIC 360 MG TABLET, DR/EC <b>DL</b>	5	BvsD
MYHIBBIN 200 MG/ML SUSPENSION <b>DL</b>	5	BvsD
NEORAL 100 MG, 25 MG CAPSULE <b>MO</b>	4	BvsD
NEORAL 100 MG/ML SOLUTION <b>MO</b>	4	BvsD
OCTAGAM 10 %, 5 % SOLUTION <b>DL</b>	5	PA
OLUMIANT 1 MG, 2 MG, 4 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
OMVOH 100 MG/ML SYRINGE <b>DL</b>	5	PA,QL(2 per 28 days)
OMVOH 300 MG/15 ML (20 MG/ML) SOLUTION <b>DL</b>	5	PA
OMVOH PEN 100 MG/ML PEN INJECTOR <b>DL</b>	5	PA,QL(2 per 28 days)
ORENCIA 125 MG/ML SYRINGE <b>DL</b>	5	PA,QL(4 per 28 days)
ORENCIA 50 MG/0.4 ML SYRINGE <b>DL</b>	5	PA,QL(1.6 per 28 days)
ORENCIA 87.5 MG/0.7 ML SYRINGE <b>DL</b>	5	PA,QL(2.8 per 28 days)
ORENCIA CLICKJECT 125 MG/ML AUTO-INJECTOR <b>DL</b>	5	PA,QL(4 per 28 days)
ORLADEYO 110 MG, 150 MG CAPSULE <b>DL</b>	5	PA,QL(28 per 28 days)
OTREXUP (PF) 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(1.6 per 28 days)
PANZYGA 10 % SOLUTION <b>DL</b>	5	PA
PEDIARIX (PF) 10 MCG-25LF-25 MCG-10LF/0.5 ML SYRINGE <b>DL</b>	1	
PEDVAX HIB (PF) 7.5 MCG/0.5 ML SOLUTION <b>DL</b>	1	
PEGASYS 180 MCG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(2 per 28 days)
PEGASYS 180 MCG/ML SOLUTION <b>DL</b>	5	PA,QL(4 per 28 days)
PENBRAYA (PF) 5-120 MCG/0.5 ML KIT <b>AV,DL</b>	1	
PENTACEL (PF) 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML KIT <b>DL</b>	1	
PIASKY 340 MG/2 ML SOLUTION <b>DL</b>	5	PA
PREHEVBRIOS (PF) 10 MCG/ML SUSPENSION <b>AV,DL</b>	1	BvsD
PRIORIX (PF) 10EXP3.4-4.2- 3.3CCID50/0.5ML SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
PRIVIGEN 10 % SOLUTION <b>DL</b>	5	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PROGRAF 0.2 MG, 1 MG GRANULES IN PACKET <b>MO</b>	4	BvsD
PROGRAF 0.5 MG, 1 MG, 5 MG CAPSULE <b>MO</b>	4	BvsD
PROQUAD (PF) 10EXP3-4.3-3- 3.99 TCID50/0.5 SUSPENSION FOR RECONSTITUTION <b>DL</b>	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SUSPENSION <b>DL</b>	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SYRINGE <b>DL</b>	1	
RABAVERT (PF) 2.5 UNIT SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	BvsD
RAPAMUNE 0.5 MG, 1 MG, 2 MG TABLET <b>DL</b>	5	BvsD
RAPAMUNE 1 MG/ML SOLUTION <b>DL</b>	5	BvsD
RASUVO (PF) 10 MG/0.2 ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(0.8 per 28 days)
RASUVO (PF) 12.5 MG/0.25 ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(1 per 28 days)
RASUVO (PF) 15 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(1.2 per 28 days)
RASUVO (PF) 17.5 MG/0.35 ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(1.4 per 28 days)
RASUVO (PF) 20 MG/0.4 ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(1.6 per 28 days)
RASUVO (PF) 22.5 MG/0.45 ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(1.8 per 28 days)
RASUVO (PF) 25 MG/0.5 ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(2 per 28 days)
RASUVO (PF) 30 MG/0.6 ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(2.4 per 28 days)
RASUVO (PF) 7.5 MG/0.15 ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(0.6 per 28 days)
RECOMBIVAX HB (PF) 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML SUSPENSION <b>AV,DL</b>	1	BvsD
RECOMBIVAX HB (PF) 10 MCG/ML, 5 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	BvsD
REDITREX (PF) 10 MG/0.4 ML SYRINGE <b>MO</b>	4	PA,QL(1.6 per 28 days)
REDITREX (PF) 12.5 MG/0.5 ML SYRINGE <b>MO</b>	4	PA,QL(2 per 28 days)
REDITREX (PF) 15 MG/0.6 ML SYRINGE <b>MO</b>	4	PA,QL(2.4 per 28 days)
REDITREX (PF) 17.5 MG/0.7 ML SYRINGE <b>MO</b>	4	PA,QL(2.8 per 28 days)
REDITREX (PF) 20 MG/0.8 ML SYRINGE <b>MO</b>	4	PA,QL(3.2 per 28 days)
REDITREX (PF) 22.5 MG/0.9 ML SYRINGE <b>MO</b>	4	PA,QL(3.6 per 28 days)
REDITREX (PF) 25 MG/ML SYRINGE <b>MO</b>	4	PA,QL(4 per 28 days)
REDITREX (PF) 7.5 MG/0.3 ML SYRINGE <b>MO</b>	4	PA,QL(1.2 per 28 days)
REMICADE 100 MG RECON SOLUTION <b>DL</b>	5	PA
RENFLEXIS 100 MG RECON SOLUTION <b>DL</b>	5	PA
REZUROCK 200 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
RHOPHYLAC 1,500 UNIT (300 MCG)/2 ML SYRINGE <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RIDAURA 3 MG CAPSULE <b>DL</b>	5	PA
RINVOQ 15 MG, 30 MG TABLET, ER 24 HR. <b>DL</b>	5	PA,QL(30 per 30 days)
RINVOQ 45 MG TABLET, ER 24 HR. <b>DL</b>	5	PA,QL(168 per 365 days)
RINVOQ LQ 1 MG/ML SOLUTION <b>DL</b>	5	PA,QL(360 per 30 days)
ROTARIX 10EXP6 CCID50 /1.5 ML SUSPENSION <b>DL</b>	1	
ROTARIX 10EXP6 CCID50/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	1	
ROTAQE VACCINE 2 ML SOLUTION <b>DL</b>	1	
RUCONEST 2,100 UNIT RECON SOLUTION <b>DL</b>	5	PA,QL(8 per 28 days)
RYSTIGGO 140 MG/ML SOLUTION <b>DL</b>	5	PA
sajazir 30 mg/3 ml SYRINGE <b>DL</b>	5	PA,QL(18 per 30 days)
SANDIMMUNE 100 MG, 25 MG CAPSULE <b>MO</b>	4	BvsD
SANDIMMUNE 100 MG/ML SOLUTION <b>MO</b>	4	BvsD
SAPHNELO 300 MG/2 ML (150 MG/ML) SOLUTION <b>DL</b>	5	PA,QL(2 per 28 days)
SHINGRIX (PF) 50 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
SILIQ 210 MG/1.5 ML SYRINGE <b>DL</b>	5	PA,QL(6 per 28 days)
SIMLANDI(CF) AUTOINJECTOR 40 MG/0.4 ML AUTO-INJECTOR, KIT <b>DL</b>	5	PA,QL(6 per 28 days)
SIMPONI 100 MG/ML PEN INJECTOR <b>DL</b>	5	PA,QL(3 per 28 days)
SIMPONI 100 MG/ML SYRINGE <b>DL</b>	5	PA,QL(3 per 28 days)
SIMPONI 50 MG/0.5 ML PEN INJECTOR <b>DL</b>	5	PA,QL(0.5 per 30 days)
SIMPONI 50 MG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(0.5 per 30 days)
SIMPONI ARIA 12.5 MG/ML SOLUTION <b>DL</b>	5	PA,QL(20 per 28 days)
SIMULECT 10 MG, 20 MG RECON SOLUTION <b>DL</b>	5	BvsD
sirolimus 0.5 mg, 1 mg, 2 mg TABLET <b>MO</b>	2	BvsD
sirolimus 1 mg/ml SOLUTION <b>MO</b>	2	BvsD
SKYRIZI 150 MG/ML PEN INJECTOR	5	PA,QL(6 per 365 days)
SKYRIZI 150 MG/ML SYRINGE	5	PA,QL(6 per 365 days)
SKYRIZI 180 MG/1.2 ML (150 MG/ML) WEARABLE INJECTOR <b>DL</b>	5	PA,QL(8.4 per 365 days)
SKYRIZI 360 MG/2.4 ML (150 MG/ML) WEARABLE INJECTOR <b>DL</b>	5	PA,QL(16.8 per 365 days)
SKYRIZI 60 MG/ML SOLUTION <b>DL</b>	5	PA,QL(30 per 365 days)
SOLIRIS 300 MG/30 ML SOLUTION <b>DL</b>	5	PA
SOTYKTU 6 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
SPEVIGO 150 MG/ML SYRINGE <b>DL</b>	5	PA,QL(4 per 28 days)
SPEVIGO 60 MG/ML SOLUTION <b>DL</b>	5	PA,QL(30 per 84 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
STELARA 130 MG/26 ML SOLUTION <b>DL</b>	5	PA,QL(104 per 30 days)
STELARA 45 MG/0.5 ML SOLUTION <b>DL</b>	5	PA,QL(1.5 per 84 days)
STELARA 45 MG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(1.5 per 84 days)
STELARA 90 MG/ML SYRINGE <b>DL</b>	5	PA,QL(3 per 84 days)
SYLVANT 100 MG, 400 MG RECON SOLUTION <b>DL</b>	5	PA
tacrolimus 0.5 mg, 1 mg, 5 mg CAPSULE <b>MO</b>	2	BvsD
tacrolimus 0.5 mg, 1 mg, 5 mg CAPSULE, ER 24 HR. <b>MO</b>	2	BvsD
TAKHZYRO 150 MG/ML SYRINGE <b>DL</b>	5	PA,QL(2 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SOLUTION <b>DL</b>	5	PA,QL(4 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SYRINGE <b>DL</b>	5	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR 80 MG/ML AUTO-INJECTOR <b>DL</b>	5	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (2 PACK) 80 MG/ML AUTO-INJECTOR <b>DL</b>	5	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (3 PACK) 80 MG/ML AUTO-INJECTOR <b>DL</b>	5	PA,QL(4 per 28 days)
TALTZ SYRINGE 80 MG/ML SYRINGE <b>DL</b>	5	PA,QL(4 per 28 days)
TAVNEOS 10 MG CAPSULE <b>DL</b>	5	PA,QL(180 per 30 days)
TDVAX 2-2 LF UNIT/0.5 ML SUSPENSION <b>AV,DL</b>	1	
TENIVAC (PF) 5 LF UNIT- 2 LF UNIT/0.5ML SUSPENSION <b>AV,DL</b>	1	
TENIVAC (PF) 5-2 LF UNIT/0.5 ML SYRINGE <b>AV,DL</b>	1	
TETANUS,DIPHTHERIA TOX PED(PF) 5-25 LF UNIT/0.5 ML SUSPENSION <b>DL</b>	1	
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) PEN INJECTOR <b>DL</b>	5	PA,QL(1.91 per 28 days)
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) SYRINGE <b>DL</b>	5	PA,QL(1.91 per 28 days)
THYMOGLOBULIN 25 MG RECON SOLUTION <b>MO</b>	4	PA
TICOVAC 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	
TREMFYA 100 MG/ML AUTO-INJECTOR	5	PA,QL(8 per 365 days)
TREMFYA 100 MG/ML SYRINGE	5	PA,QL(8 per 365 days)
TREXALL 10 MG, 15 MG, 5 MG, 7.5 MG TABLET <b>MO</b>	2	BvsD
TRUMENBA 120 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	
TWINRIX (PF) 720 ELISA UNIT- 20 MCG/ML SYRINGE <b>AV,DL</b>	1	
TYENNE 162 MG/0.9 ML SYRINGE <b>DL</b>	5	PA,QL(3.6 per 28 days)
TYENNE AUTOINJECTOR 162 MG/0.9 ML PEN INJECTOR <b>DL</b>	5	PA,QL(3.6 per 28 days)
TYPHIM VI 25 MCG/0.5 ML SOLUTION <b>AV,DL</b>	1	
TYPHIM VI 25 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	
ULTOMIRIS 100 MG/ML SOLUTION	5	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
UPLIZNA 10 MG/ML SOLUTION <b>DL</b>	5	PA,QL(120 per 365 days)
VAQTA (PF) 25 UNIT/0.5 ML SUSPENSION <b>DL</b>	1	
VAQTA (PF) 25 UNIT/0.5 ML SYRINGE <b>DL</b>	1	
VAQTA (PF) 50 UNIT/ML SUSPENSION <b>AV,DL</b>	1	
VAQTA (PF) 50 UNIT/ML SYRINGE <b>AV,DL</b>	1	
VARIVAX (PF) 1,350 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
VARIZIG 125 UNIT/1.2 ML SOLUTION <b>DL</b>	5	PA,QL(12 per 30 days)
VELSIPITY 2 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
VEOPOZ 200 MG/ML SOLUTION <b>DL</b>	5	PA
VOYDEYA 100 MG, 150 MG (50 MG X 1-100 MG X 1) TABLET <b>DL</b>	5	PA,QL(180 per 30 days)
VYVGART 20 MG/ML SOLUTION <b>DL</b>	5	PA
VYVGART HYTRULO 1,008 MG-11,200 UNIT/5.6 ML SOLUTION <b>DL</b>	5	PA,QL(22.4 per 28 days)
WINRHO SDF 1,500 UNIT (300 MCG)/1.3 ML, 15000 UNIT(3000 MCG)/13 ML, 2,500 UNIT (500 MCG)/2.2 ML, 5,000 UNIT(1000 MCG)/4.4 ML SOLUTION <b>DL</b>	5	BvsD
XATMEP 2.5 MG/ML SOLUTION <b>MO</b>	4	PA
XELJANZ 1 MG/ML SOLUTION <b>DL</b>	5	PA,QL(300 per 30 days)
XELJANZ 10 MG, 5 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
XELJANZ XR 11 MG, 22 MG TABLET, ER 24 HR. <b>DL</b>	5	PA,QL(30 per 30 days)
XEMBIFY 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION <b>DL</b>	5	PA
XOLAIR 150 MG RECON SOLUTION <b>DL</b>	5	PA,QL(8 per 28 days)
XOLAIR 150 MG/ML, 300 MG/2 ML AUTO-INJECTOR <b>DL,LA</b>	5	PA,QL(8 per 28 days)
XOLAIR 150 MG/ML, 300 MG/2 ML SYRINGE <b>DL,LA</b>	5	PA,QL(8 per 28 days)
XOLAIR 75 MG/0.5 ML AUTO-INJECTOR <b>DL,LA</b>	5	PA,QL(4 per 28 days)
XOLAIR 75 MG/0.5 ML SYRINGE <b>DL,LA</b>	5	PA,QL(4 per 28 days)
YF-VAX (PF) 10 EXP4.74 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
YUFLYMA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT <b>DL</b>	5	PA,QL(6 per 28 days)
YUFLYMA(CF) AI CROHN'S-UC-HS 80 MG/0.8 ML AUTO-INJECTOR, KIT <b>DL</b>	5	PA,QL(6 per 28 days)
YUFLYMA(CF) AUTOINJECTOR 40 MG/0.4 ML, 80 MG/0.8 ML AUTO-INJECTOR, KIT <b>DL</b>	5	PA,QL(6 per 28 days)
YUSIMRY(CF) PEN 40 MG/0.8 ML PEN INJECTOR <b>DL</b>	5	PA,QL(4.8 per 28 days)
ZILBRYSQ 16.6 MG/0.416 ML, 23 MG/0.574 ML, 32.4 MG/0.81 ML SYRINGE <b>DL</b>	5	PA
ZORTRESS 0.25 MG, 0.75 MG, 1 MG TABLET <b>DL</b>	5	BvsD,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZORTRESS 0.5 MG TABLET <b>DL</b>	5	BvsD,QL(120 per 30 days)
ZYMFENTRA 120 MG/ML PEN INJECTOR KIT <b>DL</b>	5	PA,QL(2 per 28 days)
ZYMFENTRA 120 MG/ML SYRINGE KIT <b>DL</b>	5	PA,QL(2 per 28 days)
<b>INFLAMMATORY BOWEL DISEASE AGENTS</b>		
APRISO 0.375 GRAM CAPSULE, ER 24 HR. <b>MO</b>	4	ST,QL(120 per 30 days)
ASACOL HD 800 MG TABLET, DR/EC <b>MO</b>	4	ST,QL(180 per 30 days)
AZULFIDINE 500 MG TABLET <b>MO</b>	4	
AZULFIDINE EN-TABS 500 MG TABLET, DR/EC <b>MO</b>	4	
balsalazide 750 mg <b>CAPSULE MO</b>	2	
budesonide 2 mg/actuation <b>FOAM MO</b>	2	PA
budesonide 3 mg <b>CAPSULE, DR/EC MO</b>	2	
budesonide 9 mg <b>TABLET, DR/ER DL</b>	5	PA,QL(30 per 30 days)
CANASA 1,000 MG SUPPOSITORY <b>DL</b>	5	ST,QL(30 per 30 days)
COLAZAL 750 MG CAPSULE <b>DL</b>	5	PA
CORTENEMA 100 MG/60 ML ENEMA <b>MO</b>	4	
CORTIFOAM 10 % (80 MG) FOAM <b>MO</b>	4	
DELZICOL 400 MG CAPSULE (WITH DR TABLETS) <b>MO</b>	4	ST,QL(180 per 30 days)
DIPENTUM 250 MG CAPSULE <b>DL</b>	5	ST,QL(120 per 30 days)
hydrocortisone 100 mg/60 ml <b>ENEMA MO</b>	2	
LIALDA 1.2 GRAM TABLET, DR/EC <b>MO</b>	4	ST,QL(120 per 30 days)
mesalamine 0.375 gram <b>CAPSULE, ER 24 HR. MO</b>	2	QL(120 per 30 days)
mesalamine 1,000 mg <b>SUPPOSITORY MO</b>	2	ST,QL(30 per 30 days)
mesalamine 1.2 gram <b>TABLET, DR/EC MO</b>	2	ST,QL(120 per 30 days)
mesalamine 4 gram/60 ml <b>ENEMA MO</b>	2	QL(1800 per 30 days)
mesalamine 400 mg <b>CAPSULE (WITH DR TABLETS) MO</b>	2	ST,QL(180 per 30 days)
mesalamine 500 mg <b>CAPSULE, ER MO</b>	2	ST,QL(300 per 30 days)
mesalamine 800 mg <b>TABLET, DR/EC MO</b>	2	ST,QL(180 per 30 days)
ORTIKOS 6 MG, 9 MG CAPSULE, ER <b>DL</b>	5	PA,QL(30 per 30 days)
PENTASA 250 MG CAPSULE, ER <b>MO</b>	4	ST,QL(150 per 30 days)
PENTASA 500 MG CAPSULE, ER <b>DL</b>	5	ST,QL(300 per 30 days)
PROCTOFOAM HC 1-1 % <b>FOAM MO</b>	2	
ROWASA 4 GRAM/60 ML ENEMA <b>MO</b>	4	QL(1800 per 30 days)
SFROWASA 4 GRAM/60 ML ENEMA <b>MO</b>	4	QL(1800 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
sulfasalazine 500 mg TABLET <b>MO</b>	1	
sulfasalazine 500 mg TABLET, DR/EC <b>MO</b>	2	
TARPEYO 4 MG CAPSULE, DR/EC <b>DL</b>	5	PA,QL(120 per 30 days)
UCERIS 2 MG/ACTUATION FOAM <b>MO</b>	4	PA
UCERIS 9 MG TABLET, DR/ER <b>MO</b>	4	PA,QL(30 per 30 days)
<b>METABOLIC BONE DISEASE AGENTS</b>		
ACTONEL 150 MG TABLET <b>MO</b>	4	PA,QL(1 per 30 days)
ACTONEL 35 MG TABLET <b>MO</b>	4	PA,QL(4 per 28 days)
alendronate 10 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
alendronate 35 mg TABLET <b>MO</b>	1	QL(4 per 28 days)
alendronate 70 mg TABLET <b>MO</b>	1	QL(4 per 28 days)
alendronate 70 mg/75 ml SOLUTION <b>MO</b>	2	QL(300 per 28 days)
ATELVIA 35 MG TABLET, DR/EC <b>MO</b>	4	PA,QL(4 per 28 days)
BINOSTO 70 MG TABLET, EFFERVESCENT <b>MO</b>	4	ST,QL(4 per 28 days)
BONIVA 150 MG TABLET <b>MO</b>	4	PA,QL(1 per 28 days)
calcitonin (salmon) 200 unit/actuation SPRAY, NON-AEROSOL <b>MO</b>	2	QL(3.7 per 28 days)
calcitonin (salmon) 200 unit/ml SOLUTION <b>DL</b>	5	
calcitriol 0.25 mcg, 0.5 mcg CAPSULE <b>MO</b>	2	
calcitriol 1 mcg/ml SOLUTION <b>MO</b>	2	
cinacalcet 30 mg, 60 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
cinacalcet 90 mg TABLET <b>MO</b>	2	QL(120 per 30 days)
doxercalciferol 0.5 mcg, 1 mcg, 2.5 mcg CAPSULE <b>MO</b>	2	
doxercalciferol 4 mcg/2 ml SOLUTION <b>MO</b>	2	
EVENITY 105 MG/1.17 ML, 210MG/2.34ML (105MG/1.17MLX2) SYRINGE <b>DL</b>	5	PA,QL(2.34 per 30 days)
FORTEO 20 MCG/DOSE (600MCG/2.4ML) PEN INJECTOR <b>DL</b>	5	PA,QL(2.4 per 28 days)
FOSAMAX 70 MG TABLET <b>MO</b>	4	PA,QL(4 per 28 days)
FOSAMAX PLUS D 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT TABLET <b>MO</b>	4	ST,QL(4 per 28 days)
HECTOROL 4 MCG/2 ML SOLUTION <b>MO</b>	4	
ibandronate 150 mg TABLET <b>MO</b>	2	QL(1 per 28 days)
ibandronate 3 mg/3 ml SOLUTION <b>MO</b>	2	PA,QL(3 per 90 days)
ibandronate 3 mg/3 ml SYRINGE <b>MO</b>	2	PA,QL(3 per 90 days)
MIACALCIN 200 UNIT/ML SOLUTION <b>DL</b>	5	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NATPARA 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE CARTRIDGE <b>DL,LA</b>	5	PA,QL(2 per 28 days)
pamidronate 30 mg/10 ml (3 mg/ml) SOLUTION <b>MO</b>	1	QL(30 per 21 days)
pamidronate 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml) SOLUTION <b>MO</b>	1	QL(10 per 21 days)
paricalcitol 1 mcg, 2 mcg CAPSULE <b>MO</b>	2	QL(30 per 30 days)
paricalcitol 2 mcg/ml SOLUTION <b>MO</b>	2	QL(24 per 30 days)
paricalcitol 4 mcg CAPSULE <b>MO</b>	2	QL(12 per 30 days)
paricalcitol 5 mcg/ml SOLUTION <b>MO</b>	2	QL(48 per 28 days)
PROLIA 60 MG/ML SYRINGE <b>MO</b>	4	QL(1 per 180 days)
RAYALDEE 30 MCG CAPSULE, ER 24 HR. <b>DL</b>	5	QL(60 per 30 days)
RECLAST 5 MG/100 ML PIGGYBACK <b>MO</b>	4	PA,QL(100 per 365 days)
risedronate 150 mg TABLET <b>MO</b>	2	QL(1 per 30 days)
risedronate 30 mg, 5 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
risedronate 35 mg TABLET <b>MO</b>	2	QL(4 per 28 days)
risedronate 35 mg TABLET, DR/EC <b>MO</b>	2	QL(4 per 28 days)
ROCALTROL 0.25 MCG, 0.5 MCG CAPSULE <b>MO</b>	4	
ROCALTROL 1 MCG/ML SOLUTION <b>MO</b>	4	
SENSIPAR 30 MG TABLET <b>MO</b>	4	QL(60 per 30 days)
SENSIPAR 60 MG TABLET <b>DL</b>	5	QL(60 per 30 days)
SENSIPAR 90 MG TABLET <b>DL</b>	5	QL(120 per 30 days)
TYMLOS 80 MCG (3,120 MCG/1.56 ML) PEN INJECTOR <b>DL</b>	5	PA,QL(1.56 per 30 days)
XGEVA 120 MG/1.7 ML (70 MG/ML) SOLUTION <b>DL</b>	5	PA,QL(1.7 per 28 days)
ZEMPLAR 1 MCG, 2 MCG CAPSULE <b>MO</b>	4	QL(30 per 30 days)
ZEMPLAR 2 MCG/ML SOLUTION <b>DL</b>	5	QL(24 per 30 days)
ZEMPLAR 5 MCG/ML SOLUTION <b>DL</b>	5	QL(48 per 28 days)
zoledronic ac-mannitol-0.9nacl 4 mg/100 ml PIGGYBACK <b>MO</b>	2	QL(300 per 21 days)
zoledronic acid 4 mg RECON SOLUTION <b>MO</b>	2	
zoledronic acid 4 mg/5 ml SOLUTION <b>MO</b>	2	QL(15 per 21 days)
zoledronic acid-mannitol-water 4 mg/100 ml PIGGYBACK <b>MO</b>	2	QL(300 per 21 days)
zoledronic acid-mannitol-water 5 mg/100 ml PIGGYBACK <b>MO</b>	1	PA,QL(100 per 365 days)
<b>MISCELLANEOUS THERAPEUTIC AGENTS</b>		
ACETADOTE 200 MG/ML (20 %) SOLUTION <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
acetaminophen 1,000 mg/100 ml (10 mg/ml), 500 mg/50 ml (10 mg/ml) <b>SOLUTION MO</b>	2	
acetic acid 0.25 % <b>SOLUTION MO</b>	2	
acetylcysteine 200 mg/ml (20 %) <b>SOLUTION MO</b>	2	
ADAKVEO 10 MG/ML <b>SOLUTION DL</b>	5	PA
ADSTILADRIN 3X10EXP11 VP/ML SUSPENSION	5	PA
ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
ALCOHOL SWABS PADS, MEDICATED <b>MO</b>	1	
ALCOHOL WIPES PADS, MEDICATED <b>MO</b>	1	
ALLZITAL 25-325 MG TABLET <b>MO</b>	2	QL(360 per 30 days)
AMMONUL 10-10 % <b>SOLUTION DL</b>	5	
AUTOJECT 2 INJECTION DEVICE INSULIN PEN <b>MO</b>	1	
AUTOPEN 1 TO 21 UNITS INSULIN PEN <b>MO</b>	1	
AUTOPEN 2 TO 42 UNITS INSULIN PEN <b>MO</b>	1	
BAND-AID GAUZE PADS 2 X 2 " BANDAGE <b>MO</b>	1	
BD ALCOHOL SWABS PADS, MEDICATED <b>MO</b>	1	
BD AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE <b>PDS,MO</b>	1	
BD ECLIPSE LUER-LOK 1 ML 30 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
BD INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.5 ML 29 GAUGE X 1/2", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
BD INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16" SYRINGE <b>PDS,MO</b>	1	
BD INSULIN SYRINGE MICRO-FINE 1 ML 28 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
BD INSULIN SYRINGE U-500 1/2 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,MO</b>	1	
BD INSULIN SYRINGE ULTRA-FINE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16 SYRINGE <b>PDS,MO</b>	1	
BD LO-DOSE MICRO-FINE IV 1/2 ML 28 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
BD NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE <b>PDS,MO</b>	1	
BD SAFETYGLIDE INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BD SAFETYGLIDE SYRINGE 1 ML 27 GAUGE X 5/8" SYRINGE <b>PDS,MO</b>	1	
BD ULTRA-FINE MICRO PEN NEEDLE 32 GAUGE X 1/4" NEEDLE <b>PDS,MO</b>	1	
BD ULTRA-FINE MINI PEN NEEDLE 31 GAUGE X 3/16" NEEDLE <b>PDS,MO</b>	1	
BD ULTRA-FINE NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE <b>PDS,MO</b>	1	
BD ULTRA-FINE ORIG PEN NEEDLE 29 GAUGE X 1/2" NEEDLE <b>PDS,MO</b>	1	
BD ULTRA-FINE SHORT PEN NEEDLE 31 GAUGE X 5/16" NEEDLE <b>PDS,MO</b>	1	
BD VEO INSULIN SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,MO</b>	1	
BD VEO INSULIN SYRINGE UF 0.3 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,MO</b>	1	
BEYFORTUS 100 MG/ML, 50 MG/0.5 ML SYRINGE <b>DL</b>	5	
BORDERED GAUZE 2 X 2 " BANDAGE <b>MO</b>	1	
bupap 50-300 mg TABLET <b>MO</b>	2	QL(180 per 30 days)
butalbital-acetaminop-caf-cod 50-300-40-30 mg CAPSULE <b>DL</b>	2	QL(180 per 30 days)
butalbital-acetaminop-caf-cod 50-325-40-30 mg CAPSULE <b>DL</b>	2	QL(360 per 30 days)
butalbital-acetaminophen 50-300 mg CAPSULE <b>MO</b>	2	QL(180 per 30 days)
butalbital-acetaminophen 50-300 mg, 50-325 mg TABLET <b>MO</b>	2	QL(180 per 30 days)
butalbital-acetaminophen-caff 50-300-40 mg, 50-325-40 mg CAPSULE <b>MO</b>	2	QL(180 per 30 days)
butalbital-acetaminophen-caff 50-325-40 mg TABLET <b>MO</b>	2	QL(180 per 30 days)
butalbital-aspirin-caffeine 50-325-40 mg CAPSULE <b>MO</b>	2	QL(180 per 30 days)
butalbital-aspirin-caffeine 50-325-40 mg TABLET <b>MO</b>	2	QL(180 per 30 days)
BYLVAY 1,200 MCG CAPSULE <b>DL</b>	5	PA,QL(150 per 30 days)
BYLVAY 200 MCG PELLET <b>DL</b>	5	PA,QL(360 per 30 days)
BYLVAY 400 MCG CAPSULE <b>DL</b>	5	PA,QL(420 per 30 days)
BYLVAY 600 MCG PELLET <b>DL</b>	5	PA,QL(120 per 30 days)
CAFCIT 60 MG/3 ML (20 MG/ML) SOLUTION <b>MO</b>	4	
caffeine citrate 60 mg/3 ml (20 mg/ml) SOLUTION <b>MO</b>	1	
calcium disodium versenate 200 mg/ml SOLUTION <b>MO</b>	1	
CARETOUCH ALCOHOL PREP PAD PADS, MEDICATED <b>MO</b>	1	
CERVIDIL 10 MG INSERT, ER <b>MO</b>	4	
CINVANTI 130 MG/18 ML (7.2 MG/ML) EMULSION <b>MO</b>	4	PA,QL(36 per 28 days)
CLARINEX-D 12 HOUR 2.5-120 MG TABLET, ER 12 HR., MULTIPHASE <b>MO</b>	4	ST,QL(60 per 30 days)
COMBOGESIC IV 300-1,000 MG/100 ML SOLUTION <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CURITY ALCOHOL SWABS PADS, MEDICATED <b>MO</b>	1	
CURITY GAUZE 2 X 2 " BANDAGE <b>MO</b>	1	
DEFITELIO 80 MG/ML SOLUTION <b>DL</b>	5	PA
DERMACEA 2 X 2 " BANDAGE <b>MO</b>	1	
DOJOLVI 8.3 KCAL/ML LIQUID <b>DL</b>	5	PA
DROPLET INSULIN SYR(HALF UNIT) 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 0.5ML 30 GAUGE X 15/64" SYRINGE <b>PDS,MO</b>	1	
DROPLET INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 15/64", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 15/64", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16" SYRINGE <b>PDS,MO</b>	1	
DROPLET MICRON PEN NEEDLE 34 GAUGE X 9/64" NEEDLE <b>PDS,MO</b>	1	
DROPLET PEN NEEDLE 29 GAUGE X 1/2", 29 GAUGE X 3/8", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE <b>PDS,MO</b>	1	
DROPSAFE ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
DROPSAFE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16" NEEDLE <b>PDS,MO</b>	1	
DROXIA 200 MG, 300 MG, 400 MG CAPSULE <b>MO</b>	3	
EASY COMFORT ALCOHOL PAD PADS, MEDICATED <b>MO</b>	1	
EASY TOUCH ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
edetate calcium disodium 200 mg/ml SOLUTION <b>DL</b>	5	
ELYXYB 120 MG/4.8 ML (25 MG/ML) SOLUTION <b>DL</b>	5	ST,QL(43.2 per 30 days)
EMPAVELI 1,080 MG/20 ML SOLUTION <b>DL</b>	5	PA,QL(160 per 28 days)
EOHILIA 2 MG/10 ML SUSPENSION IN PACKET <b>DL</b>	5	PA
ESGIC 50-325-40 MG CAPSULE <b>MO</b>	2	QL(180 per 30 days)
ESGIC 50-325-40 MG TABLET <b>MO</b>	2	QL(180 per 30 days)
FILSPARI 200 MG, 400 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
FILSUVEZ 10 % GEL <b>DL</b>	5	PA
fioricet 50-300-40 mg CAPSULE <b>MO</b>	2	QL(180 per 30 days)
FIORICET WITH CODEINE 50-300-40-30 MG CAPSULE <b>DL</b>	4	QL(180 per 30 days)
flumazenil 0.1 mg/ml SOLUTION <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fomepizole 1 gram/ml SOLUTION <b>MO</b>	2	
GAUZE BANDAGE 2 X 2 " BANDAGE <b>MO</b>	1	
GAUZE PAD 2 X 2 " BANDAGE <b>MO</b>	1	
GIVLAARI 189 MG/ML SOLUTION <b>DL</b>	5	PA
IGALMI 120 MCG, 180 MCG FILM <b>MO</b>	4	PA
INCONTROL ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
INSULIN SYRINGE MICROFINE 1 ML 27 GAUGE X 5/8", 1/2 ML 28 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
INSULIN SYRINGE-NEEDLE U-100 1 ML 28 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
IV PREP WIPES PADS, MEDICATED <b>MO</b>	1	
KORLYM 300 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
lactated ringers SOLUTION <b>MO</b>	1	
LAGEVRIO (EUA) 200 MG CAPSULE <b>MO</b>	3	QL(40 per 5 days)
LITFULO 50 MG CAPSULE <b>DL</b>	5	PA,QL(28 per 28 days)
LITHOSTAT 250 MG TABLET <b>MO</b>	4	
LIVMARLI 9.5 MG/ML SOLUTION <b>DL</b>	5	PA,QL(90 per 30 days)
methylergonovine 0.2 mg TABLET <b>DL</b>	5	
methylergonovine 0.2 mg/ml (1 ml) SOLUTION <b>MO</b>	2	
mifepristone 300 mg TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
MYFEMBREE 40-1-0.5 MG TABLET <b>DL</b>	5	PA,QL(28 per 28 days)
neomycin-polymyxin b gu 40 mg-200,000 unit/ml SOLUTION <b>MO</b>	2	
nitroglycerin 0.4 % (w/w) OINTMENT <b>MO</b>	2	QL(30 per 30 days)
NOVOPEN ECHO INSULIN PEN <b>MO</b>	1	
NURTEC ODT 75 MG TABLET, DISINTEGRATING <b>DL</b>	5	PA,QL(18 per 30 days)
OMNIPOD 5 G6 INTRO KIT (GEN 5) CARTRIDGE <b>MO</b>	3	
OMNIPOD 5 G6 PODS (GEN 5) CARTRIDGE <b>MO</b>	3	
OMNIPOD 5 G6-G7 INTRO KT(GEN5) CARTRIDGE <b>MO</b>	3	
OMNIPOD 5 G6-G7 PODS (GEN 5) CARTRIDGE <b>MO</b>	3	
OMNIPOD CLASSIC PODS (GEN 3) CARTRIDGE <b>MO</b>	3	
OMNIPOD DASH INTRO KIT (GEN 4) CARTRIDGE <b>MO</b>	3	
OMNIPOD DASH PODS (GEN 4) CARTRIDGE <b>MO</b>	3	
OMNIPOD GO PODS CARTRIDGE <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OMNIPOD GO PODS 10 UNITS/DAY CARTRIDGE <b>MO</b>	3	
OMNIPOD GO PODS 15 UNITS/DAY CARTRIDGE <b>MO</b>	3	
OMNIPOD GO PODS 20 UNITS/DAY CARTRIDGE <b>MO</b>	3	
OMNIPOD GO PODS 25 UNITS/DAY CARTRIDGE <b>MO</b>	3	
OMNIPOD GO PODS 30 UNITS/DAY CARTRIDGE <b>MO</b>	3	
OMNIPOD GO PODS 40 UNITS/DAY CARTRIDGE <b>MO</b>	3	
ORIAHNN 300-1-0.5MG(AM) /300 MG(PM) CAPSULE, SEQUENTIAL <b>DL</b>	5	PA,QL(56 per 28 days)
orlistat 120 mg CAPSULE <b>MO</b>	4	PA
OXBRYTA 300 MG TABLET <b>DL</b>	5	PA,QL(240 per 30 days)
OXBRYTA 300 MG TABLET FOR SUSPENSION <b>DL</b>	5	PA,QL(150 per 30 days)
OXBRYTA 500 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
OXLUMO 94.5 MG/0.5 ML SOLUTION	5	PA
oxytocin 10 unit/ml SOLUTION <b>MO</b>	2	
PALFORZIA (LEVEL 1) 3 MG (1 MG X 3) CAPSULE, SPRINKLE <b>DL</b>	4	PA
PALFORZIA (LEVEL 2) 6 MG (1 MG X 6) CAPSULE, SPRINKLE <b>DL</b>	4	PA
PALFORZIA (LEVEL 3) 12 MG (1 MG X 2, 10 MG X 1) CAPSULE, SPRINKLE <b>DL</b>	4	PA
PALFORZIA (LEVEL 4) 20 MG CAPSULE, SPRINKLE <b>DL</b>	4	PA
PALFORZIA (LEVEL 5) 40 MG (20 MG X 2) CAPSULE, SPRINKLE <b>DL</b>	4	PA
PALFORZIA (LEVEL 6) 80 MG (20 MG X 4) CAPSULE, SPRINKLE <b>DL</b>	4	PA
PALFORZIA (LEVEL 7) 120 MG (20 MG X 1, 100 MG X 1) CAPSULE, SPRINKLE <b>DL</b>	4	PA
PALFORZIA (LEVEL 8) 160 MG (20 MG X 3, 100 MG X1) CAPSULE, SPRINKLE <b>DL</b>	4	PA
PALFORZIA (LEVEL 9) 200 MG (100 MG X 2) CAPSULE, SPRINKLE <b>DL</b>	4	PA
PALFORZIA (LEVEL 10) 240 MG (20 MG X 2, 100 MG X 2) CAPSULE, SPRINKLE <b>DL</b>	4	PA
PALFORZIA (LEVEL 11 UP-DOSE) 300 MG POWDER IN PACKET <b>DL</b>	4	PA
PALFORZIA INITIAL DOSE 0.5/1/1.5/3/6 MG CAPSULE, SPRINKLE <b>MO</b>	4	PA
PALFORZIA LEVEL 11 MAINTENANCE 300 MG POWDER IN PACKET <b>DL</b>	4	PA
PAXLOVID 150-100 MG TABLET, DOSE PACK <b>\$0,MO</b>	3	QL(40 per 10 days)
PAXLOVID 300 MG (150 MG X 2)-100 MG TABLET, DOSE PACK <b>\$0,MO</b>	3	QL(60 per 10 days)
PEN NEEDLE, DIABETIC 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE <b>PDS,MO</b>	1	
phenazopyridine 100 mg, 200 mg TABLET <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PHEXXI 1.8-1-0.4 % GEL <b>MO</b>	4	QL(60 per 30 days)
PHYSIOLYTE 140-5-3-98 MEQ/L SOLUTION <b>MO</b>	1	
PHYSIOSOL IRRIGATION 140-5-3-98 MEQ/L SOLUTION <b>MO</b>	1	
PITOCIN 10 UNIT/ML SOLUTION <b>MO</b>	4	
PREVDUO 0.6 MG-3 MG/3ML (0.2 MG-1MG/ML) SYRINGE <b>MO</b>	4	
PRIALT 100 MCG/ML, 25 MCG/ML SOLUTION <b>DL</b>	5	PA
PRO COMFORT ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
<i>promethazine vc 6.25-5 mg/5 ml SYRUP</i> <b>MO</b>	2	
<i>promethazine-phenylephrine 6.25-5 mg/5 ml SYRUP</i> <b>MO</b>	2	
<i>protamine 10 mg/ml SOLUTION</i> <b>MO</b>	1	
PURE COMFORT ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
PYRIDIUM 100 MG, 200 MG TABLET <b>MO</b>	4	
QUTENZA 8 % KIT <b>DL</b>	5	PA
REBYOTA 150 ML ENEMA <b>DL</b>	5	PA
RECTIV 0.4 % (W/W) OINTMENT <b>MO</b>	4	QL(30 per 30 days)
RENACIDIN 1980.6 MG-59.4 MG-980.4MG/30ML SOLUTION <b>MO</b>	4	
REZDIFRA 100 MG, 60 MG, 80 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
<i>ribavirin 6 gram RECON SOLUTION</i> <b>DL</b>	5	BvsD
RIMSO-50 50 % SOLUTION <b>DL</b>	5	
<i>ringer's SOLUTION</i> <b>MO</b>	1	
RIVFLOZA 128 MG/0.8 ML, 160 MG/ML SYRINGE <b>DL</b>	5	PA
RIVFLOZA 80 MG/0.5 ML (160 MG/ML) SOLUTION <b>DL</b>	5	PA
SIKLOS 1,000 MG, 100 MG TABLET <b>MO</b>	4	PA
<i>sodium benzoate-sod phenylacet 10-10 % SOLUTION</i> <b>DL</b>	5	
<i>sodium chloride 0.9 % SOLUTION</i> <b>MO</b>	2	
SOHONOS 1 MG, 1.5 MG, 10 MG, 2.5 MG, 5 MG CAPSULE <b>DL</b>	5	PA
<i>sorbitol-mannitol 2.7-0.54 gram/100 ml SOLUTION</i> <b>MO</b>	1	
SURE COMFORT ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
SURE-PREP ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
SYNAGIS 100 MG/ML, 50 MG/0.5 ML SOLUTION <b>DL</b>	5	PA
<i>tencon 50-325 mg TABLET</i> <b>MO</b>	2	QL(180 per 30 days)
TEPEZZA 500 MG RECON SOLUTION <b>DL</b>	5	PA
TRUE COMFORT ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRUE COMFORT PRO ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
TZIELD 1 MG/ML SOLUTION <b>DL</b>	5	PA,QL(28 per 365 days)
UBRELVY 100 MG, 50 MG TABLET <b>MO</b>	3	PA,QL(16 per 30 days)
ULTILET ALCOHOL SWAB PADS, MEDICATED <b>MO</b>	1	
V-GO 20 DEVICE <b>MO</b>	3	
V-GO 30 DEVICE <b>MO</b>	3	
V-GO 40 DEVICE <b>MO</b>	3	
VEOZAH 45 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
VIRAZOLE 6 GRAM RECON SOLUTION <b>DL</b>	5	BvsD
VOWST CAPSULE <b>DL</b>	5	PA
VOXZOGO 0.4 MG, 0.56 MG, 1.2 MG RECON SOLUTION <b>DL</b>	5	PA,QL(30 per 30 days)
vtol lq 50-325-40 mg/15 ml SOLUTION <b>DL</b>	5	QL(450 per 30 days)
VYJUVEK 5 X 10EXP9 PFU/2.5 ML GEL <b>DL</b>	5	PA,QL(10 per 28 days)
water for irrigation, sterile SOLUTION <b>MO</b>	2	
WEBCOL PADS, MEDICATED <b>MO</b>	1	
WEGOVY 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML, 1.7 MG/0.75 ML, 2.4 MG/0.75 ML PEN INJECTOR <b>MO</b>	4	PA
XDEMVY 0.25 % DROPS	5	PA,QL(10 per 42 days)
XENICAL 120 MG CAPSULE <b>MO</b>	4	PA
YCANTH 0.7 % SOLUTION W/APPLICATOR <b>DL</b>	5	PA
ZAVZPRET 10 MG/ACTUATION SPRAY, NON-AEROSOL <b>DL</b>	5	PA,QL(8 per 30 days)
ZEBUTAL 50-325-40 MG CAPSULE <b>MO</b>	2	QL(180 per 30 days)
ZEVALIN (Y-90) 3.2 MG/2 ML KIT <b>DL</b>	5	PA
zingiber 1.2 mg-40 mg- 124.1 mg-100 mg TABLET <b>MO</b>	1	
ZYNRELEF 200 MG-6 MG /7 ML, 400 MG-12 MG /14 ML ER SOLUTION <b>MO</b>	4	
<b>OPHTHALMIC AGENTS</b>		
ACULAR 0.5 % DROPS <b>MO</b>	4	ST,QL(10 per 30 days)
ACULAR LS 0.4 % DROPS <b>MO</b>	4	ST,QL(10 per 30 days)
ACUVAIL (PF) 0.45 % DROPPERETTE <b>MO</b>	4	ST
ak-poly-bac 500-10,000 unit/gram OINTMENT <b>MO</b>	2	
ALCAINE 0.5 % DROPS <b>MO</b>	2	
ALOCRIL 2 % DROPS <b>MO</b>	4	
ALOMIDE 0.1 % DROPS <b>MO</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ALPHAGAN P 0.1 % DROPS <b>MO</b>	3	
ALPHAGAN P 0.15 % DROPS <b>MO</b>	4	PA
ALREX 0.2 % DROPS, SUSPENSION <b>MO</b>	4	ST
apraclonidine 0.5 % DROPS <b>MO</b>	2	
atropine 1 % DROPS <b>MO</b>	2	
ATROPINE SULFATE (PF) 1 % DROPPERETTE <b>MO</b>	2	
AZASITE 1 % DROPS <b>MO</b>	4	ST,QL(2.5 per 25 days)
azelastine 0.05 % DROPS <b>MO</b>	2	
AZOPT 1 % DROPS, SUSPENSION <b>MO</b>	4	ST,QL(10 per 28 days)
bacitracin 500 unit/gram OINTMENT <b>MO</b>	2	
bacitracin-polymyxin b 500-10,000 unit/gram OINTMENT <b>MO</b>	2	
balanced salt SOLUTION <b>MO</b>	2	
bepotastine besilate 1.5 % DROPS <b>MO</b>	2	ST,QL(5 per 25 days)
BEPREVE 1.5 % DROPS <b>MO</b>	4	ST,QL(5 per 25 days)
BESIVANCE 0.6 % DROPS, SUSPENSION <b>MO</b>	4	ST
BETADINE OPHTHALMIC PREP 5 % SOLUTION <b>MO</b>	4	
betaxolol 0.5 % DROPS <b>MO</b>	2	
BETIMOL 0.25 %, 0.5 % DROPS <b>MO</b>	4	ST
BETOPTICS 0.25 % DROPS, SUSPENSION <b>MO</b>	4	ST
bimatoprost 0.03 % DROPS <b>MO</b>	2	QL(2.5 per 25 days)
brimonidine 0.15 % DROPS <b>MO</b>	2	
brimonidine 0.2 % DROPS <b>MO</b>	1	
brinzolamide 1 % DROPS, SUSPENSION <b>MO</b>	2	ST,QL(10 per 28 days)
bromfenac 0.07 % DROPS <b>MO</b>	2	ST,QL(3 per 30 days)
bromfenac 0.075 % DROPS <b>MO</b>	2	ST,QL(5 per 30 days)
bromfenac 0.09 % DROPS <b>MO</b>	2	QL(1.7 per 30 days)
BROMSITE 0.075 % DROPS <b>MO</b>	4	ST,QL(5 per 30 days)
BSS SOLUTION <b>MO</b>	4	
BSS PLUS SOLUTION <b>MO</b>	4	
carteolol 1 % DROPS <b>MO</b>	1	
CEQUA 0.09 % DROPPERETTE <b>MO</b>	4	PA,QL(60 per 30 days)
CILOXAN 0.3 % OINTMENT <b>MO</b>	4	
ciprofloxacin hcl 0.3 % DROPS <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
COMBIGAN 0.2-0.5 % DROPS <b>MO</b>	3	QL(5 per 25 days)
COSOPT 22.3-6.8 MG/ML DROPS <b>MO</b>	4	ST
COSOPT (PF) 2-0.5 % DROPPERETTE <b>MO</b>	4	ST,QL(60 per 30 days)
cromolyn 4 % DROPS <b>MO</b>	1	
cyclopentolate 0.5 %, 1 %, 2 % DROPS <b>MO</b>	2	
CYSTADROPS 0.37 % DROPS <b>DL</b>	5	PA,QL(20 per 28 days)
CYSTARAN 0.44 % DROPS <b>DL</b>	5	PA,QL(60 per 28 days)
dexamethasone sodium phosphate 0.1 % DROPS <b>MO</b>	2	
DEXTENZA 0.4 MG INSERT <b>MO</b>	4	QL(1 per 30 days)
diclofenac sodium 0.1 % DROPS <b>MO</b>	2	
difluprednate 0.05 % DROPS <b>MO</b>	2	ST
dorzolamide 2 % DROPS <b>MO</b>	1	
dorzolamide-timolol 22.3-6.8 mg/ml DROPS <b>MO</b>	1	
dorzolamide-timolol (pf) 2-0.5 % DROPPERETTE <b>MO</b>	2	QL(60 per 30 days)
DUREZOL 0.05 % DROPS <b>MO</b>	4	ST
DURYSTA 10 MCG IMPLANT <b>DL</b>	5	PA
epinastine 0.05 % DROPS <b>MO</b>	2	ST,QL(5 per 25 days)
erythromycin 5 mg/gram (0.5 %) OINTMENT <b>MO</b>	2	QL(3.5 per 28 days)
EYSUVIS 0.25 % DROPS, SUSPENSION <b>MO</b>	3	QL(16.6 per 30 days)
FLAREX 0.1 % DROPS, SUSPENSION <b>MO</b>	4	ST
fluorometholone 0.1 % DROPS, SUSPENSION <b>MO</b>	2	
flurbiprofen sodium 0.03 % DROPS <b>MO</b>	2	
FML FORTE 0.25 % DROPS, SUSPENSION <b>MO</b>	4	ST
FML LIQUIFILM 0.1 % DROPS, SUSPENSION <b>MO</b>	4	ST
gatifloxacin 0.5 % DROPS <b>MO</b>	2	QL(2.5 per 25 days)
gentak 0.3 % (3 mg/gram) OINTMENT <b>MO</b>	2	
gentamicin 0.3 % DROPS <b>MO</b>	2	
ILEVRO 0.3 % DROPS, SUSPENSION <b>MO</b>	3	QL(3 per 30 days)
INVELTYS 1 % DROPS, SUSPENSION <b>MO</b>	4	ST
IOPIDINE 1 % DROPPERETTE <b>MO</b>	4	
ISTALOL 0.5 % DROPS, ONCE DAILY <b>MO</b>	4	
IZUZEH (PF) 0.005 % DROPPERETTE <b>MO</b>	4	ST,QL(30 per 30 days)
ketorolac 0.4 % DROPS <b>MO</b>	2	QL(10 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ketorolac 0.5 % DROPS <b>MO</b>	2	QL(10 per 30 days)
LACRISERT 5 MG INSERT <b>MO</b>	4	
latanoprost 0.005 % DROPS <b>MO</b>	1	QL(5 per 25 days)
levobunolol 0.5 % DROPS <b>MO</b>	1	
levofloxacin 0.5 %, 1.5 % DROPS <b>MO</b>	2	
LOTEMAX 0.5 % DROPS, GEL <b>MO</b>	4	ST
LOTEMAX 0.5 % DROPS, SUSPENSION <b>MO</b>	4	ST
LOTEMAX 0.5 % OINTMENT <b>MO</b>	4	ST
LOTEMAX SM 0.38 % DROPS, GEL <b>MO</b>	4	
loteprednol etabonate 0.2 %, 0.5 % DROPS, SUSPENSION <b>MO</b>	2	ST
loteprednol etabonate 0.5 % DROPS, GEL <b>MO</b>	2	ST
LUMIGAN 0.01 % DROPS <b>MO</b>	3	QL(2.5 per 25 days)
MAXIDEX 0.1 % DROPS, SUSPENSION <b>MO</b>	4	ST
MAXITROL 3.5 MG/G-10,000 UNIT/G-0.1 % OINTMENT <b>MO</b>	4	
MAXITROL 3.5MG/ML-10,000 UNIT/ML-0.1 % DROPS, SUSPENSION <b>MO</b>	2	
MIEBO (PF) 100 % DROPS <b>MO</b>	4	PA,QL(3 per 30 days)
MIOSTAT 0.01 % SOLUTION <b>MO</b>	4	
moxifloxacin 0.5 % DROPS <b>MO</b>	2	
moxifloxacin 0.5 % DROPS, VISCOUS <b>MO</b>	2	ST
NATACYN 5 % DROPS, SUSPENSION <b>MO</b>	4	
neo-polycin 3.5-400-10,000 mg-unit-unit/g OINTMENT <b>MO</b>	2	
neo-polycin hc 3.5-400-10,000 mg-unit/g-1% OINTMENT <b>MO</b>	2	
neomycin-bacitracin-poly-hc 3.5-400-10,000 mg-unit/g-1% OINTMENT <b>MO</b>	2	
neomycin-bacitracin-polymyxin 3.5-400-10,000 mg-unit-unit/g OINTMENT <b>MO</b>	2	
neomycin-polymyxin b-dexameth 3.5 mg/g-10,000 unit/g-0.1 % OINTMENT <b>MO</b>	2	
neomycin-polymyxin b-dexameth 3.5mg/ml-10,000 unit/ml-0.1 % DROPS, SUSPENSION <b>MO</b>	2	
neomycin-polymyxin-gramicidin 1.75 mg-10,000 unit-0.025mg/ml DROPS <b>MO</b>	2	
neomycin-polymyxin-hc 3.5-10,000-10 mg-unit-mg/ml DROPS, SUSPENSION <b>MO</b>	2	
NEVANAC 0.1 % DROPS, SUSPENSION <b>MO</b>	4	ST
OCUFLOX 0.3 % DROPS <b>MO</b>	4	
ofloxacin 0.3 % DROPS <b>MO</b>	2	
olopatadine 0.1 %, 0.2 % DROPS <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OXERVATE 0.002 % DROPS <b>DL</b>	5	PA,QL(112 per 365 days)
PHOSPHOLINE IODIDE 0.125 % DROPS <b>MO</b>	4	
pilocarpine hcl 1 %, 2 %, 4 % DROPS <b>MO</b>	2	
polycin 500-10,000 unit/gram OINTMENT <b>MO</b>	2	
polymyxin b sulf-trimethoprim 10,000 unit- 1 mg/ml DROPS <b>MO</b>	1	
PRED FORTE 1 % DROPS, SUSPENSION <b>MO</b>	4	ST
PRED MILD 0.12 % DROPS, SUSPENSION <b>MO</b>	4	ST
PRED-G 0.3-1 % DROPS, SUSPENSION <b>MO</b>	4	
prednisolone acetate 1 % DROPS, SUSPENSION <b>MO</b>	2	
prednisolone sodium phosphate 1 % DROPS <b>MO</b>	2	
PROLENSA 0.07 % DROPS <b>MO</b>	4	ST,QL(3 per 30 days)
proparacaine 0.5 % DROPS <b>MO</b>	2	
RESTASIS 0.05 % DROPPERETTE <b>MO</b>	3	QL(60 per 30 days)
RESTASIS MULTIDOSE 0.05 % DROPS <b>MO</b>	3	QL(5.5 per 25 days)
RHOPRESSA 0.02 % DROPS <b>MO</b>	3	ST,QL(2.5 per 25 days)
ROCKLATAN 0.02-0.005 % DROPS <b>MO</b>	3	ST,QL(2.5 per 25 days)
SIMBRINZA 1-0.2 % DROPS, SUSPENSION <b>MO</b>	4	QL(16 per 30 days)
sulfacetamide sodium 10 % DROPS <b>MO</b>	2	
sulfacetamide-prednisolone 10 %-0.23 % (0.25 %) DROPS <b>MO</b>	2	
tafluprost (pf) 0.0015 % DROPPERETTE <b>MO</b>	4	ST,QL(30 per 30 days)
timolol maleate 0.25 % DROPS <b>MO</b>	1	
timolol maleate 0.25 %, 0.5 % GEL FORMING SOLUTION <b>MO</b>	2	
timolol maleate 0.5 % DROPS <b>MO</b>	1	
timolol maleate 0.5 % DROPS, ONCE DAILY <b>MO</b>	2	
timolol maleate (pf) 0.25 %, 0.5 % DROPPERETTE <b>MO</b>	2	
TIMOPTIC 0.25 %, 0.5 % DROPS <b>MO</b>	4	ST
TIMOPTIC OCUDOSE (PF) 0.25 %, 0.5 % DROPPERETTE <b>MO</b>	4	ST
TIMOPTIC-XE 0.25 %, 0.5 % GEL FORMING SOLUTION <b>MO</b>	4	PA
TOBRADEX 0.3-0.1 % DROPS, SUSPENSION <b>MO</b>	4	
TOBRADEX 0.3-0.1 % OINTMENT <b>MO</b>	4	
TOBRADEX ST 0.3-0.05 % DROPS, SUSPENSION <b>MO</b>	4	
tobramycin 0.3 % DROPS <b>MO</b>	2	
tobramycin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TOBREX 0.3 % OINTMENT <b>MO</b>	4	
TRAVATAN Z 0.004 % DROPS <b>MO</b>	4	ST,QL(2.5 per 25 days)
travoprost 0.004 % DROPS <b>MO</b>	2	QL(2.5 per 25 days)
trifluridine 1 % DROPS <b>MO</b>	2	
TRUSOPT 2 % DROPS <b>MO</b>	4	
TYRVAYA 0.03 MG/SPRAY SPRAY, METERED, NON-AEROSOL <b>MO</b>	4	PA,QL(8.4 per 30 days)
VERKAZIA 0.1 % DROPPERETTE <b>DL</b>	5	PA,QL(120 per 30 days)
VEVYE 0.1 % DROPS <b>MO</b>	4	PA,QL(2 per 30 days)
VIGAMOX 0.5 % DROPS <b>MO</b>	4	PA
VUITY 1.25 % DROPS <b>MO</b>	4	
VYZULTA 0.024 % DROPS <b>MO</b>	4	QL(2.5 per 25 days)
XALATAN 0.005 % DROPS <b>MO</b>	4	PA,QL(5 per 25 days)
XELPROS 0.005 % DROPS, EMULSION <b>MO</b>	4	ST,QL(2.5 per 25 days)
XXIDRA 5 % DROPPERETTE <b>MO</b>	4	PA,QL(60 per 30 days)
ZERVIATE 0.24 % DROPPERETTE <b>MO</b>	4	QL(60 per 30 days)
ZIOPTAN (PF) 0.0015 % DROPPERETTE <b>MO</b>	4	ST,QL(30 per 30 days)
ZYLET 0.3-0.5 % DROPS, SUSPENSION <b>MO</b>	4	
ZYMAXID 0.5 % DROPS <b>MO</b>	4	ST,QL(2.5 per 25 days)
<b>OTIC AGENTS</b>		
CIPRO HC 0.2-1 % DROPS, SUSPENSION <b>MO</b>	4	
CIPRODEX 0.3-0.1 % DROPS, SUSPENSION <b>MO</b>	4	QL(7.5 per 30 days)
ciprofloxacin hcl 0.2 % DROPPERETTE <b>MO</b>	2	
ciprofloxacin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION <b>MO</b>	4	QL(7.5 per 30 days)
ciprofloxacin-fluocinolone 0.3-0.025 % (0.25 ml) SOLUTION <b>MO</b>	4	
CORTISPORIN-TC 3.3-3-10-0.5 MG/ML DROPS, SUSPENSION <b>MO</b>	4	
DERMOTIC OIL 0.01 % DROPS <b>MO</b>	4	
flac otic oil 0.01 % DROPS <b>MO</b>	2	
fluocinolone acetonide oil 0.01 % DROPS <b>MO</b>	2	
hydrocortisone-acetic acid 1-2 % DROPS <b>MO</b>	2	
neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% DROPS, SUSPENSION <b>MO</b>	2	
neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% SOLUTION <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ofloxacin 0.3 % DROPS <b>MO</b>	2	
OTOVEL 0.3-0.025 % (0.25 ML) SOLUTION <b>MO</b>	4	
<b>RESPIRATORY TRACT/PULMONARY AGENTS</b>		
ACCOLATE 10 MG, 20 MG TABLET <b>MO</b>	4	PA,QL(60 per 30 days)
acetylcysteine 100 mg/ml (10 %), 200 mg/ml (20 %) SOLUTION <b>MO</b>	2	BvsD
ADCIRCA 20 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
ADEMPAS 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG TABLET <b>DL,LA</b>	5	PA,QL(90 per 30 days)
ADRENALIN 1 MG/ML, 1 MG/ML (1 ML) SOLUTION <b>MO</b>	4	
ADVAIR DISKUS 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>	4	ST,QL(60 per 30 days)
ADVAIR HFA 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	QL(12 per 30 days)
AIRDUO DIGITALER 113 MCG-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	4	ST,QL(1 per 30 days)
AIRDUO RESPICLICK 113-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	4	ST,QL(1 per 30 days)
AIRSUPRA 90-80 MCG/ACTUATION HFA AEROSOL INHALER <b>DL</b>	5	PA,QL(32.1 per 30 days)
albuterol sulfate 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml, 5 mg/ml SOLUTION FOR NEBULIZATION <b>MO</b>	2	BvsD
albuterol sulfate 2 mg, 4 mg TABLET <b>MO</b>	2	
albuterol sulfate 2 mg/5 ml SYRUP <b>MO</b>	1	
albuterol sulfate 4 mg, 8 mg TABLET, ER 12 HR. <b>MO</b>	2	
albuterol sulfate 90 mcg/actuation HFA AEROSOL INHALER <b>MO</b>	2	QL(36 per 30 days)
ALVESCO 160 MCG/ACTUATION, 80 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	4	ST,QL(18.3 per 28 days)
alyq 20 mg TABLET <b>MO</b>	2	PA,QL(60 per 30 days)
ambrisentan 10 mg, 5 mg TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
aminophylline 250 mg/10 ml, 500 mg/20 ml SOLUTION <b>MO</b>	2	
ANORO ELLIPTA 62.5-25 MCG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	4	PA,QL(60 per 30 days)
arformoterol 15 mcg/2 ml SOLUTION FOR NEBULIZATION <b>MO</b>	2	BvsD,QL(120 per 30 days)
ARMONAIR DIGITALER 113 MCG/ACTUATION, 232 MCG/ACTUATION, 55 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	4	ST,QL(1 per 30 days)
ARNUITY ELLIPTA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ASMANEX HFA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	4	ST,QL(13 per 30 days)
ASMANEX TWISTHALER 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) AEROSOL POWDER BREATH ACTIV. <b>MO</b>	4	ST,QL(1 per 28 days)
ATROVENT HFA 17 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	4	QL(25.8 per 30 days)
AUVI-Q 0.1 MG/0.1 ML, 0.15 MG/0.15 ML, 0.3 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	3	QL(4 per 30 days)
azelastine 137 mcg (0.1 %) SPRAY, NON-AEROSOL <b>MO</b>	2	QL(30 per 25 days)
azelastine 205.5 mcg (0.15 %) SPRAY, NON-AEROSOL <b>MO</b>	2	QL(30 per 25 days)
azelastine-fluticasone 137-50 mcg/spray SPRAY, NON-AEROSOL <b>MO</b>	2	ST,QL(23 per 28 days)
BECONASE AQ 42 MCG (0.042 %) SPRAY, NON-AEROSOL <b>MO</b>	4	ST,QL(50 per 30 days)
BEVESPI AEROSPHERE 9-4.8 MCG HFA AEROSOL INHALER <b>MO</b>	4	QL(10.7 per 30 days)
bosentan 125 mg, 62.5 mg TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
BREO ELLIPTA 100-25 MCG/DOSE, 200-25 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>	3	QL(60 per 30 days)
BREO ELLIPTA 50-25 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>	3	QL(60 per 30 days)
BREZTRI AEROSPHERE 160-9-4.8 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	QL(10.7 per 30 days)
BRONCHITOL 40 MG CAPSULE, W/INHALATION DEVICE <b>DL</b>	5	PA,QL(560 per 28 days)
BROVANA 15 MCG/2 ML SOLUTION FOR NEBULIZATION <b>DL</b>	5	BvsD,QL(120 per 30 days)
budesonide 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml SUSPENSION FOR NEBULIZATION <b>MO</b>	2	BvsD
carbinoxamine maleate 4 mg TABLET <b>MO</b>	2	
carbinoxamine maleate 4 mg/5 ml LIQUID <b>MO</b>	2	
carbinoxamine maleate 6 mg TABLET <b>DL</b>	5	QL(120 per 30 days)
CAYSTON 75 MG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	5	PA,QL(84 per 28 days)
cetirizine 1 mg/ml SOLUTION <b>MO</b>	2	QL(300 per 30 days)
CINQAIR 10 MG/ML SOLUTION <b>DL</b>	5	PA
CLARINEX 5 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
clemastine 0.5 mg/5 ml SYRUP <b>DL</b>	5	PA,QL(1800 per 30 days)
clemastine 2.68 mg TABLET <b>MO</b>	2	
COMBIVENT RESPIMAT 20-100 MCG/ACTUATION MIST <b>MO</b>	4	QL(4 per 20 days)
cromolyn 100 mg/5 ml CONCENTRATE <b>MO</b>	2	
cromolyn 20 mg/2 ml SOLUTION FOR NEBULIZATION <b>MO</b>	2	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cyproheptadine 2 mg/5 ml SYRUP <b>MO</b>	2	
cyproheptadine 4 mg TABLET <b>MO</b>	2	
DALIRESP 250 MCG TABLET <b>MO</b>	4	PA,QL(28 per 365 days)
DALIRESP 500 MCG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
desloratadine 2.5 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>	2	ST,QL(30 per 30 days)
desloratadine 5 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
dexchlorpheniramine maleate 2 mg/5 ml SOLUTION <b>MO</b>	2	PA
DIPHEN 12.5 MG/5 ML ELIXIR <b>MO</b>	2	
diphen 12.5 mg/5 ml ELIXIR <b>MO</b>	2	
diphenhydramine hcl 12.5 mg/5 ml ELIXIR <b>MO</b>	2	
diphenhydramine hcl 50 mg/ml SOLUTION <b>MO</b>	2	
diphenhydramine hcl 50 mg/ml SYRINGE <b>MO</b>	2	
DOPRAM 20 MG/ML SOLUTION <b>MO</b>	4	
DUAKLIR PRESSAIR 400-12 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	4	PA,QL(1 per 30 days)
DULERA 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION, 50-5 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	4	ST,QL(13 per 30 days)
DYMISTA 137-50 MCG/SPRAY SPRAY, NON-AEROSOL <b>MO</b>	4	ST,QL(23 per 28 days)
ELIXOPHYLLIN 80 MG/15 ML ELIXIR <b>MO</b>	2	
epinephrine 0.15 mg/0.15 ml, 0.15 mg/0.3 ml, 0.3 mg/0.3 ml AUTO-INJECTOR <b>MO</b>	2	QL(4 per 30 days)
EPIPEN 0.3 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(4 per 30 days)
EPIPEN 2-PAK 0.3 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(4 per 30 days)
EPIPEN JR 0.15 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(4 per 30 days)
EPIPEN JR 2-PAK 0.15 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	4	PA,QL(4 per 30 days)
epoprostenol 0.5 mg, 1.5 mg RECON SOLUTION <b>DL</b>	5	PA
epoprostenol (glycine) 0.5 mg, 1.5 mg RECON SOLUTION <b>DL</b>	5	PA
ESBRIET 267 MG CAPSULE <b>DL</b>	5	PA,QL(270 per 30 days)
ESBRIET 267 MG TABLET <b>DL</b>	5	PA,QL(270 per 30 days)
ESBRIET 801 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
FASENRA 10 MG/0.5 ML SYRINGE <b>DL</b>	5	PA,QL(0.5 per 28 days)
FASENRA 30 MG/ML SYRINGE <b>DL</b>	5	PA,QL(1 per 28 days)
FASENRA PEN 30 MG/ML AUTO-INJECTOR <b>DL</b>	5	PA,QL(1 per 28 days)
flunisolide 25 mcg (0.025 %) SPRAY, NON-AEROSOL <b>MO</b>	2	QL(50 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluticasone propion-salmeterol 100-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE <b>MO</b>	2	QL(60 per 30 days)
fluticasone propion-salmeterol 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	QL(1 per 30 days)
fluticasone propion-salmeterol 250-50 mcg/dose BLISTER WITH DEVICE <b>MO</b>	2	QL(60 per 30 days)
fluticasone propionate 100 mcg/actuation, 250 mcg/actuation, 50 mcg/actuation BLISTER WITH DEVICE <b>MO</b>	4	ST,QL(60 per 30 days)
fluticasone propionate 110 mcg/actuation, 220 mcg/actuation HFA AEROSOL INHALER <b>MO</b>	4	ST,QL(24 per 30 days)
fluticasone propionate 44 mcg/actuation HFA AEROSOL INHALER <b>MO</b>	4	ST,QL(10.6 per 30 days)
fluticasone propionate 50 mcg/actuation SPRAY, SUSPENSION <b>MO</b>	2	QL(16 per 30 days)
formoterol fumarate 20 mcg/2 ml SOLUTION FOR NEBULIZATION <b>MO</b>	2	BvsD,QL(120 per 30 days)
GASTROCROM 100 MG/5 ML CONCENTRATE <b>MO</b>	4	
GRASTEK 2,800 BAU SUBLINGUAL TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
hydroxyzine pamoate 100 mg, 50 mg CAPSULE <b>MO</b>	2	
hydroxyzine pamoate 25 mg CAPSULE <b>MO</b>	2	
INCRUSE ELLIPTA 62.5 MCG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	4	PA,QL(30 per 30 days)
ipratropium bromide 0.02 % SOLUTION <b>MO</b>	2	BvsD
ipratropium bromide 21 mcg (0.03 %) SPRAY, NON-AEROSOL <b>MO</b>	2	QL(30 per 30 days)
ipratropium bromide 42 mcg (0.06 %) SPRAY, NON-AEROSOL <b>MO</b>	2	QL(45 per 30 days)
ipratropium-albuterol 0.5 mg-3 mg(2.5 mg base)/3 ml SOLUTION FOR NEBULIZATION <b>MO</b>	2	BvsD
KALYDECO 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG GRANULES IN PACKET <b>DL</b>	5	PA,QL(56 per 28 days)
KALYDECO 150 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
KARBINAL ER 4 MG/5 ML SUSPENSION, ER 12 HR. <b>MO</b>	4	
LETAIRIS 10 MG, 5 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
levalbuterol hcl 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml SOLUTION FOR NEBULIZATION <b>MO</b>	2	BvsD
levalbuterol tartrate 45 mcg/actuation HFA AEROSOL INHALER <b>MO</b>	2	ST,QL(30 per 30 days)
levocetirizine 2.5 mg/5 ml SOLUTION <b>MO</b>	2	QL(300 per 30 days)
levocetirizine 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
LIQREV 10 MG/ML SUSPENSION <b>DL</b>	5	PA,QL(180 per 30 days)
LONHALA MAGNAIR REFILL 25 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	5	PA,QL(60 per 30 days)
LONHALA MAGNAIR STARTER 25 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	5	PA,QL(60 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
mometasone 50 mcg/actuation SPRAY, NON-AEROSOL <b>MO</b>	2	QL(34 per 30 days)
montelukast 10 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
montelukast 4 mg GRANULES IN PACKET <b>MO</b>	2	QL(30 per 30 days)
montelukast 4 mg, 5 mg CHEWABLE TABLET <b>MO</b>	1	QL(30 per 30 days)
NUCALA 100 MG RECON SOLUTION <b>DL</b>	5	PA,QL(3 per 28 days)
NUCALA 100 MG/ML AUTO-INJECTOR <b>DL</b>	5	PA,QL(3 per 28 days)
NUCALA 100 MG/ML SYRINGE <b>DL</b>	5	PA,QL(3 per 28 days)
NUCALA 40 MG/0.4 ML SYRINGE <b>DL</b>	5	PA,QL(0.4 per 28 days)
ODACTRA 12 SQ-HDM SUBLINGUAL TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
OFEV 100 MG, 150 MG CAPSULE <b>DL,LA</b>	5	PA,QL(60 per 30 days)
OHTUVAYRE 3 MG/2.5 ML SUSPENSION FOR NEBULIZATION <b>DL</b>	5	PA,QL(150 per 30 days)
olopatadine 0.6 % SPRAY, NON-AEROSOL <b>MO</b>	2	ST,QL(30.5 per 30 days)
OMNARIS 50 MCG SPRAY, NON-AEROSOL <b>MO</b>	4	ST,QL(12.5 per 30 days)
OPSUMIT 10 MG TABLET <b>DL,LA</b>	5	PA,QL(30 per 30 days)
OPSYNVI 10-20 MG, 10-40 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
ORALAIR 100 INDX REACTIVITY, 100 IR (3) /300 IR (6), 300 INDX REACTIVITY SUBLINGUAL TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
ORENITRAM 0.125 MG TABLET ER <b>DL</b>	5	PA,QL(1000 per 30 days)
ORENITRAM 0.25 MG TABLET ER <b>DL</b>	5	PA,QL(500 per 30 days)
ORENITRAM 1 MG TABLET ER <b>DL</b>	5	PA,QL(720 per 30 days)
ORENITRAM 2.5 MG TABLET ER <b>DL</b>	5	PA,QL(300 per 30 days)
ORENITRAM 5 MG TABLET ER <b>DL</b>	5	PA,QL(150 per 30 days)
ORENITRAM MONTH 1 TITRATION KT 0.125 MG (126)- 0.25 MG (42) TABLET, ER, DOSE PACK <b>DL</b>	5	PA,QL(168 per 28 days)
ORENITRAM MONTH 2 TITRATION KT 0.125 MG (126)- 0.25 MG (210) TABLET, ER, DOSE PACK <b>DL</b>	5	PA,QL(336 per 28 days)
ORENITRAM MONTH 3 TITRATION KT 0.125 MG (126)- 0.25 MG(42)-1MG TABLET, ER, DOSE PACK <b>DL</b>	5	PA,QL(252 per 28 days)
ORKAMBI 100-125 MG, 150-188 MG, 75-94 MG GRANULES IN PACKET <b>DL</b>	5	PA,QL(56 per 28 days)
ORKAMBI 100-125 MG, 200-125 MG TABLET <b>DL</b>	5	PA,QL(112 per 28 days)
PATANASE 0.6 % SPRAY, NON-AEROSOL <b>MO</b>	4	ST,QL(30.5 per 30 days)
PERFOROMIST 20 MCG/2 ML SOLUTION FOR NEBULIZATION <b>DL</b>	5	BvsD,QL(120 per 30 days)
pirfenidone 267 mg CAPSULE <b>DL</b>	5	PA,QL(270 per 30 days)
pirfenidone 267 mg TABLET <b>DL</b>	5	PA,QL(270 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
pirfenidone 534 mg, 801 mg TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
PROAIR DIGIHALER 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	4	ST,QL(2 per 30 days)
PROAIR HFA 90 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	4	ST,QL(36 per 30 days)
PROAIR RESPICLICK 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	4	ST,QL(2 per 30 days)
PROVENTIL HFA 90 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	4	ST,QL(36 per 30 days)
PULMICORT 0.25 MG/2 ML, 0.5 MG/2 ML, 1 MG/2 ML SUSPENSION FOR NEBULIZATION <b>MO</b>	4	BvsD
PULMICORT FLEXHALER 180 MCG/ACTUATION, 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	4	ST,QL(2 per 30 days)
PULMOZYME 1 MG/ML SOLUTION <b>DL</b>	5	BvsD
QNASL 40 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	4	ST,QL(6.8 per 30 days)
QNASL 80 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	4	ST,QL(10.6 per 30 days)
QUZYTIR 10 MG/ML SOLUTION <b>MO</b>	4	
QVAR REDIHALER 40 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED <b>MO</b>	4	ST,QL(10.6 per 30 days)
QVAR REDIHALER 80 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED <b>MO</b>	4	ST,QL(21.2 per 30 days)
RAGWITEK 12 AMB A 1 UNIT SUBLINGUAL TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
REMODULIN 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML SOLUTION <b>DL</b>	5	PA
REVATIO 10 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	PA,QL(180 per 30 days)
REVATIO 20 MG TABLET <b>DL</b>	5	PA,QL(90 per 30 days)
roflumilast 250 mcg TABLET <b>MO</b>	2	QL(28 per 365 days)
roflumilast 500 mcg TABLET <b>MO</b>	2	QL(30 per 30 days)
RYALTRIS 665-25 MCG/SPRAY SPRAY, NON-AEROSOL <b>MO</b>	4	ST,QL(29 per 30 days)
RYCLORA 2 MG/5 ML SOLUTION <b>MO</b>	2	
RYVENT 6 MG TABLET <b>MO</b>	2	QL(120 per 30 days)
SEREVENT DISKUS 50 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>	4	PA,QL(60 per 30 days)
sildenafil (pulm.hypertension) 10 mg/ml SUSPENSION FOR RECONSTITUTION <b>DL</b>	5	PA,QL(180 per 30 days)
sildenafil (pulm.hypertension) 20 mg TABLET <b>MO</b>	2	PA,QL(90 per 30 days)
SINGULAIR 10 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
SINGULAIR 4 MG GRANULES IN PACKET <b>MO</b>	4	PA,QL(30 per 30 days)
SINGULAIR 4 MG, 5 MG CHEWABLE TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
SPIRIVA RESPIMAT 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION MIST <b>MO</b>	3	QL(4 per 28 days)
SPIRIVA WITH HANDIHALER 18 MCG CAPSULE, W/INHALATION DEVICE <b>MO</b>	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
STIOLTO RESPIMAT 2.5-2.5 MCG/ACTUATION MIST <b>MO</b>	3	QL(4 per 28 days)
STRIVERDI RESPIMAT 2.5 MCG/ACTUATION MIST <b>MO</b>	3	QL(4 per 30 days)
SYMBICORT 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	QL(10.2 per 30 days)
SYMDEKO 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N) TABLET, SEQUENTIAL <b>DL</b>	5	PA,QL(56 per 28 days)
SYMJEPI 0.15 MG/0.3 ML, 0.3 MG/0.3 ML SYRINGE <b>MO</b>	3	QL(4 per 30 days)
tadalafil (pulm. hypertension) 20 mg TABLET <b>MO</b>	2	PA,QL(60 per 30 days)
TADLIQ 20 MG/5 ML (4 MG/ML) SUSPENSION <b>DL</b>	5	PA,QL(300 per 30 days)
terbutaline 1 mg/ml SOLUTION <b>MO</b>	2	
terbutaline 2.5 mg, 5 mg TABLET <b>MO</b>	2	
THEO-24 100 MG, 200 MG, 300 MG, 400 MG CAPSULE, ER 24 HR. <b>MO</b>	2	
theophylline 100 mg, 200 mg, 300 mg, 450 mg TABLET, ER 12 HR. <b>MO</b>	2	
theophylline 400 mg, 600 mg TABLET, ER 24 HR. <b>MO</b>	2	
theophylline 80 mg/15 ml ELIXIR <b>MO</b>	2	
theophylline 80 mg/15 ml SOLUTION <b>MO</b>	2	
theophylline in dextrose 5 % 200 mg/100 ml, 200 mg/50 ml, 400 mg/250 ml, 800 mg/250 ml PARENTERAL SOLUTION <b>MO</b>	2	
TOBI PODHALER 28 MG CAPSULE, W/INHALATION DEVICE <b>DL</b>	5	PA,QL(224 per 28 days)
TRACLEER 125 MG, 62.5 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
TRACLEER 32 MG TABLET FOR SUSPENSION <b>DL</b>	5	PA,QL(120 per 30 days)
TRELEGY ELLIPTA 100-62.5-25 MCG, 200-62.5-25 MCG BLISTER WITH DEVICE <b>MO</b>	3	QL(60 per 30 days)
treprostinil sodium 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml SOLUTION <b>DL</b>	5	PA
TRIKAFTA 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) TABLET, SEQUENTIAL <b>DL</b>	5	PA,QL(84 per 28 days)
TRIKAFTA 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) GRANULES IN PACKET, SEQUENTIAL <b>DL</b>	5	PA,QL(56 per 28 days)
TUDORZA PRESSAIR 400 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	4	PA,QL(1 per 30 days)
TYVASO 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION <b>DL</b>	5	PA
TYVASO DPI 16 MCG (112)- 32 MCG (84) CARTRIDGE WITH INHALER <b>DL</b>	5	PA,QL(196 per 28 days)
TYVASO DPI 16 MCG, 32 MCG, 48 MCG, 64 MCG CARTRIDGE WITH INHALER <b>DL</b>	5	PA,QL(112 per 28 days)
TYVASO DPI 16(112)-32(112) -48(28) MCG CARTRIDGE WITH INHALER <b>DL</b>	5	PA,QL(252 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TYVASO DPI 32-48 MCG CARTRIDGE WITH INHALER <b>DL</b>	5	PA,QL(224 per 28 days)
TYVASO INSTITUTIONAL START KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION <b>DL</b>	5	PA
TYVASO REFILL KIT 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION <b>DL</b>	5	PA
TYVASO STARTER KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION <b>DL</b>	5	PA
UPTRAVI 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
UPTRAVI 1,800 MCG RECON SOLUTION <b>DL</b>	5	PA
UPTRAVI 200 MCG (140)- 800 MCG (60) TABLET, DOSE PACK <b>DL</b>	5	PA,QL(200 per 30 days)
VELETRI 0.5 MG, 1.5 MG RECON SOLUTION <b>DL</b>	5	PA
VENTAVIS 10 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	5	PA,QL(150 per 30 days)
VENTAVIS 20 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	5	PA,QL(90 per 30 days)
VENTOLIN HFA 90 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	QL(36 per 30 days)
VISTARIL 25 MG, 50 MG CAPSULE <b>MO</b>	4	
WINREVAIR 45 MG, 60 MG KIT <b>DL</b>	5	PA
wixela inhuh 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE <b>MO</b>	2	QL(60 per 30 days)
XHANCE 93 MCG/ACTUATION AEROSOL BREATH ACTIVATED <b>MO</b>	4	PA,QL(32 per 30 days)
XOPENEX HFA 45 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	4	ST,QL(30 per 30 days)
YUPELRI 175 MCG/3 ML SOLUTION FOR NEBULIZATION <b>DL</b>	5	PA,QL(90 per 30 days)
zafirlukast 10 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
zafirlukast 20 mg TABLET <b>MO</b>	2	QL(60 per 30 days)
ZETONNA 37 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	4	ST,QL(6.1 per 28 days)
zileuton 600 mg TABLET, ER 12 HR., MULTIPHASE <b>DL</b>	5	ST,QL(120 per 30 days)
ZYFLO 600 MG TABLET <b>DL</b>	5	ST,QL(120 per 30 days)
<b>SKELETAL MUSCLE RELAXANTS</b>		
AMRIX 15 MG, 30 MG CAPSULE, ER 24 HR. <b>DL</b>	5	ST,QL(21 per 30 days)
carisoprodol 250 mg, 350 mg TABLET <b>MO</b>	2	QL(120 per 30 days)
carisoprodol-aspirin 200-325 mg TABLET <b>MO</b>	2	
carisoprodol-aspirin-codeine 200-325-16 mg TABLET <b>DL</b>	2	QL(360 per 30 days)
chlorzoxazone 250 mg TABLET <b>DL</b>	5	ST,QL(360 per 30 days)
chlorzoxazone 375 mg, 750 mg TABLET <b>MO</b>	2	ST,QL(120 per 30 days)
chlorzoxazone 500 mg TABLET <b>MO</b>	2	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cyclobenzaprine 10 mg, 5 mg TABLET <b>MO</b>	2	
cyclobenzaprine 15 mg, 30 mg CAPSULE, ER 24 HR. <b>MO</b>	2	ST,QL(21 per 30 days)
cyclobenzaprine 7.5 mg TABLET <b>MO</b>	2	QL(90 per 30 days)
FEXMID 7.5 MG TABLET <b>MO</b>	2	ST,QL(90 per 30 days)
LORZONE 375 MG TABLET <b>MO</b>	2	ST,QL(120 per 30 days)
LORZONE 750 MG TABLET <b>DL</b>	5	ST,QL(120 per 30 days)
metaxalone 400 mg, 800 mg TABLET <b>MO</b>	2	ST,QL(120 per 30 days)
methocarbamol 1,000 mg TABLET <b>DL</b>	5	PA
methocarbamol 100 mg/ml SOLUTION <b>MO</b>	2	
methocarbamol 500 mg, 750 mg TABLET <b>MO</b>	2	
norgesic 25-385-30 mg TABLET <b>DL</b>	5	PA,QL(240 per 30 days)
NORGESIC FORTE 50-770-60 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
orphenadrine citrate 100 mg TABLET ER <b>MO</b>	2	
orphenadrine citrate 30 mg/ml SOLUTION <b>MO</b>	2	ST
orphenadrine-as-a-caffeine 25-385-30 mg TABLET <b>DL</b>	5	PA,QL(240 per 30 days)
orphenadrine-as-a-caffeine 50-770-60 mg TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
orphengesic forte 50-770-60 mg TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
ROBAXIN 100 MG/ML SOLUTION <b>DL</b>	5	
SOMA 250 MG, 350 MG TABLET <b>DL</b>	5	PA,QL(120 per 30 days)
vanadom 350 mg TABLET <b>MO</b>	2	QL(120 per 30 days)
<b>SLEEP DISORDER AGENTS</b>		
AMBIEN 10 MG, 5 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
AMBIEN CR 12.5 MG, 6.25 MG TABLET, ER MULTIPHASE <b>MO</b>	4	PA,QL(30 per 30 days)
armodafinil 150 mg, 200 mg, 250 mg TABLET <b>MO</b>	2	PA,QL(30 per 30 days)
armodafinil 50 mg TABLET <b>MO</b>	2	PA,QL(60 per 30 days)
BELSOMRA 10 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
BELSOMRA 15 MG, 20 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
BELSOMRA 5 MG TABLET <b>MO</b>	3	QL(120 per 30 days)
DAYVIGO 10 MG, 5 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
doxepin 3 mg, 6 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
EDLUAR 10 MG SUBLINGUAL TABLET <b>MO</b>	4	
EDLUAR 5 MG SUBLINGUAL TABLET <b>MO</b>	4	QL(30 per 30 days)
estazolam 1 mg, 2 mg TABLET <b>DL</b>	2	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
eszopiclone 1 mg, 2 mg, 3 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
flurazepam 15 mg CAPSULE <b>DL</b>	2	QL(60 per 30 days)
flurazepam 30 mg CAPSULE <b>DL</b>	2	QL(30 per 30 days)
HALCION 0.25 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
HETLIOZ 20 MG CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
HETLIOZ LQ 4 MG/ML SUSPENSION <b>DL</b>	5	PA,QL(158 per 30 days)
LUMRYZ 4.5 GRAM, 6 GRAM, 7.5 GRAM, 9 GRAM ER GRANULES, PACKET <b>DL</b>	5	PA,QL(30 per 30 days)
LUNESTA 1 MG, 2 MG, 3 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
modafinil 100 mg, 200 mg TABLET <b>MO</b>	2	PA,QL(60 per 30 days)
NUVIGIL 150 MG, 200 MG, 250 MG TABLET <b>DL</b>	5	PA,QL(30 per 30 days)
NUVIGIL 50 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
PROVIGIL 100 MG, 200 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
QUVIVIQ 25 MG, 50 MG TABLET <b>MO</b>	4	ST,QL(30 per 30 days)
ramelteon 8 mg TABLET <b>MO</b>	2	ST,QL(30 per 30 days)
RESTORIL 15 MG, 22.5 MG, 30 MG, 7.5 MG CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
ROZEREM 8 MG TABLET <b>MO</b>	4	ST,QL(30 per 30 days)
SILENOR 3 MG, 6 MG TABLET <b>MO</b>	4	QL(30 per 30 days)
sodium oxybate 500 mg/ml SOLUTION <b>DL</b>	5	PA,QL(540 per 30 days)
SUNOSI 150 MG, 75 MG TABLET <b>MO</b>	4	PA,QL(30 per 30 days)
tasimelteon 20 mg CAPSULE <b>DL</b>	5	PA,QL(30 per 30 days)
temazepam 15 mg, 30 mg CAPSULE <b>DL</b>	2	QL(30 per 30 days)
temazepam 22.5 mg, 7.5 mg CAPSULE <b>DL</b>	2	QL(30 per 30 days)
triazolam 0.125 mg, 0.25 mg TABLET <b>DL</b>	2	QL(30 per 30 days)
WAKIX 17.8 MG, 4.45 MG TABLET <b>DL</b>	5	PA,QL(60 per 30 days)
XYREM 500 MG/ML SOLUTION <b>DL</b>	5	PA,QL(540 per 30 days)
XYWAV 0.5 GRAM/ML SOLUTION <b>DL</b>	5	PA,QL(540 per 30 days)
zaleplon 10 mg, 5 mg CAPSULE <b>MO</b>	2	QL(30 per 30 days)
zolpidem 1.75 mg, 3.5 mg SUBLINGUAL TABLET <b>MO</b>	2	QL(30 per 30 days)
zolpidem 10 mg, 5 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
zolpidem 12.5 mg, 6.25 mg TABLET, ER MULTIPHASE <b>MO</b>	2	QL(30 per 30 days)
ZOLPIDEM 7.5 MG CAPSULE <b>MO</b>	4	QL(30 per 30 days)
ZOLPIMIST 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL <b>MO</b>	4	QL(23.1 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 6.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

# Humana Medicare Employer Plan Coverage of Additional Prescription Drugs

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Cosmetics - Mail Order Available</b>		
bimatoprost 0.03 % DROPS WITH APPLICATOR	1	
blanche 4 % CREAM	1	
finasteride 1 mg TABLET	1	
hydrocortisone-pramoxine 2.5-1 % CREAM	1	
hydroquinone 4 % CREAM	1	
LATISSE 0.03 % DROPS WITH APPLICATOR	4	
obagi elastiderm 4 % CREAM	1	
obagi nu-derm blender 4 % CREAM	1	
obagi nu-derm clear 4 % CREAM	1	
PROPECIA 1 MG TABLET	4	
refissa 0.05 % CREAM	1	
RENOVA 0.02 % CREAM	4	
sulfacetamide sodium 10 % CLEANSER	1	
sulfacetamide sodium-sulfur 10-5 % (w/w) CREAM	1	
tretinoin (emollient) 0.05 % CREAM	1	
TRI-LUMA 0.01-4-0.05 % CREAM	4	
VANIQA 13.9 % CREAM	4	
<b>Cough/Cold - Mail Order Available</b>		
benzonatate 100 mg, 150 mg, 200 mg CAPSULE	1	
bromfed dm 2-30-10 mg/5 ml SYRUP	1	
brompheniramine-pseudoeph-dm 2-30-10 mg/5 ml SYRUP	1	

Your Humana Medicare Employer Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Cough/Cold - Mail Order Available</b>		
HYCODAN 5-1.5 MG/5 ML (5 ML) SYRUP	1	
HYCODAN (WITH HOMATROPINE) 5-1.5 MG TABLET	1	
HYCODAN (WITH HOMATROPINE) 5-1.5 MG/5 ML SYRUP	1	
hydrocodone-chlorpheniramine 10-8 mg/5 ml SUSPENSION, ER 12 HR.	1	
hydrocodone-homatropine 5-1.5 mg TABLET	1	
hydrocodone-homatropine 5-1.5 mg/5 ml, 5-1.5 mg/5 ml (5 ml) SYRUP	1	
hydromet 5-1.5 mg/5 ml SYRUP	1	
OBREDON 2.5-200 MG/5 ML SOLUTION	4	
promethazine vc-codeine 6.25-5-10 mg/5 ml SYRUP	1	
promethazine-codeine 6.25-10 mg/5 ml SYRUP	1	
promethazine-dm 6.25-15 mg/5 ml SYRUP	1	
promethazine-phenylephh-codeine 6.25-5-10 mg/5 ml SYRUP	1	
RESPA-AR 8-90-0.24 MG TABLET, ER 12 HR.	4	
TUXARIN ER 8-54.3 MG TABLET, ER 12 HR.	4	
TUZISTRA XR 14.7-2.8 MG/5 ML SUSPENSION, ER 12 HR.	4	
<b>Dental - Mail Order Available</b>		
CLINPRO 5000 1.1 % PASTE	4	
denta 5000 plus 1.1 % CREAM	4	
denta 5000 plus sensitive 1.1-5 % PASTE	4	
dentagel 1.1 % GEL	4	
fluoride (sodium) 0.2 % SOLUTION	1	
fluoride (sodium) 1.1 % CREAM	1	
fluoride (sodium) 1.1 % GEL	1	

Your Humana Medicare Employer Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Dental - Mail Order Available</b>		
fluoride (sodium) 1.1 % PASTE	1	
PREVIDENT 0.2 % SOLUTION	4	
prevident 1.1 % GEL	4	
PREVIDENT 5000 BOOSTER PLUS 1.1 % PASTE	4	
PREVIDENT 5000 DRY MOUTH 1.1 % PASTE	4	
PREVIDENT 5000 ENAMEL PROTECT 1.1-5 % PASTE	4	
PREVIDENT 5000 ORTHO DEFENSE 1.1 % PASTE	4	
PREVIDENT 5000 PLUS 1.1 % CREAM	4	
PREVIDENT 5000 SENSITIVE 1.1-5 % PASTE	4	
PREVIDENT KIDS 1.1 % PASTE	4	
sf 1.1 % GEL	1	
sf 5000 plus 1.1 % CREAM	1	
sodium fluoride 5000 dry mouth 1.1 % PASTE	1	
sodium fluoride 5000 plus 1.1 % CREAM	1	
sodium fluoride-pot nitrate 1.1-5 % PASTE	1	
<b>Erectile Dysfunction - Mail Order Available</b>		
ADDYI 100 MG TABLET	4	
CIALIS 10 MG, 20 MG TABLET	4	QL(6 per 30 days)
sildenafil 100 mg, 25 mg, 50 mg TABLET	1	QL(6 per 30 days)
STENDRA 100 MG, 200 MG, 50 MG TABLET	4	QL(6 per 30 days)
tadalafil 10 mg, 20 mg TABLET	1	QL(6 per 30 days)
vardenafil 10 mg TABLET, DISINTEGRATING	1	QL(6 per 30 days)
vardenafil 10 mg, 2.5 mg, 20 mg, 5 mg TABLET	1	QL(6 per 30 days)

Your Humana Medicare Employer Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Erectile Dysfunction - Mail Order Available</b>		
VIAGRA 100 MG, 25 MG, 50 MG TABLET	4	QL(6 per 30 days)
VYLEESI 1.75 MG/0.3 ML AUTO-INJECTOR	4	
<b>Fertility - Mail Order Available</b>		
cetrorelix 0.25 mg KIT	1	
CETROTIDE 0.25 MG KIT	4	
clomid 50 mg TABLET	1	
clomiphene citrate 50 mg TABLET	1	
FOLLISTIM AQ 300 UNIT/0.36 ML, 600 UNIT/0.72 ML, 900 UNIT/1.08 ML CARTRIDGE	4	
furemadel 250 mcg/0.5 ml SYRINGE	1	
GANIRELIX 250 MCG/0.5 ML SYRINGE	4	
ganirelix 250 mcg/0.5 ml SYRINGE	4	
GONAL-F 1,050 UNIT, 450 UNIT RECON SOLUTION	4	
GONAL-F RFF 75 UNIT RECON SOLUTION	4	
GONAL-F RFF REDI-JECT 300/0.5 UNIT/ML, 450/0.75 UNIT/ML, 900/1.5 UNIT/ML PEN INJECTOR	4	
MENOPUR 75 UNIT RECON SOLUTION	4	
OVIDREL 250 MCG/0.5 ML SYRINGE	4	
<b>Vitamins/ Minerals - Mail Order Available</b>		
ascorbic acid (vitamin c) 500 mg/ml SOLUTION	1	
b complex 100 100-2-100-2-2 mg/ml SOLUTION	1	
b-complex injection 100-2-100-2-2 mg/ml SOLUTION	1	
cyanocobalamin (vitamin b-12) 1,000 mcg/ml SOLUTION	1	
cyanocobalamin (vitamin b-12) 500 mcg/spray SPRAY, NON-AEROSOL	1	
dodex 1,000 mcg/ml SOLUTION	1	

Your Humana Medicare Employer Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Vitamins/ Minerals - Mail Order Available</b>		
DRISDOL 1,250 MCG (50,000 UNIT) CAPSULE	4	
ergocalciferol (vitamin d2) 1,250 mcg (50,000 unit) CAPSULE	1	
folic acid 1 mg TABLET	1	
folic acid 5 mg/ml SOLUTION	1	
hydroxocobalamin 1,000 mcg/ml SOLUTION	1	
INFUVITE ADULT 3,300 UNIT- 150 MCG/10 ML SOLUTION	4	
INFUVITE PEDIATRIC 80 MG-400 UNIT- 200 MCG/5 ML SOLUTION	4	
MEPHYTON 5 MG TABLET	4	
NASCOBAL 500 MCG/SPRAY SPRAY, NON-AEROSOL	4	
phytonadione (vitamin k1) 1 mg/0.5 ml SYRINGE	1	
phytonadione (vitamin k1) 1 mg/0.5 ml, 10 mg/ml SOLUTION	1	
phytonadione (vitamin k1) 5 mg TABLET	1	
pyridoxine (vitamin b6) 100 mg/ml SOLUTION	1	
thiamine hcl (vitamin b1) 100 mg/ml SOLUTION	1	
vitamin d2 1,250 mcg (50,000 unit) CAPSULE	1	
vitamin k1 1 mg/0.5 ml SOLUTION	1	
vitamin k1 10 mg/ml SOLUTION	1	
<b>Weight Loss - Mail Order Available</b>		
adipex-p 37.5 mg CAPSULE	1	
ADIPEX-P 37.5 MG TABLET	1	
benzphetamine 50 mg TABLET	1	
CONTRAVE 8-90 MG TABLET ER	4	QL(120 per 30 days)
diethylpropion 25 mg TABLET	1	

Your Humana Medicare Employer Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Weight Loss - Mail Order Available</b>		
diethylpropion 75 mg TABLET ER	1	
lomaira 8 mg TABLET	1	
phendimetrazine tartrate 105 mg CAPSULE, ER	4	
phendimetrazine tartrate 35 mg TABLET	1	
phentermine 15 mg, 30 mg, 37.5 mg CAPSULE	1	
phentermine 37.5 mg TABLET	1	
PLENITY 0.75 GRAM CAPSULE	4	
PLENITY (WELCOME KIT) 0.75 GRAM CAPSULE	4	
QSYMIA 11.25-69 MG, 15-92 MG, 3.75-23 MG, 7.5-46 MG CAPSULE ER MULTIPHASE 24 HR.	4	QL(30 per 30 days)
SAXENDA 3 MG/0.5 ML (18 MG/3 ML) PEN INJECTOR	4	
ZEPBOUND 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR	4	

Your Humana Medicare Employer Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

# Index

A		
abacavir... 73	acetaminophen-caff-dihydrocod... 11	ACZONE... 114
abacavir-lamivudine... 73	acetaminophen-codeine... 11	ADACEL(TDAP
ABELCET... 45	acetazolamide sodium... 91	ADOLESN/ADULT)(PF)... 155
ABILIFY ASIMTUIII... 68	acetazolamide... 91	ADAKVEO... 170
ABILIFY MAINTENA... 68	acetic acid... 22, 170	ADALIMUMAB-AACF... 156
ABILIFY MYCITE MAINTENANCE KIT... 68, 69	acetylcysteine... 170, 182	ADALIMUMAB-AATY... 156
ABILIFY MYCITE STARTER KIT... 69	ACIPHEX SPRINKLE... 130	ADALIMUMAB-ADAZ... 156
ABILIFY... 68	ACIPHEX... 130	ADALIMUMAB-ADBM... 156
abiraterone... 51	acitretin... 114	ADALIMUMAB-ADBM(CF) PEN
ABRAXANE... 51	ACTEMRA ACTPEN... 155	CROHNS... 156
ABRILADA(CF) PEN... 155	ACTEMRA... 155	ADALIMUMAB-ADBM(CF) PEN
ABRILADA(CF)... 155	ACTHAR SELFJECT... 139	PS-UV... 156
ABRYSVO (PF)... 155	ACTHAR... 139	ADALIMUMAB-FKJP... 156
ABSORICA LD... 113	ACTHIB (PF)... 155	ADALIMUMAB-RYVK... 156
ABSORICA... 113	ACTICLATE... 22	adapalene... 114
acamprostate... 21	ACTIMMUNE... 155	adapalene-benzoyl peroxide... 114
ACANYA... 113	ACTIQ... 11	ADBRY... 156
acarbose... 81	ACTIVELLA... 142	ADCETRIS... 51
ACCOLATE... 182	ACTONEL... 168	ADCIRCA... 182
ACCUPRIL... 91	ACTOPLUS MET... 81	ADDERALL XR... 107
ACCURETIC... 91	ACTOS... 81	ADDERALL... 107
accutane... 114	ACULAR LS... 176	ADDYI... 194
acebutolol... 91	ACULAR... 176	adefovir... 74
ACETADOTE... 169	ACUVAIL (PF)... 176	ADEMPAS... 182
acetaminophen... 170	acyclovir sodium... 74	adenosine... 91
	acyclovir... 73, 74	adipex-p... 196
		ADLARITY... 38

ADLYXIN... 81	ak-poly-bac... 176	allopurinol... 48
ADMELOG SOLOSTAR U-100	AKEEGA... 52	ALLZITAL... 170
INSULIN... 81	AKLIEF... 114	almotriptan malate... 48
ADMELOG U-100 INSULIN LISPRO... 81	AKYNZEO (FOSNETUPITANT)... 43	ALOCRIL... 176
ADRENALIN... 182	AKYNZEO (NETUPITANT)... 43	ALOMIDE... 176
ADRIAMYCIN... 51	ALA-CORT... 114	ALOPRIM... 48
adrucil... 52	ALA-SCALP... 114	alosetron... 130
ADSTILADRIN... 170	albendazole... 65	ALPHAGAN P... 177
ADVAIR DISKUS... 182	albuterol sulfate... 182	alprazolam intensol... 79
ADVAIR HFA... 182	ALCAINE... 176	alprazolam... 79
ADZENYS XR-ODT... 107	alclometasone... 114	ALREX... 177
ADZYNMA... 87	ALCOHOL PADS... 170	ALTABAX... 114
AEMCOLO... 130	ALCOHOL PREP PADS... 170	ALTACE... 92
AFINITOR DISPERZ... 52	ALCOHOL SWABS... 170	altavera (28)... 143
AFINITOR... 52	ALCOHOL WIPES... 170	ALTOPREV... 92
afirmelle... 142	ALDACTAZIDE... 92	ALTRENO... 114
AFREZZA... 81	ALDACTONE... 92	ALUNBRIG... 52
AGAMREE... 139	ALDURAZYME... 135	ALVAIZ... 87
AGGRASTAT CONCENTRATE... 87	ALECENSA... 52	ALVESCO... 182
AGGRASTAT IN SODIUM CHLORIDE... 87	alendronate... 168	alyacen 1/35 (28)... 143
AGRYLIN... 87	alfuzosin... 138	alyacen 7/7/7 (28)... 143
AIMOVIG AUTOINJECTOR... 48	ALIMTA... 52	ALYGLO... 156
AIRDUO DIGIHALER... 182	ALIQOPA... 52	ALYMSYS... 52
AIRDUO RESPICLICK... 182	aliskiren... 92	alyq... 182
AIRSUPRA... 182	ALKERAN (AS HCL)... 52	amabelz... 143
AJOVY AUTOINJECTOR... 48	ALKERAN... 52	amantadine hcl... 66
AJOVY SYRINGE... 48	ALKINDI SPRINKLE... 139	AMARYL... 81
	allopurinol sodium... 48	AMBIEN CR... 190

AMBIEN... 190	AMITIZA... 130	AMRIX... 189
AMBISOME... 45	amitriptyline... 39	AMVUTTRA... 135
ambrisentan... 182	amitriptyline-chlordiazepoxide... 39	AMZEEQ... 114
amcinonide... 114	AMJEVITA(CF) AUTOINJECTOR... 156	ANAFRANIL... 39
amethia... 143	AMJEVITA(CF)... 156	anagrelide... 87
amethyst (28)... 143	amlodipine... 92	ANAPROX DS... 11
amikacin... 22	amlodipine-atorvastatin... 92	anastrozole... 52
amiloride... 92	amlodipine-benazepril... 92	ANCOBON... 45
amiloride-hydrochlorothiazide... 92	amlodipine-olmesartan... 92	ANDRODERM... 143
aminocaproic acid... 87	amlodipine-valsartan... 92	ANDROGEL... 143
aminophylline... 182	amlodipine-valsartan-hcthiazid... 92	ANGELIQ... 143
AMINOSYN II 10 %... 123	ammonium lactate... 114	ANKTIVA... 52
AMINOSYN II 15 %... 123	AMMONUL... 170	ANNOVERA... 143
AMINOSYN II 7 %... 123	amnesteem... 114	ANORO ELLIPTA... 182
AMINOSYN II 8.5 %... 123	amoxapine... 39	ANTIVERT... 43
AMINOSYN II 8.5	amoxicil-clarithromy-lansopraz... 130	anusol-hc... 114
%-ELECTROLYTES... 123	amoxicillin... 22	ANZEMET... 43
AMINOSYN M 3.5 %... 123	amoxicillin-pot clavulanate... 22, 23	APADAZ... 11
AMINOSYN 10 %... 123	amphetamine sulfate... 107	apexicon e... 114
AMINOSYN 7 % WITH ELECTROLYTES... 123	amphetamine... 107	APIDRA SOLOSTAR U-100 INSULIN... 81
AMINOSYN 8.5 %... 123	amphotericin b liposome... 45	APIDRA U-100 INSULIN... 81
AMINOSYN 8.5 %-ELECTROLYTES... 123	amphotericin b... 45	APLENZIN... 39
AMINOSYN-PF 10 %... 123	ampicillin sodium... 23	APOKYN... 66
AMINOSYN-PF 7 % (SULFITE-FREE)... 123	ampicillin... 23	apomorphine... 66
AMINOSYN-RF 5.2 %... 123	ampicillin-sulbactam... 23	APONVIE... 43
amiodarone... 92	AMPYRA... 107	apraclonidine... 177
		aprepitant... 43

APRETUDE... 74	arsenic trioxide... 52	ATRALIN... 114
apri... 143	ARTHROTEC 50... 11	ATRIPLA... 74
APRISO... 167	ARTHROTEC 75... 11	ATROPINE SULFATE (PF)... 177
APTENSIO XR... 107	ASACOL HD... 167	atropine... 130, 177
APTIOM... 32	ASCENIV... 156	ATROVENT HFA... 183
APTIVUS... 74	ascomp with codeine... 11	AUBAGIO... 107
ARALAST NP... 135	ascorbic acid (vitamin c)... 195	aubra eq... 143
aranelle (28)... 143	asenapine maleate... 69	aubra... 143
ARANESP (IN POLYSORBATE)... 87, 88	ashlyna... 143	AUGMENTIN ES-600... 23
ARAVA... 156	ASMANEX HFA... 183	AUGMENTIN XR... 23
ARAZLO... 114	ASMANEX TWISTHALER... 183	AUGMENTIN... 23
ARCALYST... 156	ASPARLAS... 52	AUGTYRO... 52
AREXVY (PF)... 156	aspirin-dipyridamole... 88	aurovela fe 1.5/30 (28)... 143
arformoterol... 182	ASPRUZY SPRINKLE... 92	aurovela fe 1-20 (28)... 143
ARICEPT... 38	ASTAGRAF XL... 156	aurovela 1.5/30 (21)... 143
ARIKAYCE... 23	ATACAND HCT... 92	aurovela 1/20 (21)... 143
ARIMIDEX... 52	ATACAND... 92	aurovela 24 fe... 143
aripiprazole... 69	atazanavir... 74	AURYXIA... 123
ARISTADA INITIO... 69	ATELVIA... 168	AUSTEDO XR TITRATION KT(WK1-4)... 107
ARISTADA... 69	atenolol... 92	AUSTEDO XR... 107
ARIIXTRA... 88	atenolol-chlorthalidone... 92	AUSTEDO... 107
armodafinil... 190	ATGAM... 156	AUTOJECT 2 INJECTION DEVICE... 170
ARMONAIR DIGIHALER... 182	ATIVAN... 79	AUTOPEN 1 TO 21 UNITS... 170
ARMOUR THYROID... 152	atomoxetine... 107	AUTOPEN 2 TO 42 UNITS... 170
ARNUITY ELLIPTA... 182	ATORVALIQ... 92	AUVELITY... 39
AROMASIN... 52	atorvastatin... 92	AUVI-Q... 183
ARRANON... 52	atovaquone... 65	
	atovaquone-proguanil... 65	

AVALIDE...	92	AZOPT...	177	BASAGLAR TEMPO
AVAPRO...	92	AZOR...	93	PEN(U-100)INSLN...
AVASTIN...	52	AZSTARYS...	107	81
AVEED...	143	aztreonam...	23	BAVENCIO...
AVELOX IN NACL (ISO-OSMOTIC)...	23	AZULFIDINE EN-TABS...	167	52
aviane...	143	AZULFIDINE...	167	BAXDELA...
avidoxy...	23	azurette (28)...	143	23
AVITA...	114, 115	<b>B</b>		
AVODART...	138	b complex 100...	195	BCG VACCINE, LIVE (PF)...
AVONEX...	107	b-complex injection...	195	157
AVSOLA...	156	bacitracin...	23, 177	BD ALCOHOL SWABS...
AVYCAZ...	23	bacitracin-polymyxin b...	177	170
AYGESTIN...	143	baclofen...	73	BD AUTOSHIELD DUO PEN NEEDLE...
ayuna...	143	BACTRIM DS...	23	170
AYVAKIT...	52	BACTRIM...	23	BD ECLIPSE LUER-LOK...
azacitidine...	52	BAFIERTAM...	107	170
AZACTAM...	23	bal-care dha...	123	BD INSULIN SYRINGE (HALF UNIT)...
AZASAN...	156	balanced salt...	177	170
AZASITE...	177	BALCOLTRA...	143	BD INSULIN SYRINGE MICRO-FINE...
azathioprine sodium...	157	balsalazide...	167	170
azathioprine...	156	BALVERSA...	52	BD INSULIN SYRINGE U-500...
azelaic acid...	115	balziva (28)...	143	170
azelastine...	177, 183	BAND-AID GAUZE PADS...	170	BD INSULIN SYRINGE ULTRA-FINE...
azelastine-fluticasone...	183	BANZEL...	32	170
AZELEX...	115	BAQSIMI...	81	BD NANO 2ND GEN PEN NEEDLE...
AZILECT...	66	BARACLUDE...	74	170
azithromycin...	23	BASAGLAR KWIKPEN U-100		BD SAFETYGLIDE INSULIN
		INSULIN...	81	SYRINGE...
				170
				BD SAFETYGLIDE SYRINGE...
				171
				BD ULTRA-FINE MICRO PEN
				NEEDLE...
				171
				BD ULTRA-FINE MINI PEN NEEDLE...
				171
				BD ULTRA-FINE NANO PEN
				NEEDLE...
				171
				BD ULTRA-FINE ORIG PEN NEEDLE...
				171

BD ULTRA-FINE SHORT PEN NEEDLE... 171	BESIVANCE... 177 BESPONSA... 53 BESREMI... 157	BIJUVA... 143 BIKTARVY... 74 BILTRICIDE... 65
BD VEO INSULIN SYR (HALF UNIT)... 171	BETADINE OPHTHALMIC PREP... 177 betaine... 135 betamethasone acet,sod phos... 139	bimatoprost... 177, 192 BIMZELX AUTOINJECTOR... 157 BIMZELX... 157
BD VEO INSULIN SYRINGE UF... 171	betamethasone dipropionate... 115 betamethasone valerate... 115 betamethasone, augmented... 115	BINOSTO... 168 BIORPHEN... 93 bismuth subcit k-metronidz-tcn... 131
BECONASE AQ... 183	BETAPACE AF... 93 BETAPACE... 93	bisoprolol fumarate... 93 bisoprolol-hydrochlorothiazide... 93
BELBUCA... 11	BETASERON... 107 betaxolol... 93, 177	BIVIGAM... 157 blanche... 192
BELEODAQ... 52	bethanechol chloride... 138	bleomycin... 53
BELRAPZO... 52	BETHKIS... 23	blisovi fe 1.5/30 (28)... 144
BELSOMRA... 190	BETIMOL... 177	blisovi fe 1/20 (28)... 144
benazepril... 93	BETOPTIC S... 177	blisovi 24 fe... 144
benazepril-hydrochlorothiazide... 93	BEVESPI AEROSPHERE... 183	BONIVA... 168
bendamustine... 52	bexarotene... 53	BONJESTA... 43
BENDEKA... 52	BEXSERO... 157	BOOSTRIX TDAP... 157
BENICAR HCT... 93	BEYAZ... 143	BORDERED GAUZE... 171
BENICAR... 93	BEYFORTUS... 171	BORTEZOMIB... 53
BENLYSTA... 157	bicalutamide... 53	bosentan... 183
BENTYL... 131	BICILLIN C-R... 23	BOSULIF... 53
BENZAMYCIN... 115	BICILLIN L-A... 24	BRAFTOVI... 53
benzhydrocodone-acetaminophen... 11	BICNU... 53	BREO ELLIPTA... 183
benznidazole... 65	BIDIL... 93	bretylium tosylate... 93
benzonatate... 192		
benzphetamine... 196		
benztropine... 67		
bepotastine besilate... 177		
BEPREVE... 177		
BERINERT... 157		
beser... 115		

BREVIBLOC IN NACL (ISO-OSM)...	93	bupivacaine-dextrose-water(pf)... 19	CABENUVA... 74
BREVIBLOC...	93	bupivacaine-epinephrine (pf)... 19	cabergoline... 154
BREZTRI AEROSPHERE...	183	bupivacaine-epinephrine... 19	CABLIVI... 88
briellyn...	144	BUPRENEX... 11	CABOMETYX... 53
BRILINTA...	88	buprenorphine hcl... 11, 21	CABTREO... 115
brimonidine...	115, 177	buprenorphine... 11	CADUET... 93
brinzolamide...	177	buprenorphine-naloxone... 21	CAFCIT... 171
BRIUMVI...	107	bupropion hcl (smoking deter)... 21	caffiene citrate... 171
BRIVIACT...	33	bupropion hcl...	CALAN SR... 93
bromfed dm...	192	39	calcipotriene... 115
bromfenac...	177	buspirone... 79	calcipotriene-betamethasone... 115
bromocriptine...	67	busulfan... 53	calcitonin (salmon)... 168
brompheniramine-pseudoeph-dm...		BUSULFEX... 53	calcitriol... 115, 168
192		butalbital compound w/codeine... 11	calcium acetate(phosphat bind)... 123
BROMSITE...	177	butalbital-acetaminop-caf-cod... 171	calcium chloride... 123
BRONCHITOL...	183	butalbital-acetaminophen... 171	calcium disodium versenate... 171
BROVANA...	183	butalbital-acetaminophen-caff... 171	calcium gluconate... 123
BRUKINSA...	53	butalbital-aspirin-caffeine... 171	CALDOLOR... 11
BRYHALI...	115	butorphanol... 11	CALQUENCE (ACALABRUTINIB MAL)... 53
BSS PLUS...	177	BUTTRANS... 11	CAMBIA... 11
BSS...	177	BYDUREON BCISE... 81	camila... 144
budesonide...	167, 183	BYETTA... 81	CAMPTOSAR... 53
bumetanide...	93	BYLVAY... 171	camrese lo... 144
bupap...	171	BYSTOLIC... 93	camrese... 144
BUPHENYL...	135		CAMZYOS... 93
bupivacaine (pf)...	19		
bupivacaine hcl...	19	c-nate dha... 123	

**C**

CANASA... 167	CARETOUCH ALCOHOL PREP PAD... 171	cefepime in dextrose,iso-osm... 24
CANCIDAS... 45	carglumic acid... 123	cefepime... 24
candesartan... 93	carisoprodol... 189	cefixime... 24
candesartan-hydrochlorothiazid... 93	carisoprodol-aspirin... 189	cefotaxime... 24
CAPEX... 115	carisoprodol-aspirin-codeine... 189	cefotetan... 24
CAPLYTA... 69	carmustine... 53	cefoxitin in dextrose, iso-osm... 24
CAPRELSA... 53	CARNITOR (SUGAR-FREE)... 124	cefoxitin... 24
captopril... 93	CARNITOR... 123, 124	cefpodoxime... 24
captopril-hydrochlorothiazide... 93	CAROSPIR... 94	cefprozil... 24
CARAC... 115	carteolol... 177	ceftazidime in d5w... 24
CARAFATE... 131	cartia xt... 94	ceftazidime... 24
CARBAGLU... 123	carvedilol phosphate... 94	ceftriaxone in dextrose,iso-os... 24
carbamazepine... 33	carvedilol... 94	ceftriaxone... 24
CARBATROL... 33	CASODEX... 53	cefuroxime axetil... 24
carbidopa... 67	caspofungin... 45	cefuroxime sodium... 25
carbidopa-levodopa... 67	cataflam... 11	CELEBREX... 11
carbidopa-levodopa-entacapone... 67	CATAPRES-TTS-1... 94	celecoxib... 11, 12
carbinoxamine maleate... 183	CATAPRES-TTS-2... 94	CELESTONE SOLUSPAN... 139
CARBOCAINE WITH NEO-COBEFRIN... 19	CATAPRES-TTS-3... 94	CELEXA... 39
carboplatin... 53	CAYSTON... 183	CELLCEPT INTRAVENOUS... 157
carboprost tromethamine... 142	caziant (28)... 144	CELLCEPT... 157
CARDIZEM CD... 94	cefaclor... 24	CELONTIN... 33
CARDIZEM LA... 94	cefadroxil... 24	CENTANY... 115
CARDIZEM... 94	cefazolin in dextrose (iso-os)... 24	cephalexin... 25
CARDURA XL... 94	cefazolin... 24	CEQUA... 177
CARDURA... 94	cefdinir... 24	CERDELGA... 135
	cefepime in dextrose 5 %... 24	CEREBYX... 33
		CEREZYME... 135

CERVIDIL...	171	CHORIONIC GONADOTROPIN, HUMAN...	141	cisplatin...	53
cetirizine...	183	CIALIS...	138, 194	citalopram...	39
cetrorelix...	195	CIBINQO...	157	CITRANATAL B-CALM (FE GLUC)...	
CETROTIDE...	195	ciclodan...	45	124	
cevimeline...	113	ciclopirox...	45	cladribine...	53
CHANTIX CONTINUING MONTH BOX...	21	cidofovir...	74	CLAFORAN...	25
CHANTIX STARTING MONTH BOX...	21	cilostazol...	88	claravis...	115
CHANTIX...	21	CILOXAN...	177	CLARINEX...	183
charlotte 24 fe...	144	CIMDUO...	74	CLARINEX-D 12 HOUR...	171
chateal (28)...	144	cimetidine hcl...	131	clarithromycin...	25
chateal eq (28)...	144	cimetidine...	131	clemastine...	183
CHEMET...	124	CIMZIA POWDER FOR RECONST...		CLENPIQ...	131
CHENODAL...	131	157		CLEOCIN HCL...	25
chloramphenicol sod succinate...	25	CIMZIA STARTER KIT...	157	CLEOCIN PEDIATRIC...	25
chlordiazepoxide hcl...	79	CIMZIA...	157	CLEOCIN T...	115
chlorhexidine gluconate...	113	cinacalcet...	168	CLEOCIN...	25
chlorprocaine (pf)...	19	CINQAIR...	183	CLEVIPREX...	94
chloroquine phosphate...	65	CINRYZE...	157	CLIMARA PRO...	144
chlorothiazide sodium...	94	CINVANTI...	171	CLIMARA...	144
chlorpromazine...	69	CIPRO HC...	181	clindacin etz...	116
chlorthalidone...	94	CIPRO...	25	clindacin p...	116
chlorzoxazone...	189	CIPRODEX...	181	clindacin...	115
CHOLBAM...	135	ciprofloxacin hcl...	25, 177, 181	CLINDAGEL...	116
cholestyramine (with sugar)...	94	ciprofloxacin in 5 % dextrose...	25	clindamycin hcl...	25
cholestyramine light...	94	ciprofloxacin...	25	clindamycin in 0.9 % sod chlor...	25
cholestyramine-aspartame...	94	ciprofloxacin-dexamethasone...		clindamycin in 5 % dextrose...	25
		181		clindamycin palmitate hcl...	25
		ciprofloxacin-fluocinolone...	181	clindamycin pediatric...	25

clindamycin phosphate... 26, 116	CLINISOL SF 15 %... 124	colchicine... 48
clindamycin-benzoyl peroxide... 116	CLINOLIPID... 124	colesevelam... 94
clindamycin-tretinoin... 116	CLINPRO 5000... 193	COLESTID FLAVORED... 95
CLINDESSE... 26	clobazam... 33	COLESTID... 94, 95
CLINIMIX E 2.75%/D5W SULF FREE... 124	clobetasol... 116	colestipol... 95
CLINIMIX E 4.25%/D10W SULF FREE... 124	clobetasol-emollient... 116	colistin (colistimethate na)... 26
CLINIMIX E 4.25%/D5W SULF FREE... 124	CLOBEX... 116	COLUMVI... 53
CLINIMIX E 5%/D15W SULFIT FREE... 124	clocortolone pivalate... 116	COLY-MYCIN M PARENTERAL... 26
CLINIMIX E 5%/D20W SULFIT FREE... 124	clodan... 116	COMBIGAN... 178
CLINIMIX E 8%-D10W SULFITEFREE... 124	clofarabine... 53	COMBIPATCH... 144
CLINIMIX E 8%-D14W SULFITEFREE... 124	CLOLAR... 53	COMBIVENT RESPIMAT... 183
CLINIMIX 4.25%/D10W SULF FREE... 124	clomid... 195	COMBIVIR... 74
CLINIMIX 4.25%/D5W SULFIT FREE... 124	clomiphene citrate... 195	COMBOGESIC IV... 171
CLINIMIX 5%-D20W(SULFITE-FREE)... 124	clomipramine... 39	COMETRIQ... 53
CLINIMIX 5%/D15W SULFITE FREE... 124	clonazepam... 79, 80	COMPazine... 43
CLINIMIX 6%-D5W (SULFITE-FREE)... 124	clonidine hcl... 94, 107	COMPLERA... 74
CLINIMIX 8%-D10W(SULFITE-FREE)... 124	clonidine... 94	complete natal dha... 124
CLINIMIX 8%-D14W(SULFITE-FREE)... 124	clopидогрел... 88	compro... 43
CLINIMIX 4.25%/D5W SULFIT FREE... 124	clorazepate dipotassium... 80	COMTAN... 67
CLINIMIX 5%-D20W(SULFITE-FREE)... 124	CLOROTEKAL (PF)... 19	CONCERTA... 107
CLINIMIX 5%/D15W SULFITE FREE... 124	clotrimazole... 45	CONDYLOX... 116
CLINIMIX 6%-D5W (SULFITE-FREE)... 124	clotrimazole-betamethasone... 45	CONJUPRI... 95
CLINIMIX 8%-D10W(SULFITE-FREE)... 124	clozapine... 69	constulose... 131
CLINIMIX 8%-D14W(SULFITE-FREE)... 124	CLOZARIL... 69	CONTRAVE... 196
CLINIMIX 8%-D14W(SULFITE-FREE)... 124	COARTEM... 65	CONZIP... 12
CLINIMIX 8%-D14W(SULFITE-FREE)... 124	codeine sulfate... 12	COPAXONE... 107, 108
CLINIMIX 8%-D14W(SULFITE-FREE)... 124	codeine-butalbital-asa-caff... 12	COPIKTRA... 54
CLINIMIX 8%-D14W(SULFITE-FREE)... 124	COLAZAL... 167	CORDRAN TAPE LARGE ROLL... 117

CORDRAN... 116, 117	cromolyn... 178, 183	CYRAMZA... 54
COREG CR... 95	crotan... 117	cyred eq... 144
COREG... 95	cryselle (28)... 144	cyred... 144
coremino... 26	CRYSVITA... 135	CYSTADANE... 135
CORGARD... 95	CUBICIN RF... 26	CYSTADROPS... 178
CORLANOR... 95	CUPRIMINE... 124	CYSTAGON... 135
CORLOPAM... 95	CURITY ALCOHOL SWABS... 172	CYSTARAN... 178
CORTEF... 117	CURITY GAUZE... 172	cytarabine (pf)... 54
CORTENEMA... 167	CUTAQUIG... 157	cytarabine... 54
CORTIFOAM... 167	CUVPOSA... 131	CYTOGAM... 158
CORTISPORIN-TC... 181	CUVRIOR... 124	CYTOMEL... 152
CORTROPHIN GEL... 139	cyanocobalamin (vitamin b-12)... 195	CYTOTEC... 131
CORVERT... 95	cyclobenzaprine... 190	<b>D</b>
COSENTYX (2 SYRINGES)... 157	cyclopentolate... 178	dabigatran etexilate... 88
COSENTYX PEN (2 PENS)... 157	cyclophosphamide... 54	dacarbazine... 54
COSENTYX PEN... 157	cycloserine... 51	DACOGEN... 54
COSENTYX UNOREADY PEN... 157	CYCLOSET... 81	dactinomycin... 54
COSENTYX... 157	cyclosporine modified... 158	dalfampridine... 108
COSMEGEN... 54	cyclosporine... 157	DALIRESP... 184
COSOPT (PF)... 178	CYKLOKAPRON... 88	DALVANCE... 26
COSOPT... 178	CYLTEZO(CF) PEN CROHN'S-UC-HS... 158	danazol... 144
COTELLIC... 54	CYLTEZO(CF) PEN PSORIASIS-UV... 158	DANTRIUM... 73
COTEMPLA XR-ODT... 108	CYLTEZO(CF) PEN... 158	dantrolene... 73
COZAAR... 95	CYLTEZO(CF)... 158	DANYELZA... 54
CREON... 135	CYMBALTA... 39, 40	dapsone... 51, 117
CRESEMBA... 45	cyproheptadine... 184	DAPTACEL (DTAP PEDIATRIC) (PF)... 158
CRESTOR... 95		daptomycin in 0.9 % sod chlor... 26
CRINONE... 144		

daptomycin... 26	DEMEROL (PF)... 12	desmopressin... 141
DARAPRIM... 66	DEMEROL... 12	desog-e.estriadiol/e.estriadiol... 144
darifenacin... 138	DEMSEER... 95	desogestrel-ethynodiol... 144
DARTISLA... 131	DENAVIR... 74	desonide... 117
darunavir... 74	DENGVAXIA (PF)... 158	DESOWEN... 117
DARZALEX FASPRO... 54	denta 5000 plus sensitive... 193	desoximetasone... 117
DARZALEX... 54	denta 5000 plus... 193	DESOXYN... 108
dasetta 1/35 (28)... 144	dentagel... 193	desrx... 117
dasetta 7/7/7 (28)... 144	DEPAKOTE ER... 33	desvenlafaxine succinate... 40
daunorubicin... 54	DEPAKOTE SPRINKLES... 33	desvenlafaxine... 40
DAURISMO... 54	DEPAKOTE... 33	DETROL LA... 138
DAYBUE... 108	DEPEN TITRATABS... 125	DETROL... 138
DAYPRO... 12	DEPO-ESTRADIOL... 144	dexabli... 139
daysee... 144	DEPO-MEDROL... 139	dexamethasone intensol... 139
DAYTRANA... 108	DEPO-PROVERA... 144	dexamethasone sodium phos (pf)... 139
DAYVIGO... 190	DEPO-SUBQ PROVERA 104... 144	dexamethasone sodium phosphate... 139, 140, 178
DDAVP... 141	DEPO-TESTOSTERONE... 144	dexamethasone... 139
deblitane... 144	DERMA-SMOOTH/FS BODY OIL... 117	dexchlorpheniramine maleate... 184
decitabine... 54	DERMA-SMOOTH/FS SCALP OIL... 117	DEXEDRINE SPANSULE... 108
deferasirox... 124	DERMACEA... 172	DEXILANT... 131
deferiprone... 124	dermacinrx lidocan... 19	dexlansoprazole... 131
deferoxamine... 125	DERMOTIC OIL... 181	dexamethylphenidate... 108
DEFITELIO... 172	DESCOVY... 74	dexrazoxane hcl... 54
deflazacort... 139	DESFERAL... 125	DEXTENZA... 178
DELESTROGEN... 144	desipramine... 40	dextroamphetamine sulfate... 108
DELSTRIGO... 74	desloratadine... 184	
DELZICOL... 167		
demeclocycline... 26		

dextroamphetamine-amphetamine... 108	dichlorphenamide... 135	dimethyl fumarate... 108
dextrose 10 % and 0.2 % nacl... 125	DICLEGIS... 43	DIOVAN HCT... 96
dextrose 10 % in water (d10w)... 125	diclofenac epolamine... 12	DIOVAN... 96
dextrose 20 % in water (d20w)... 125	diclofenac potassium... 12	DIPENTUM... 167
dextrose 25 % in water (d25w)... 125	diclofenac sodium... 12, 117, 178	DIPHEN... 184
dextrose 30 % in water (d30w)... 125	diclofenac-misoprostol... 12	diphenhydramine hcl... 184
dextrose 40 % in water (d40w)... 125	dicloxacillin... 26	diphenoxylate-atropine... 131
dextrose 5 % in water (d5w)... 125	dicyclomine... 131	DIPROLENE (AUGMENTED)... 117
dextrose 5 %-lactated ringers... 125	didanosine... 74	dipyridamole... 88
dextrose 5%-0.2 % sod chloride... 125	diethylpropion... 196, 197	disopyramide phosphate... 96
dextrose 5%-0.3 % sod.chloride... 125	DIFFERIN... 117	disulfiram... 21
dextrose 50 % in water (d50w)... 125	DIFCID... 26	DITROPAN XL... 138
dextrose 70 % in water (d70w)... 125	diflorasone... 117	DIURIL... 96
DHIVY... 67	DIFLUCAN... 45	divalproex... 33
DIACOMIT... 33	diflunisal... 12	DIVIGEL... 145
DIASTAT ACUDIAL... 33	difluprednate... 178	dobutamine in d5w... 96
DIASTAT... 33	digitek... 95	dobutamine... 96
diazepam intensol... 80	digox... 95	DOCEFREZ... 54
diazepam... 33, 80	digoxin... 95	docetaxel... 54
diazoxide... 81	dihydroergotamine... 48	dodox... 195
DIBENZYLINE... 95	DILANTIN EXTENDED... 33	dofetilide... 96
	DILANTIN INFATABS... 33	DOJOLVI... 172
	DILANTIN... 33	dolishale... 145
	DILANTIN-125... 33	donepezil... 38
	DILAUDID... 12	dopamine in 5 % dextrose... 96
	dilt-xr... 95	dopamine... 96
	diltiazem hcl... 95, 96	DOPRAM... 184
	dimenhydrinate... 43	DOPTELET (10 TAB PACK)... 88

DOPTELET (15 TAB PACK)... 88	DROPLET MICRON PEN NEEDLE... 172	DYANAVEL XR... 108, 109
DOPTELET (30 TAB PACK)... 88	DROPLET PEN NEEDLE... 172	DYMISTA... 184
DORYX MPC... 26	DROPSAFE ALCOHOL PREP PADS... 172	DYRENIUM... 96
DORYX... 26	DROPSAFE PEN NEEDLE... 172	d10 %-0.45 % sodium chloride... 124
dorzolamide... 178	drospirenone-e.estradol-lm.fa... 145	d2.5 %-0.45 % sodium chloride... 124
dorzolamide-timolol (pf)... 178	drospirenone-ethinyl estradiol... 145	d5 % and 0.9 % sodium chloride... 124
dorzolamide-timolol... 178	DROXIA... 172	d5 %-0.45 % sodium chloride... 124
dotti... 145	droxidopa... 96	<b>E</b>
DOVATO... 74	DUAKLIR PRESSAIR... 184	E.E.S. GRANULES... 27
DOVONEX... 117	DUAVEE... 145	E.E.S. 400... 27
doxazosin... 96	DUET DHA WITH OMEGA-3... 125	EASY COMFORT ALCOHOL PAD... 172
doxepin... 80, 117, 190	DUETACT... 81	EASY TOUCH ALCOHOL PREP PADS... 172
doxercalciferol... 168	DUEXIS... 12	EC-NAPROSYN... 13
DOXIL... 54	DULERA... 184	ec-naproxen... 13
doxorubicin... 54	duloxetine... 40	econazole... 45
doxorubicin, peg-liposomal... 54	DUOBRII... 117	edaravone... 109
doxy-100... 26	DUOPA... 67	EDARBI... 96
doxycycline hyclate... 26, 27	DUPIXENT PEN... 158	EDARBYCLOR... 96
doxycycline monohydrate... 27	DUPIXENT SYRINGE... 158	EDECRIN... 96
doxylamine-pyridoxine (vit b6)... 43	DURAMORPH (PF)... 12	edetate calcium disodium... 172
DRISDOL... 196	DUREZOL... 178	EDLUAR... 190
DRIZALMA SPRINKLE... 40	DURYSTA... 178	EDURANT... 74
dronabinol... 43	dutasteride... 138	efavirenz... 74
droperidol... 69	dutasteride-tamsulosin... 138	efavirenz-emtricitabin-tenofov... 74
DROPLET INSULIN SYR(HALF UNIT)... 172	DUVYZAT... 135	
DROPLET INSULIN SYRINGE... 172	DUZALLO... 48	

efavirenz-lamivu-tenofovir disop... 74	ELLA... 145 ELLENCE... 54	endocet... 13 ENDOMETRIN... 145
EFFEXOR XR... 40	ELMIRON... 138	ENGERIX-B (PF)... 158
EFFIENT... 88	ELREXFIO... 55	ENGERIX-B PEDIATRIC (PF)... 158
EFUDEX... 117	eluryng... 145	ENHERTU... 55
EGATEN... 66	ELYXYB... 172	enilloring... 145
EGRIFTA SV... 141	ELZONRIS... 55	ENJAYMO... 158
ELAPRASE... 135	EMCYT... 55	enoxaparin... 88
electrolyte-a... 125	EMEND (FOSAPREPITANT)... 43	enpresse... 145
electrolyte-148... 125	EMEND... 43	enskyce... 145
electrolyte-48 in d5w... 125	EMFLAZA... 140	ENSPRYNG... 158
ELELYSO... 135	EMGALITY PEN... 48	ENSTILAR... 118
ELESTRIN... 145	EMGALITY SYRINGE... 48	entacapone... 67
eletriptan... 48	EMPAVELI... 172	entecavir... 75
ELEVIDYS... 135	EMPLICITI... 55	ENTRESTO SPRINKLE... 96
ELFABRIO... 135	EMSAM... 40	ENTRESTO... 96
ELIDEL... 117	emtricitabine... 75	ENTYVIO PEN... 158
ELIGARD (3 MONTH)... 154	emtricitabine-tenofovir (tdf)... 75	ENTYVIO... 158
ELIGARD (4 MONTH)... 154	EMTRIVA... 75	enulose... 131
ELIGARD (6 MONTH)... 154	emverm... 66	ENVARSUS XR... 158
ELIGARD... 154	emzahh... 145	EOHILIA... 172
ELIMITE... 117	enalapril maleate... 96	EPANED... 96
elinest... 145	enalapril-hydrochlorothiazide... 96	EPCLUS... 75
ELIQUIS DVT-PE TREAT 30D START... 88	enalaprilat... 96	EPIDIOLEX... 33
ELIQUIS... 88	ENBREL MINI... 158	EPIDUO FORTE... 118
ELITEK... 54	ENBREL SURECLICK... 158	EPIDUO... 118
ELIXOPHYLLIN... 184	ENBREL... 158	EPIFOAM... 118
	ENDARI... 131	epinastine... 178

epinephrine... 184	ERLEADA... 55	estazolam... 190
EPIPEN JR 2-PAK... 184	erlotinib... 55	ESTRACE... 145
EPIPEN JR... 184	ERMEZA... 153	estradiol valerate... 145
EPIPEN 2-PAK... 184	errin... 145	estradiol... 145
EPIPEN... 184	ERTACZO... 45	estradiol-norethindrone acet... 146
epirubicin... 55	ertapenem... 27	ESTRING... 146
epitol... 33	ery pads... 118	ESTROGEL... 146
EPIVIR HBV... 75	ERY-TAB... 27	eszopiclone... 191
EPIVIR... 75	ERYGEL... 118	ethacrynone sodium... 97
EPKINLY... 55	ERYPED 200... 27	ethacrylic acid... 97
eplerenone... 96	ERYPED 400... 27	ethambutol... 51
EPOGEN... 88	ERYTHROCIN (AS STEARATE)... 27	ethosuximide... 33, 34
epoprostenol (glycine)... 184	ERYTHROCIN... 27	ethynodiol diacetate-estradiol... 146
epoprostenol... 184	erythromycin ethylsuccinate... 27	ETHYOL... 55
EPRONTIA... 49	erythromycin lactobionate... 27	etodolac... 13
eprosartan... 96	erythromycin with ethanol... 118	etonogestrel-ethynodiol... 146
EPSOLAY... 118	erythromycin... 27, 178	ETOPOPHOS... 55
eptifibatide... 88	erythromycin-benzoyl peroxide... 118	etoposide... 55
EPZICOM... 75	ESBRIET... 184	etravirine... 75
EQUETRO... 33	escitalopram oxalate... 40	EUCRISA... 118
ERAXIS(WATER DILUENT)... 45	ESGIC... 172	EULEXIN... 55
ERBITUX... 55	esmolol in nacl (iso-osm)... 97	EURAX... 118
ergocalciferol (vitamin d2)... 196	esmolol... 96	EUTHYROX... 153
ergoloid... 38	esomeprazole magnesium... 131	EVAMIST... 146
ERGOMAR... 49	esomeprazole sodium... 131	EVEKEO ODT... 109
ergotamine-caffeine... 49	ESOMEPRAZOLE STRONTIUM... 131	EVEKEO... 109
eribulin... 55	estarrylla... 145	EVENITY... 168
ERIVEDGE... 55		everolimus (antineoplastic)... 55

everolimus (immunosuppressive)...	FABIOR...	118	FENSOLVI...	154
158, 159	FABRAZYME...	135	fentanyl citrate (pf)...	13
EVISTA...	falmina (28)...	146	fentanyl citrate...	13
EVKEEZA...	famciclovir...	75	fentanyl...	13
EVOCLIN...	famotidine (pf)...	131	FENTORA...	13
EVOMELA...	famotidine (pf)-nacl (iso-os)...	131	FERRIPROX (2 TIMES A DAY)...	125
EVOTAZ...	famotidine...	131	FERRIPROX...	125
EVOXAC...	FANAPT...	70	fesoterodine...	138
EVRYSDI...	FARESTON...	55	FETROJA...	27
EXELDERM...	FARXIGA...	81, 82	FETZIMA...	40
EXELON PATCH...	FASENRA PEN...	184	FEXMID...	190
exemestane...	FASENRA...	184	FIASP FLEXTOUCH U-100 INSULIN...	
EXFORGE HCT...	FASLODEX...	55	82	
EXFORGE...	febuxostat...	48	FIASP PENFILL U-100 INSULIN...	82
EXJADE...	felbamate...	34	FIASP U-100 INSULIN...	82
EXKIVITY...	FELBATOL...	34	FIBRICOR...	97
EXPAREL (PF)...	FELDENE...	13	FILSPARI...	172
EXSERVAN...	felodipine...	97	FILSUVEZ...	172
EXTAVIA...	FEMARA...	55	FINACEA...	118
EXTINA...	FEMRING...	146	finasteride...	138, 192
EYSUVIS...	femynor...	146	fingolimod...	109
EZALLOR SPRINKLE...	fenofibrate micronized...	97	FINTEPLA...	34
ezetimibe...	fenofibrate nanocrystallized...	97	finzala...	146
ezetimibe-atorvastatin...	fenofibrate...	97	FIORICET WITH CODEINE...	172
ezetimibe-rosuvastatin...	fenofibric acid (choline)...	97	fioricet...	172
ezetimibe-simvastatin...	fenofibric acid...	97	FIRAZYR...	159
<b>F</b>				
FABHALTA...	FENOGLIDE...	97	FIRDAPSE...	109
	fenoprofen...	13		

FIRMAGON KIT W DILUENT SYRINGE...	154	fluocinonide-emollient...	118	FORFIVO XL...	40
FIRMAGON...	154	fluoride (sodium)...	193, 194	formoterol fumarate...	185
FIRVANQ...	27	fluorometholone...	178	FORTEO...	168
flac otic oil...	181	FLUOROPLEX...	118	FORTESTA...	146
FLAGYL...	27	fluorouracil...	55, 118, 119	FOSAMAX PLUS D...	168
FLAREX...	178	fluoxetine...	40	FOSAMAX...	168
flavoxate...	138	fluphenazine decanoate...	70	fosamprenavir...	75
FLEBOGAMMA DIF...	159	fluphenazine hcl...	70	fosaprepitant...	43
flecainide...	97	flurandrenolide...	119	foscarnet...	75
FLECTOR...	13	flurazepam...	191	FOSCAVIR...	75
FLEQSUVY...	73	flurbiprofen sodium...	178	fosfomycin tromethamine...	27
FLOLIPID...	97	flurbiprofen...	13	fosinopril...	98
FLOMAX...	138	flutamide...	55	fosinopril-hydrochlorothiazide...	98
fluxuridine...	55	fluticasone propion-salmeterol...	185	fosphenytoin...	34
fluconazole in nacl (iso-osm)...	46	fluticasone propionate...	119, 185	FOSRENOL...	125
fluconazole...	45, 46	fluvastatin...	97, 98	FOTIVDA...	56
flucytosine...	46	fluvoxamine...	40	FRAGMIN...	88, 89
fludarabine...	55	FML FORTE...	178	FROVA...	49
fludrocortisone...	140	FML LIQUIFILM...	178	fravatriptan...	49
FLUMADINE...	75	FOCALIN XR...	109	FRUZAQLA...	56
flumazenil...	172	FOCALIN...	109	FULPHILA...	89
flunisolide...	184	FOCINVEZ...	43	fulvestrant...	56
fluocinolone acetonide oil...	181	folic acid...	196	FURADANTIN...	27
fluocinolone and shower cap...	118	FOLLISTIM AQ...	195	FUROSCIX...	98
fluocinolone...	118	FOLOTYN...	55	furosemide...	98
fluocinonide...	118	fomepizole...	173	FUSILEV...	56
fluocinonide-e...	118	fondaparinux...	88	FUZEON...	75
				FYARRO...	56

fyavolv...	146	gavilyte-g...	132	glatiramer...	109
FYCOMPA...	34	gavilyte-n...	132	glatopa...	109
FYLNETRA...	89	GAVRETO...	56	GLEEVEC...	56
fyremadel...	195	GAZYVA...	56	GLEOSTINE...	56
<b>G</b>					
gabapentin...	34, 109	gefitinib...	56	glimepiride...	82
GABITRIL...	34	GELNIQUE...	138	glipizide...	82
GALAFOLD...	135	gemcitabine...	56	glipizide-metformin...	82
galantamine...	38	gemfibrozil...	98	GLOPERBA...	48
GAMASTAN...	159	gemmily...	146	GLUCAGEN HYPOKIT...	82
GAMIFANT...	159	GEMTESA...	138	GLUCAGON (HCL) EMERGENCY KIT...	82
GAMMAGARD LIQUID...	159	GENERESS FE...	146	glucagon emergency kit (human)...	82
GAMMAGARD S-D (IGA < 1 MCG/ML)...	159	generlac...	132	GLUCOTROL XL...	82
GAMMAKED...	159	gengraf...	159	GLUMETZA...	82
GAMMAPLEX (WITH SORBITOL)...	159	GENOTROPIN MINIQUICK...	141	glutamine (sickle cell)...	132
GAMMAPLEX...	159	GENOTROPIN...	141	glyburide micronized...	82
GAMUNEX-C...	159	gentak...	178	glyburide...	82
ganciclovir sodium...	75	gentamicin in nacl (iso-osm)...	27, 28	glyburide-metformin...	82
GANIRELIX...	195	gentamicin sulfate (ped) (pf)...	28	GLYCATE...	132
GARDASIL 9 (PF)...	159	gentamicin sulfate (pf)...	28	GLYCOPHOS...	125
GASTROCROM...	185	gentamicin...	27, 178	glycopyrrolate (pf) in water...	132
gatifloxacin...	178	GENVOYA...	75	glycopyrrolate (pf)...	132
GATTEX ONE-VIAL...	132	GEODON...	70	glycopyrrolate...	132
GATTEX 30-VIAL...	131	GILENYA...	109	glydo...	19
GAUZE BANDAGE...	173	GILOTrif...	56	GLYNASE...	82
GAUZE PAD...	173	GIMOTI...	43	GLYXAMBI...	82
gavilyte-c...	132	GIVLAARI...	173	GOCOVRI...	67
		GLASSIA...	135		

GOLYTELY... 132	hailey... 146	HIPREX... 28
GONAL-F RFF REDI-JECT... 195	HALAVEN... 56	HIZENTRA... 159
GONAL-F RFF... 195	halcinonide... 119	HORIZANT... 109
GONAL-F... 195	HALCION... 191	HULIO(CF) PEN... 160
GONITRO... 98	HALDOL DECANOATE... 70	HULIO(CF)... 159, 160
GRALISE... 109	halobetasol propionate... 119	HUMALOG JUNIOR KWIKPEN U-100... 82
granisetron (pf)... 43	haloette... 146	HUMALOG KWIKPEN INSULIN... 82
granisetron hcl... 43	HALOG... 119	HUMALOG MIX 50-50 INSULN U-100... 82
GRANIX... 89	haloperidol decanoate... 70	HUMALOG MIX 50-50 KWIKPEN... 83
GRASTEK... 185	haloperidol lactate... 70	HUMALOG MIX 75-25 KWIKPEN... 83
griseofulvin microsize... 46	haloperidol... 70	HUMALOG MIX
griseofulvin ultramicrosize... 46	HARVONI... 75	75-25(U-100)INSULN... 83
guanfacine... 98, 109	HAVRIX (PF)... 159	HUMALOG TEMPO
GVOKE HYPOPEN 1-PACK... 82	heather... 146	PEN(U-100)INSULN... 83
GVOKE HYPOPEN 2-PACK... 82	HECTOROL... 168	HUMALOG U-100 INSULIN... 83
GVOKE PFS 1-PACK SYRINGE... 82	HEMABATE... 142	HUMATIN... 28
GVOKE PFS 2-PACK SYRINGE... 82	HEMADY... 140	HUMATROPE... 142
GVOKE... 82	HEMANGEOL... 98	HUMIRA PEN CROHNS-UC-HS START... 160
gynazole-1... 46	heparin (porcine)... 89	HUMIRA PEN PSOR-UVEITS-ADOL HS... 160
<b>H</b>		
HADLIMA PUSHTOUCH... 159	heparin, porcine (pf)... 89	HUMIRA PEN... 160
HADLIMA... 159	HEPLISAV-B (PF)... 159	HUMIRA... 160
HADLIMA(CF) PUSHTOUCH... 159	HEPSERA... 75	HUMIRA(CF) PEDI CROHNS STARTER... 160
HADLIMA(CF)... 159	HERCEPTIN HYLECTA... 56	HUMIRA(CF) PEN CROHNS-UC-HS... 160
HAEGARDA... 159	HERCEPTIN... 56	
hailey fe 1.5/30 (28)... 146	HERZUMA... 56	
hailey fe 1/20 (28)... 146	HETLIOZ LQ... 191	
hailey 24 fe... 146	HETLIOZ... 191	
	HIBERIX (PF)... 159	

HUMIRA(CF) PEN PEDIATRIC UC... 160	hydrocodone-homatropine... 193 hydrocodone-ibuprofen... 13 hydrocortisone butyr-emollient... 119 hydrocortisone butyrate... 119 hydrocortisone valerate... 119 hydrocortisone... 119, 167 hydrocortisone-acetic acid... 181 hydrocortisone-pramoxine... 192 hydromet... 193 hydromorphone (pf)... 14 HYDROMORPHONE... 13, 14 hydroquinone... 192 hydroxocobalamin... 196 hydroxychloroquine... 66 hydroxyurea... 56 hydroxyzine hcl... 80 hydroxyzine pamoate... 185 HYFTOR... 119 HYPERRAB (PF)... 160 HYPERTET (PF)... 160 HYRIMOZ PEN CROHN'S-UC STARTER... 160 HYRIMOZ PEN PSORIASIS STARTER... 160 HYRIMOZ(CF) PEDI CROHN STARTER... 160 HYRIMOZ(CF) PEN... 160 HYRIMOZ(CF)... 160	HYSINGLA ER... 14 HYZAAR... 98 <b>I</b> ibandronate... 168 IBRANCE... 56 IBSRELA... 132 ibu... 14 ibuprofen... 14 ibuprofen-famotidine... 14 ibutilide fumarate... 98 icatibant... 160 iclevia... 146 ICLUSIG... 56 IDACIO(CF) PEN CROHN-UC STARTR... 160 IDACIO(CF) PEN PSORIASIS START... 160 IDACIO(CF) PEN... 160 IDACIO(CF)... 160 IDAMYCIN PFS... 56 idarubicin... 56 IDHIFA... 56 IFEX... 56 ifosfamide... 56, 57 IGALMI... 173 ILEVRO... 178 ILUMYA... 160 imatinib... 57
---------------------------------------	---	--

IMBRUVICA... 57	INFANRIX (DTAP) (PF)... 161	INSULIN SYRINGE... 173
IMDELLTRA... 57	INFLECTRA... 161	INSULIN SYRINGE-NEEDLE U-100... 173
IMFINZI... 57	INFILIXIMAB... 161	INTELENCE... 75, 76
imipenem-cilastatin... 28	INFUGEM... 57	INTRALIPID... 125
imipramine hcl... 40	INFUMORPH P/F... 14	INTRON A... 161
imipramine pamoate... 40	INFUVITE ADULT... 196	INTUNIVER... 109
imiquimod... 119	INFUVITE PEDIATRIC... 196	INVANZ... 28
IMITREX STATDOSE PEN... 49	INGREZZA INITIATION	INVEGA HAFYERA... 70
IMITREX STATDOSE REFILL... 49	PK(TARDIV)... 109	INVEGA SUSTENNA... 70
IMITREX... 49	INGREZZA SPRINKLE... 109	INVEGA TRINZA... 70
IMJUDO... 57	INGREZZA... 109	INVEGA... 70
IMLYGIC... 57	INLYTA... 57	INVELTYS... 178
IMMPHENITIV... 98	INNOPRAN XL... 98	INVOKAMET XR... 84
IMOGLAM RABIES-HT (PF)... 161	INPEFA... 83	INVOKAMET... 84
IMOVAX RABIES VACCINE (PF)... 161	INQOVI... 57	INVOKANA... 84
IMPAVIDO... 66	INREBIC... 57	IONOSOL-B IN D5W... 125
IMPEKLO... 120	INSPRA... 98	IONOSOL-MB IN D5W... 125
IMURAN... 161	INSULIN ASP PRT-INSULIN ASPART... 83	IOPIDINE... 178
INBRIJA... 67	INSULIN ASPART U-100... 83	IPOL... 161
incassia... 146	INSULIN DEGLUDEC... 83	ipratropium bromide... 185
INCONTROL ALCOHOL PADS... 173	INSULIN GLARGINE U-300 CONC... 83	ipratropium-albuterol... 185
INCRELEX... 142	INSULIN GLARGINE... 83	IQIRVO... 132
INCRUSE ELLIPTA... 185	INSULIN GLARGINE-YFGN... 83	irbesartan... 98
indapamide... 98	INSULIN LISPRO	irbesartan-hydrochlorothiazide... 98
INDERAL LA... 98	PROTAMIN-LISPRO... 84	IRESSA... 57
INDOCIN... 14	INSULIN LISPRO... 83	irinotecan... 57
indomethacin sodium... 14	INSULIN SYRINGE MICROFINE... 173	ISENTRESS HD... 76
indomethacin... 14		

ISENTRESS... 76	JADENU... 126	junelfe 24... 147
isibloom... 146	jaimiess... 146	junel 1.5/30 (21)... 147
ISOLYTE S PH 7.4... 125	JAKAFI... 57	junel 1/20 (21)... 147
ISOLYTE-P IN 5 % DEXTROSE... 126	JALYN... 138	JUXTAPID... 99
ISOLYTE-S... 126	jantoven... 89	JYLAMVO... 161
isoniazid... 51	JANUMET XR... 84	JYNARQUE... 126
ISORDIL TITRADOSE... 99	JANUMET... 84	JYNNEOS (PF)... 161
ISORDIL... 98	JANUVIA... 84	<b>K</b>
isosorbide dinitrate... 99	JARDIANC... 84	K-TAB... 126
isosorbide mononitrate... 99	jasmiel (28)... 146	KABIVEN... 126
isosorbide-hydralazine... 99	JATENZO... 146	KADCYLA... 57
isotretinoin... 120	javygtor... 135	kaitlib fe... 147
isradipine... 99	JAYPIRCA... 57	KALETRA... 76
ISTALOL... 178	JEMPERLI... 57	kalliga... 147
ISTODAX... 57	jencycla... 146	KALYDECO... 185
ISTURISA... 153	JENTADUETO XR... 84	KANJINTI... 57
ISUPREL... 99	JENTADUETO... 84	KANUMA... 136
itraconazole... 46	JEVTANA... 57	KAPSPARGO SPRINKLE... 99
IV PREP WIPES... 173	jinteli... 146	KAPVAY... 109
ivabradine... 99	JOENJA... 135	KARBINAL ER... 185
ivermectin... 66, 120	jolessa... 146	kariva (28)... 147
IWILFIN... 57	JORNAY PM... 109	KATERZIA... 99
IXCHIQ (PF)... 161	joyeaux... 146	KAZANO... 84
IXEMPRA... 57	JUBLIA... 46	KEDRAB (PF)... 161
IXIARO (PF)... 161	juleber... 146	kelnor 1-50 (28)... 147
IYUZEH (PF)... 178	JULUCA... 76	kelnor 1/35 (28)... 147
<b>J</b>	junelfe 1.5/30 (28)... 147	KENALOG... 140
JADENU SPRINKLE... 126	junelfe 1/20 (28)... 147	KENALOG-80... 140

KENGREAL... 89	klor-con m10... 126	lactulose... 132
KEPIVANCE... 113	KLOR-CON M15... 126	LAGEVRIO (EUA)... 173
KEPPRA XR... 34	klor-con m20... 126	LAMICTAL ODT STARTER (BLUE)... 34
KEPPRA... 34	KLOR-CON 10... 126	LAMICTAL ODT STARTER (GREEN)... 34
KERENDIA... 99	KLOR-CON 8... 126	LAMICTAL ODT STARTER (ORANGE)... 34
KERYDIN... 46	klor-con... 126	LAMICTAL ODT... 34
KESIMPTA PEN... 110	KLOXXADO... 21	LAMICTAL STARTER (BLUE) KIT... 34
ketoconazole... 46	KONVOMEП... 132	LAMICTAL STARTER (GREEN) KIT... 35
ketodan... 46	KORLYM... 173	LAMICTAL STARTER (ORANGE) KIT... 35
ketoprofen... 14, 15	KOSELUGO... 58	LAMICTAL XR STARTER (BLUE)... 35
ketorolac... 15, 178, 179	KOSHER PRENATAL PLUS IRON... 126	LAMICTAL XR STARTER (GREEN)... 35
KEVEYIS... 136	kourzeq... 113	LAMICTAL XR STARTER (ORANGE)... 35
KEVZARA... 161	KRAZATI... 58	LAMICTAL XR... 35
KEYTRUDA... 57	KRINTAFEL... 66	LAMICTAL... 34
KHAPZORY... 58	KRISTALOSE... 132	lamivudine... 76
KIMMTRAK... 58	kurvelo (28)... 147	lamivudine-zidovudine... 76
KIMYRSA... 28	KUVAN... 136	lamotrigine... 35
KINERET... 161	KYPROLIS... 58	LAMPIT... 66
KINRIX (PF)... 161	<b>L</b>	LAMZEDE... 136
kionex (with sorbitol)... 126	l norgest/e.estradiol-e.estrad... 147	LANOXIN PEDIATRIC... 99
iprofen... 15	LABETALOL IN DEXTROSE,ISO-OSM... 99	LANOXIN... 99
KISQALI FEMARA CO-PACK... 58	LABETALOL IN NACL (ISO-OSMOT)... 99	lanreotide... 154
KISQALI... 58	labetalol... 99	lansoprazole... 132
KITABIS PAK... 28	lacosamide... 34	lanthanum... 126
KLARON... 28	LACRISERT... 179	
klayesta... 46	lactated ringers... 126, 173	
KLISYRI... 120		
KLONOPIN... 80		

LANTUS SOLOSTAR U-100	LEUKINE... 89	LEVOXYL... 153
INSULIN... 84	leuprolide (3 month)... 154	LEVULAN... 58
LANTUS U-100 INSULIN... 84	leuprolide... 154	LEXAPRO... 40, 41
lapatinib... 58	levalbuterol hcl... 185	LEXETTE... 120
larin fe 1.5/30 (28)... 147	levalbuterol tartrate... 185	LEXIVA... 76
larin fe 1/20 (28)... 147	levamlodipine... 99	LIALDA... 167
larin 1.5/30 (21)... 147	LEVEMIR FLEXPEN... 84	LIBERVANT... 35
larin 1/20 (21)... 147	LEVEMIR FLEXTOUCH U100	LIBTAYO... 58
larin 24 fe... 147	INSULIN... 84	LICART... 15
larissia... 147	LEVEMIR U-100 INSULIN... 84	lidocaine (pf)... 20, 99
LASIX... 99	levetiracetam in nacl (iso-os)... 35	lidocaine hcl... 20
latanoprost... 179	levetiracetam... 35	lidocaine in 5 % dextrose (pf)... 99
LATISSE... 192	LEVO-T... 153	lidocaine viscous... 20
LATUDA... 70	levobunolol... 179	lidocaine... 19, 20
LAYOLIS FE... 147	levocarnitine (with sugar)... 126	lidocaine-epinephrine bit... 20
LAZANDA... 15	levocarnitine... 126	lidocaine-epinephrine... 20
leena 28... 147	levocetirizine... 185	lidocaine-prilocaine... 20
leflunomide... 161	levofloxacin in d5w... 28	lidocan iii... 20
LEMTRADA... 110	levofloxacin... 28, 179	lidocan iv... 20
lenalidomide... 58	levoleucovorin calcium... 58	lidocan v... 20
LENVIMA... 58	levonest (28)... 147	LIDODERM... 20
LEQVIO... 99	levonorg-eth estrad triphasic... 147	lignospan standard... 20
LESCOL XL... 99	levonorgest-eth.estradiol-iron... 147	LINCOCIN... 28
lessina... 147	levonorgestrel-ethynodiol estrad... 147	lincomycin... 28
LETAIRIS... 185	LEVOPHED (BITARTRATE)... 99	lindane... 120
letrozole... 58	levora-28... 147	linezolid in dextrose 5%... 28
leucovorin calcium... 58	levorphanol tartrate... 15	linezolid... 28
LEUKERAN... 58	levothyroxine... 153	linezolid-0.9% sodium chloride... 28

LINZESS... 132	lojaimiess... 148	loteprednol etabonate... 179
liothyronine... 153	LOKELMA... 126	LOTREL... 100
LIPITOR... 99	lomaira... 197	LOTRONEX... 132
LIPOFEN... 100	LOMOTIL... 132	lovastatin... 100
LIQREV... 185	LONHALA MAGNAIR REFILL... 185	LOVAZA... 100
lisdexamphetamine... 110	LONHALA MAGNAIR STARTER... 185	LOVENOX... 89
lisinopril... 100	LONSURF... 58	low-ogestrel (28)... 148
lisinopril-hydrochlorothiazide... 100	loperamide... 132	loxapine succinate... 70
LITFULO... 173	LOPID... 100	lubiprostone... 132
lithium carbonate... 81	lopinavir-ritonavir... 76	LUCEMYRA... 21
lithium citrate... 81	LOPRESSOR... 100	luliconazole... 46
LITHOBID... 81	LOPROX (AS OLAMINE)... 46	LUMAKRAS... 59
LITHOSTAT... 173	LOPROX... 46	LUMIGAN... 179
LIVALO... 100	LOQTORZI... 58	LUMIZYME... 136
LIVMARLI... 173	lorazepam intensol... 80	LUMRYZ... 191
LIVTENCITY... 76	lorazepam... 80	LUNESTA... 191
LO LOESTRIN FE... 147	LORBRENA... 59	LUNSUMIO... 59
lo-zumandimine (28)... 147	LOREEV XR... 80	LUPKYNIS... 161
LOCOID LIPOCREAM... 120	lortab elixir... 15	LUPRON DEPOT (3 MONTH)... 154
LOCOID... 120	loryna (28)... 148	LUPRON DEPOT (4 MONTH)... 154
LODINE... 15	LORZONE... 190	LUPRON DEPOT (6 MONTH)... 154
LODOCOC... 100	losartan... 100	LUPRON DEPOT... 154
LODOSYN... 67	losartan-hydrochlorothiazide... 100	LUPRON DEPOT-PED (3 MONTH)... 154
LOESTRIN FE 1.5/30 (28-DAY)... 148	LOSEASONIQUE... 148	LUPRON DEPOT-PED... 154
LOESTRIN FE 1/20 (28-DAY)... 148	LOTEMAX SM... 179	lurasidone... 70
LOESTRIN 1.5/30 (21)... 147	LOTEMAX... 179	lutera (28)... 148
LOESTRIN 1/20 (21)... 148	LOTENSIN HCT... 100	LUXIQ... 120
lofena... 15	LOTENSIN... 100	

LUZU... 46	MALARONE... 66	MAXALT-MLT... 49
LYBALVI... 70	malathion... 120	MAXIDEX... 179
lyleq... 148	mannitol 10 %... 100	MAXITROL... 179
lyllana... 148	mannitol 20 %... 100	MAXZIDE... 100
LYNPARZA... 59	mannitol 25 %... 100	MAXZIDE-25MG... 100
LYRICA CR... 110	mannitol 5 %... 100	MAYZENT STARTER(FOR 1MG MAINT)... 110
LYRICA... 110	maraviroc... 76	MAYZENT STARTER(FOR 2MG MAINT)... 110
LYSODREN... 154	MARCAINE (PF)... 20	MAYZENT... 110
LYSTEDA... 89	MARCAINE SPINAL (PF)... 20	meclizine... 44
LYTGEOBI... 59	MARCAINE... 20	meclofenamate... 15
LYUMJEV KWIKPEN U-100	MARCAINE-EPINEPHRINE (PF)... 20	MEDROL (PAK)... 140
INSULIN... 84	MARCAINE-EPINEPHRINE... 20	MEDROL... 140
LYUMJEV KWIKPEN U-200	MARGENZA... 59	medroxyprogesterone... 148
INSULIN... 84	MARINOL... 43	mefenamic acid... 15
LYUMJEV TEMPO PEN(U-100)INSULN... 84	marlissa (28)... 148	mefloquine... 66
LYUMJEV U-100 INSULIN... 84	MARPLAN... 41	megestrol... 148
LYVISPAH... 73	MATULANE... 59	MEKINIST... 59
lyza... 148	matzim la... 100	MEKTOVI... 59
<b>M</b>		
M-M-R II (PF)... 161	MAVENCLAD (10 TABLET PACK)... 110	meloxicam submicronized... 15
m-natal plus... 126	MAVENCLAD (4 TABLET PACK)... 110	meloxicam... 15
MACROBID... 28	MAVENCLAD (5 TABLET PACK)... 110	melphalan hcl... 59
MACRODANTIN... 28	MAVENCLAD (6 TABLET PACK)... 110	melphalan... 59
mafенide acetate... 120	MAVENCLAD (7 TABLET PACK)... 110	memantine... 38
magnesium sulfate in d5w... 126	MAVENCLAD (8 TABLET PACK)... 110	MENACTRA (PF)... 161
magnesium sulfate in water... 126	MAVENCLAD (9 TABLET PACK)... 110	MENEST... 148
magnesium sulfate... 126	MAVYRET... 76	MENOPUR... 195
MALARONE PEDIATRIC... 66	MAXALT... 49	

MENOSTAR... 148	methamphetamine... 110	metoprolol tartrate... 101
MENQUADFI (PF)... 161	methazolamide... 100	METRO I.V.... 28
MENTAX... 46	methenamine hippurate... 28	METROCREAM... 28
MENVEO A-C-Y-W-135-DIP (PF)... 161	methimazole... 155	METROGEL... 28
meperidine (pf)... 15	METHITEST... 148	METROLOTION... 28
meperidine... 15	methocarbamol... 190	metronidazole in nacl (iso-os)... 29
MEPHYTON... 196	methotrexate sodium (pf)... 161	metronidazole... 28, 29
meprobamate... 80	methotrexate sodium... 161	metyrosine... 101
MEPRON... 66	methoxsalen... 120	mexiletine... 101
MEPSEVII... 136	methscopolamine... 132	MIACALCIN... 168
mercaptopurine... 59	methsuximide... 35	mibelas 24 fe... 148
meropenem... 28	methyldopa... 100	MICAFUNGIN IN 0.9 % SODIUM CHL... 46
meropenem-0.9% sodium chloride... 28	methyldopa-hydrochlorothiazide... 100	micafungin... 46
merzee... 148	methyldopate... 100	MICARDIS HCT... 101
mesalamine... 167	methylergonovine... 173	MICARDIS... 101
mesna... 59	METHYLIN... 110	miconazole nitrate-zinc ox-pet... 46
MESNEX... 59	methylphenidate hcl... 110, 111	miconazole-3... 46
MESTINON TIMESPAN... 51	methylphenidate... 110	microgestin fe 1.5/30 (28)... 148
MESTINON... 51	methylprednisolone acetate... 140	microgestin fe 1/20 (28)... 148
METADATE CD... 110	methylprednisolone sodium succ... 140	microgestin 1.5/30 (21)... 148
metadate er... 110	methylprednisolone... 140	microgestin 1/20 (21)... 148
metaxalone... 190	methyltestosterone... 148	microgestin 24 fe... 148
metformin... 84, 85	metoclopramide hcl... 44	midodrine... 101
methadone intensol... 15	metolazone... 100	MIEBO (PF)... 179
methadone... 15	metoprolol succinate... 100	mifepristone... 173
METHADOSE... 15	metoprolol ta-hydrochlorothiaz... 101	migergot... 49
		miglitol... 85

miglustat...	136	monodoxine nl...	29	MVASI...	59
MIGRANAL...	49	MONJUVI...	161	MYALEPT...	133
mili...	148	mono-linyah...	149	MYAMBUTOL...	51
millipred dp...	140	MONODOX...	29	MYCAMEINE...	46
millipred...	140	montelukast...	186	MYCAPSSA...	154
milrinone in 5 % dextrose...	101	MONUROL...	29	MYCOBUTIN...	51
milrinone...	101	morgidox...	29	mycophenolate mofetil (hcl)...	162
mimvey...	148	morphine (pf)...	16	mycophenolate mofetil...	161, 162
MINASTRIN 24 FE...	148	morphine concentrate...	16	mycophenolate sodium...	162
MINIPRESS...	101	morphine...	16	MYDAYIS...	111
MINIVELLE...	149	MOTEGRITY...	132	MYFEMBREE...	173
MINOCIN...	29	MOTOFEN...	132	MYFORTIC...	162
minocycline...	29	MOTPOLY XR...	35	MYHIBBIN...	162
minoxidil...	101	MOUNJARO...	85	MYLOTARG...	59
MIOSTAT...	179	MOVANTIK...	132	myorisan...	120
MIRAPEX ER...	67	MOVIPREP...	132	MYRBETRIQ...	138
MIRCETTE (28)...	149	moxifloxacin...	29, 179	mysoline...	35
mirtazapine...	41	moxifloxacin-sod.ace,sul-water...		MYTESI...	133
MIRVASO...	120	29			<b>N</b>
misoprostol...	132	moxifloxacin-sod.chloride(iso)...	29	nabumetone...	16
MITIGARE...	48	MOZOBIL...	89	nadolol...	101
mitigo (pf)...	16	MRESVIA (PF)...	161	nafcillin in dextrose iso-osm...	29
mitomycin...	59	MS CONTIN...	16	nafcillin...	29
mitoxantrone...	59	MULPLETA...	89	naftifine...	46, 47
modafinil...	191	MULTAQ...	101	NAFTIN...	47
moexipril...	101	mupirocin calcium...	120	NAGLAZYME...	136
molindone...	71	mupirocin...	120	nalbuphine...	16
mometasone...	120, 186	MUTAMYCIN...	59	NALFON...	17

nalmefene... 21	NEBUPENT... 66	NEUPOGEN... 89, 90
nalocet... 17	necon 0.5/35 (28)... 149	NEUPRO... 67
naloxone... 21, 22	nefazodone... 41	NEURONTIN... 36
naltrexone... 22	nelarabine... 59	NEVANAC... 179
NAMENDA TITRATION PAK... 38	NEMBUTAL SODIUM... 36	nevirapine... 76
NAMENDA XR... 38, 39	neo-polycin hc... 179	NEXAVAR... 59
NAMENDA... 38	neo-polycin... 179	NEXICLON XR... 101
NAMZARIC... 39	NEO-SYNALAR... 120	NEXIUM IV... 133
NAPRELAN CR... 17	neomycin... 29	NEXIUM PACKET... 133
NAPROSYN... 17	neomycin-bacitracin-poly-hc... 179	NEXIUM... 133
naproxen sodium... 17	neomycin-bacitracin-polymyxin... 179	NEXLETOL... 101
naproxen... 17	neomycin-polymyxin b gu... 173	NEXLIZET... 101
naproxen-esomeprazole... 17	neomycin-polymyxin b-dexameth... 179	NEXTERONE... 101
naratriptan... 49	neomycin-polymyxin-gramicidin... 179	NEXTSTELLIS... 149
NARCAN... 22	neomycin-polymyxin-hc... 179, 181	NEXVIAZYME... 136
NARDIL... 41	NEONATAL COMPLETE... 126	NGENLA... 142
NAROPIN (PF)... 20	NEONATAL PLUS VITAMIN... 127	niacin... 101
NASCOBAL... 196	NEONATAL-DHA... 127	niacor... 101
NATACHEW (FE BIS-GLYCINATE)... 126	NEORAL... 162	nicardipine... 101
NATACYN... 179	NERLYNX... 59	NICOTROL NS... 22
NATAZIA... 149	NESACAIN... 20	NICOTROL... 22
nateglinide... 85	NESACAIN-MPF... 20	nifedipine... 101, 102
NATESTO... 149	NESINA... 85	nikki (28)... 149
NATPARA... 169	neuac... 120	NILANDRON... 59
NATROBA... 120	NEULASTA ONPRO... 89	nilutamide... 59
NAYZILAM... 35	NEULASTA... 89	nimodipine... 102
nebivolol... 101		NINLARO... 59
		NIPENT... 59

nisoldipine... 102	norethindrone-e.estradol-iron... 149	NOVOLIN N NPH U-100 INSULIN... 85
nitazoxanide... 66	NORGESIC FORTE... 190	NOVOLIN R FEXPEN... 85
nitisinone... 136	norgesic... 190	NOVOLIN R REGULAR U100 INSULIN... 85
NITRO-BID... 102	norgestimate-ethinyl estradiol... 149	NOVOLIN 70-30 FEXPEN U-100... 85
NITRO-DUR... 102	NORITATE... 29	NOVOLIN 70/30 U-100 INSULIN... 85
nitrofurantoin macrocrystal... 29	NORLIQVA... 102	NOVOLOG FEXPEN U-100 INSULIN... 85
nitrofurantoin monohyd/m-cryst... 29	NORMOSOL-M IN 5 % DEXTROSE... 127	NOVOLOG MIX 70-30 U-100 INSULN... 85
nitrofurantoin... 29	NORMOSOL-R IN 5 % DEXTROSE... 127	NOVOLOG MIX 70-30FEXPEN U-100... 85
nitroglycerin in 5 % dextrose... 102	NORMOSOL-R PH 7.4... 127	NOVOLOG PENFILL U-100 INSULIN... 85
nitroglycerin... 102, 173	NORMOSOL-R... 127	NOVOPEN ECHO... 173
NITROLINGUAL... 102	NORPACE CR... 102	NOXAFIL... 47
NITROSTAT... 102	NORPACE... 102	np thyroid... 153
NITYR... 136	NORPRAMIN... 41	NUBEQA... 59
NIVESTYM... 90	NORTHERA... 102	NUCALA... 186
nizatidine... 133	nortrel 0.5/35 (28)... 149	NUCYNTA ER... 17
NOCDURNA (MEN)... 142	nortrel 1/35 (21)... 149	NUCYNTA... 17
NOCDURNA (WOMEN)... 142	nortrel 1/35 (28)... 149	NUEDEXTA... 111
NORA-BE... 149	nortrel 7/7/7 (28)... 149	NULIBRY... 136
NORDITROPIN FLEXPRO... 142	nortriptyline... 41	NUPLAZID... 71
norelgestromin-ethin.estradiol... 149	NORVASC... 102	NURTEC ODT... 173
norepinephrine bitartrate... 102	NORVIR... 76	
noreth-ethinyl estradiol-iron... 149	NOURIANZ... 67	
norethindrone (contraceptive)... 149	NOVAREL... 142	
norethindrone ac-eth estradiol... 149	NOVOLIN N FEXPEN... 85	
norethindrone acetate... 149		

NUTRILIPID...	127	OCUFLOX...	179	omeprazole-sodium bicarbonate...
NUTROPIN AQ NUSPIN...	142	ODACTRA...	186	133
NUVARING...	149	ODEFSEY...	77	OMNARIS...
NUVESSA...	29	ODOMZO...	60	186
NUVIGIL...	191	OFEV...	186	OMNIPOD CLASSIC PODS (GEN 3)...
NUZYRA...	29	ofloxacin...	29, 179, 182	173
nyamyc...	47	OGIVRI...	60	OMNIPOD DASH INTRO KIT (GEN
nylia 1/35 (28)...	149	OGSIVEO...	60	4)...
nylia 7/7/7 (28)...	149	OHTUVAYRE...	186	173
NYMALIZE...	102	OJEMDA...	60	OMNIPOD DASH PODS (GEN 4)...
nymyo...	149	OJJAARA...	60	173
nystatin...	47	olanzapine...	71	OMNIPOD GO PODS 10 UNITS/DAY...
nystatin-triamcinolone...	47	olanzapine-fluoxetine...	41	174
nystop...	47	OLINVYK...	17	OMNIPOD GO PODS 20 UNITS/DAY...
NYVEPRIA...	90	olmesartan...	102	174
<b>O</b>				
OB COMPLETE ONE...	127	olmesartanamlodipin-hctiazid...	102	OMNIPOD GO PODS 25 UNITS/DAY...
OB COMPLETE PETITE...	127	olmesartan-hydrochlorothiazide...	102	174
OB COMPLETE PREMIER...	127	olopatadine...	179, 186	OMNIPOD GO PODS 30 UNITS/DAY...
obagi elastiderm...	192	OLPRUVA...	136	174
obagi nu-derm blender...	192	OLUMIANT...	162	OMNIPOD GO PODS 40 UNITS/DAY...
obagi nu-derm clear...	192	OLUX...	120	174
OBREDON...	193	OLUX-E...	120	OMNIPOD GO PODS...
OCALIVA...	133	OMECLAMOX-PAK...	133	173
ocella...	149	omega-3 acid ethyl esters...	103	OMNIPOD 5 G6 INTRO KIT (GEN 5)...
OCREVUS...	111	OMEGAVEN...	127	173
OCTAGAM...	162	omeprazole...	133	OMNITROPE...
octreotide acetate...	154			142
				OMVOH PEN...
				162
				OMVOH...
				162

ONCASPAR... 60	ORENITRAM MONTH 1 TITRATION KT... 186	OSMOPREP... 133
ondansetron hcl (pf)... 44	ORENITRAM MONTH 2 TITRATION KT... 186	OSPHENA... 150
ondansetron hcl... 44	ORENITRAM MONTH 3 TITRATION KT... 186	OTEZLA STARTER... 120
ondansetron... 44	ORENITRAM... 186	OTEZLA... 120
ONEXTON... 120	ORFADIN... 136	OTOVEL... 182
ONFI... 36	ORGOVYX... 154	OTREXUP (PF)... 162
ONGENTYS... 67	ORIAHNN... 174	OVIDE... 121
ONIVYDE... 60	ORILISSA... 154, 155	OVIDREL... 195
ONPATTRO... 136	ORKAMBI... 186	oxacillin in dextrose(iso-osm)... 30
ONTRUZANT... 60	ORLADEYO... 162	oxacillin... 30
ONUREG... 60	orlistat... 174	oxaliplatin... 60
ONZETRA XSAIL... 49	ormalvi... 136	oxandrolone... 150
OPDIVO... 60	orphenadrine citrate... 190	oxaprozin... 17
OPDUALAG... 60	orphenadrine-asa-caffeine... 190	OXAYDO... 17
OPFOLDA... 136	orphengesic forte... 190	oxazepam... 80
opium tincture... 133	ORSERDU... 60	OXBRYTA... 174
OPSUMIT... 186	ORTHO TRI-CYCLEN (28)... 150	oxcarbazepine... 36
OPSYNVI... 186	ORTHO-NOVUM 7/7/7 (28)... 150	OXERVATE... 180
OPVEE... 22	ORTIKOS... 167	oxiconazole... 47
OPZELURA... 120	oseltamivir... 77	OXISTAT... 47
ORACEA... 30	OSENI... 85	OXLUMO... 174
ORALAIR... 186	OSMITROL 10 %... 103	OXTELLAR XR... 36
oralone... 113	OSMITROL 15 %... 103	oxybutynin chloride... 138
ORAPRED ODT... 140	OSMITROL 20 %... 103	oxycodone... 17
ORBACTIV... 30	OSMITROL 5 %... 103	oxycodone-acetaminophen... 17, 18
ORENCIA CLICKJECT... 162	OSMOLEX ER... 67	OXYCONTIN... 18
ORENCIA... 162		oxymorphone... 18

oxytocin... 174	PANCREAZE... 136	peg3350-sod sul-nacl-kcl-asb-c... 133
OXYTROL... 138	PANDEL... 121	PEMAZYRE... 60
OZEMPIC... 85	PANRETIN... 60	pemetrexed disodium... 61
OZOBAX DS... 73	pantoprazole... 133	pemetrexed... 60
OZOBAX... 73	PANZYGA... 162	PEMRYDI RTU... 61
<b>P</b>		
PACERONE... 103	paraplatin... 60	PEN NEEDLE, DIABETIC... 174
paclitaxel protein-bound... 60	paricalcitol... 169	PENBRAYA (PF)... 162
paclitaxel... 60	PARLODEL... 67	penciclovir... 77
PADCEV... 60	PARNATE... 41	penicillamine... 127
PALFORZIA (LEVEL 1)... 174	paroex oral rinse... 113	penicillin g pot in dextrose... 30
PALFORZIA (LEVEL 10)... 174	paromomycin... 30	penicillin g potassium... 30
PALFORZIA (LEVEL 11 UP-DOSE)... 174	paroxetine hcl... 41	penicillin g procaine... 30
PALFORZIA (LEVEL 2)... 174	paroxetine mesylate(menop.sym)... 41	penicillin g sodium... 30
PALFORZIA (LEVEL 3)... 174	PASER... 51	penicillin v potassium... 30
PALFORZIA (LEVEL 4)... 174	PATANASE... 186	PENNSAID... 18
PALFORZIA (LEVEL 5)... 174	PAXIL CR... 41	PENTACEL (PF)... 162
PALFORZIA (LEVEL 6)... 174	PAXIL... 41	PENTAM... 66
PALFORZIA (LEVEL 7)... 174	PAXLOVID... 174	pentamidine... 66
PALFORZIA (LEVEL 8)... 174	pazopanib... 60	PENTASA... 167
PALFORZIA (LEVEL 9)... 174	PEDIAPRED... 140	pentazocine-naloxone... 18
PALFORZIA INITIAL DOSE... 174	PEDIARIX (PF)... 162	pentobarbital sodium... 36
PALFORZIA LEVEL 11 MAINTENANCE... 174	PEDMARK... 60	pentoxifylline... 103
paliperidone... 71	PEDVAX HIB (PF)... 162	pepcid... 133
PALYNZIQ... 136	peg 3350-electrolytes... 133	PERCOCET... 18
PAMELOR... 41	peg-electrolyte soln... 133	PERFOROMIST... 186
pamidronate... 169	peg-prep... 133	PERIKABIVEN... 127
	PEGASYS... 162	perindopril erbumine... 103

periogard... 113	PHYSIOLYTE... 175	PLENVU... 133
PERJETA... 61	PHYSIOSOL IRRIGATION... 175	plerixafor... 90
permethrin... 121	phytonadione (vitamin k1)... 196	PLIAGLIS... 20
perphenazine... 71	PIASKY... 162	pnv-dha... 127
perphenazine-amitriptyline... 41	PIFELTRO... 77	pnv-omega... 127
PERSERIS... 71	pilocarpine hcl... 113, 180	podofilox... 121
PERTZYE... 136	pimecrolimus... 121	POLIVY... 61
PEXEVA... 41	pimozide... 71	polocaine... 20
pfizerpen-g... 30	pimtrea (28)... 150	polocaine-mpf... 20
PHEBURANE... 136	pindolol... 103	polycin... 180
phenazopyridine... 174	pioglitazone... 85	polymyxin b sulf-trimethoprim... 180
phendimetrazine tartrate... 197	pioglitazone-glimepiride... 85	polymyxin b sulfate... 30
phenelzine... 41	pioglitazone-metformin... 85	POMALYST... 61
PHENERGAN... 44	piperacillin-tazobactam... 30	POMBILITI... 136
phenobarbital sodium... 36	PIQRAY... 61	PONVORY 14-DAY STARTER PACK... 111
phenobarbital... 36	pirfenidone... 186, 187	PONVORY... 111
phenoxybenzamine... 103	pirmella... 150	portia 28... 150
phentermine... 197	piroxicam... 18	PORTRAZZA... 61
phenylephrine hcl... 103	pitavastatin calcium... 103	posaconazole... 47
PHENYTEK... 36	PITOCIN... 175	potassium acetate... 127
phenytoin sodium extended... 36	PLAQUENIL... 66	potassium chlorid-d5-0.45%nacl... 127
phenytoin sodium... 36	PLASMA-LYTE A... 127	potassium chloride in lr-d5... 128
phenytoin... 36	PLASMA-LYTE 148... 127	potassium chloride in water... 128
PHESGO... 61	PLAVIX... 90	potassium chloride in 0.9%nacl... 128
PHEXXI... 175	PLEGRIDY... 111	potassium chloride in 5 % dex... 128
philith... 150	PLENAMINE... 127	
PHOSLYRA... 127	PLENITY (WELCOME KIT)... 197	
PHOSPHOLINE IODIDE... 180	PLENITY... 197	

potassium chloride... 127, 128	prednisolone sodium phosphate... 140, 180	PREVIDENT 5000 BOOSTER PLUS... 194
potassium chloride-d5-0.2%nacl... 128	prednisolone... 140	PREVIDENT 5000 DRY MOUTH... 194
potassium chloride-d5-0.3%nacl... 128	prednisone intensol... 140	PREVIDENT 5000 ENAMEL PROTECT... 194
potassium chloride-d5-0.9%nacl... 128	prednisone... 140	PREVIDENT 5000 ORTHO DEFENSE... 194
potassium chloride-0.45 % nacl... 128	PREFEST... 150	PREVIDENT 5000 PLUS... 194
potassium citrate... 128	pregabalin... 111	PREVIDENT 5000 SENSITIVE... 194
POTELIGEO... 61	PREGNYL... 142	PREVIDENT... 194
pr natal 400 ec... 128	PREHEVBRIOD (PF)... 162	PREVYMIS... 77
pr natal 400... 128	PREMARIN... 150	PREZCOBIX... 77
pr natal 430 ec... 128	PREMASOL 10 %... 128	PREZISTA... 77
pr natal 430... 128	PREMPHASE... 150	PRIALT... 175
PRADAXA... 90	PREMPRO... 150	PRIFTIN... 51
pralatrexate... 61	PRENATA... 128	PRILOSEC... 133
PRALUENT PEN... 103	PRENATABS FA... 128	primaquine... 66
pramipexole... 67, 68	prenatal plus (calcium carb)... 128	PRIMAXIN IV... 30
prasugrel... 90	prenatal plus dha... 128	primidone... 36
pravastatin... 103	prenatal plus vitamin-mineral... 128	primlev... 18
praziquantel... 66	prenatal vitamin plus low iron... 128	PRIMSOL... 30
prazosin... 103	prenatal-u... 128	PRIORIX (PF)... 162
PRECOSE... 85	PRENATE ELITE... 128	PRISTIQ... 41
PRED FORTE... 180	PRESTALIA... 103	PRIVIGEN... 162
PRED MILD... 180	PRETOMANID... 51	PRO COMFORT ALCOHOL PADS... 175
PRED-G... 180	PREVACID SOLUTAB... 133	PROAIR DIGIHALER... 187
prednicarbate... 121	PREVACID... 133	PROAIR HFA... 187
prednisolone acetate... 180	prevalite... 103	PROAIR RESPCLICK... 187
	PREVDUO... 175	probenecid... 48
	PREVIDENT KIDS... 194	

probenecid-colchicine... 48	promethazine-phenyleph-codeine... 193	PURIXAN... 61
procainamide... 103	promethazine-phenylephrine... 175	PYLERA... 133
PROCARDIA XL... 103	promethegan... 44	pyrazinamide... 51
procentra... 111	PROMETRIUM... 150	PYRIDIUM... 175
prochlorperazine edisylate... 44	propafenone... 103	pyridostigmine bromide... 51
prochlorperazine maleate... 44	proparacaine... 180	pyridoxine (vitamin b6)... 196
prochlorperazine... 44	PROPECIA... 192	pyrimethamine... 66
PROCRIPT... 90	propranolol... 103	PYRUKYND... 90
procto-med hc... 121	propranolol-hydrochlorothiazid... 103	<b>Q</b>
PROCTOFOAM HC... 167	propylthiouracil... 155	QALSODY... 111
proctosol hc... 121	PROQUAD (PF)... 163	QBRELIS... 103
protozone-hc... 121	PROSCAR... 138	QBREXZA... 121
PROSYSBI... 136, 137	PROSOL 20 %... 128	QDOLO... 18
progesterone micronized... 150	protamine... 175	QELBREE... 111
progesterone... 150	PROTONIX... 133	QINLOCK... 61
PROGLYCEM... 85	PROTOPIC... 121	QNDSL... 187
PROGRAF... 163	protriptyline... 41	QSYMIA... 197
PROLASTIN-C... 137	PROVENTIL HFA... 187	QTERN... 85
prolate... 18	PROVERA... 150	QUADRACEL (PF)... 163
PROLENSA... 180	PROVIGIL... 191	QUALAQUIN... 66
PROLEUKIN... 61	PROZAC... 42	QUARTETTE... 150
PROLIA... 169	PRUDOXIN... 121	QUDEXY XR... 49
PROMACTA... 90	PULMICORT FLEXHALER... 187	QUESTRAN LIGHT... 104
promethazine vc... 175	PULMICORT... 187	QUESTRAN... 103
promethazine vc-codeine... 193	PULMOZYME... 187	quetiapine... 71
promethazine... 44	PURE COMFORT ALCOHOL PADS...	QUILLICHEW ER... 111
promethazine-codeine... 193	175	QUILLIVANT XR... 111
promethazine-dm... 193		quinapril... 104

quinapril-hydrochlorothiazide... 104	RAYOS... 140	REMICADE... 163
quinidine gluconate... 104	RAZADYNE ER... 39	REMODULIN... 187
quinidine sulfate... 104	REBIF (WITH ALBUMIN)... 112	RENACIDIN... 175
quinine sulfate... 66	REBIF REBIDOSE... 112	RENAGEL... 128
QULIPTA... 49	REBIF TITRATION PACK... 112	RENFLEXIS... 163
QUTENZA... 175	REBLOZYL... 90	RENOVA... 192
QUVIVIQ... 191	REBYOTA... 175	RENVELA... 128
QUZYTTR... 187	RECARBRI... 30	repaglinide... 85
QVAR REDIHALER... 187	RECLAST... 169	REPATHA PUSHTRONEX... 104
<b>R</b>		
rabeprazole... 133	reclipsen (28)... 150	REPATHA SURECLICK... 104
RABAVERT (PF)... 163	RECOMBIVAX HB (PF)... 163	REPATHA SYRINGE... 104
RADICAVA ORS STARTER KIT SUSP... 112	RECORLEV... 154	RESPA-AR... 193
RADICAVA ORS... 112	RECTIV... 175	RESTASIS MULTIDOSE... 180
RADICAVA... 112	REDITREX (PF)... 163	RESTASIS... 180
RAGWITEK... 187	refissa... 192	RESTORIL... 191
raloxifene... 150	REGLAN... 44	RETACRIT... 90
ramelteon... 191	REGONOL... 51	RETEVMO... 61
ramipril... 104	REGRANEX... 121	RETIN-A MICRO PUMP... 121
RANEXA... 104	RELAFEN DS... 18	RETIN-A MICRO... 121
ranolazine... 104	RELAFEN... 18	RETIN-A... 121
RAPAFLO... 138	RELENZA DISKHALER... 77	RETROVIR... 77
RAPAMUNE... 163	RELEUKO... 90	REVATIO... 187
rasagiline... 68	RELEXXII... 112	REVCovi... 137
RASUVO (PF)... 163	RELISTOR... 134	revonto... 73
RAVICTI... 137	RELPAX... 49	REXULTI... 71
RAYALDEE... 169	RELTONE... 134	REYATAZ... 77
	REMERON SOLTAB... 42	REYVOW... 49
	REMERON... 42	REZDIFFRA... 175

REZLIDHIA...	61	RITUXAN HYCELA...	61	ROZLYTREK...	61
REZUROCK...	163	RITUXAN...	61	RUBRACA...	61
REZVOGLAR KWIKPEN...	86	rivastigmine tartrate...	39	RUCONEST...	164
REZZAYO...	47	rivastigmine...	39	rufinamide...	36
RHOPHYLAC...	163	rivelsa...	150	RUKOBIA...	77
RHOPRESSA...	180	RIVFLOZA...	175	RUXIENCE...	61
RIABNI...	61	rizatriptan...	49	RYALTRIS...	187
RIASTAP...	90	ROBAXIN...	190	RYBELSUS...	86
ribavirin...	77, 175	ROBINUL FORTE...	134	RYBREVANT...	62
RIDAURA...	164	ROBINUL...	134	RYCLORA...	187
rifabutin...	51	ROCALTROL...	169	RYDAPT...	62
RIFADIN...	51	ROCKLATAN...	180	RYLAZE...	62
rifampin...	51	roflumilast...	187	RYSTIGGO...	164
RILUTEK...	112	ROLVEDON...	91	RYTARY...	68
riluzole...	112	romidepsin...	61	RYTHMOL SR...	104
rimantadine...	77	ropinirole...	68	RYVENT...	187
RIMSO-50...	175	ropivacaine (pf)...	21	<b>S</b>	
ringer's...	128, 175	rosadan...	30	SABRIL...	
RINVOQ LQ...	164	rosuvastatin...	104	SAFYRAL...	
RINVOQ...	164	ROSZET...	104	SAIZEN SAIZENPREP...	
RIOMET...	86	ROTARIX...	164	142	
risedronate...	169	ROTATEQ VACCINE...	164	SAIZEN...	
RISPERDAL CONSTA...	71	ROWASA...	167	142	
RISPERDAL...	71	roweepra xr...	36	sajazir...	
risperidone...	71, 72	roweepra...	36	164	
RITALIN LA...	112	ROXICODONE...	18	SALAGEN (PILOCARPINE)...	
RITALIN...	112	ROXYBOND...	18	113	
ritonavir...	77	ROZEREM...	191	SAMSCA...	
				128	
				SANCUSO...	
				44	
				SANDIMMUNE...	
				164	
				SANDOSTATIN LAR DEPOT...	
				155	
				SANDOSTATIN...	
				155	

SANTYL...	121	SENSORCAINE...	21	SILVADENE...	121
SAPHNELO...	164	sensorcaine-epinephrine...	21	silver sulfadiazine...	121
SAPHRIS...	72	sensorcaine-mpf spinal...	21	SIMBRINZA...	180
sapropterin...	137	sensorcaine-mpf...	21	SIMLANDI(CF) AUTOINJECTOR...	
SARCLISA...	62	sensorcaine-mpf/epinephrine...	21	164	
SAVAYSA...	91	SEREVENT DISKUS...	187	simliya (28)...	150
SAVELLA...	112	SEROQUEL XR...	72	simpesse...	150
saxagliptin...	86	SEROQUEL...	72	SIMPONI ARIA...	164
saxagliptin-metformin...	86	SEROSTIM...	142	SIMPONI...	164
SAXENDA...	197	sertraline...	42	SIMULECT...	164
SCEMBLIX...	62	setlakin...	150	simvastatin...	104
scopolamine base...	44	sevelamer carbonate...	129	SINEMET...	68
se-natal 19 chewable...	129	sevelamer hcl...	129	SINGULAIR...	187
SEASONIQUE...	150	SEYSARA...	30	sirolimus...	164
SECUADO...	72	SEZABY...	36	SIRTURO...	51
SEGMENTIS...	18	sf 5000 plus...	194	sitagliptin...	86
SEGLUROMET...	86	sf...	194	sitagliptin-metformin...	86
SELECT-OB (FOLIC ACID)...	129	SFROWASA...	167	SIVEXTRO...	30
SELECT-OB + DHA...	129	sharobel...	150	SKYCLARYS...	112
SELECT-OB...	129	SHINGRIX (PF)...	164	SKYRIZI...	164
selegiline hcl...	68	SIGNIFOR LAR...	155	SKYTROFA...	142
selenium sulfide...	121	SIGNIFOR...	155	SLYND...	150
SELZENTRY...	77	SIKLOS...	175	SMOFLIPID...	129
SEMGLEE(INSULIN GLARG-YFGN)PEN...	86	sildenafil (pulm.hypertension)...	187	SOAANZ...	104
SEMGLEE(INSULIN GLARGINE-YFGN)...	86	sildenafil...	194	sodium benzoate-sod phenylacet...	
SENSIPAR...	169	SILENOR...	191	175	
		SILIQ...	164	sodium bicarbonate...	129
		silodosin...	138	sodium chloride 0.45 %...	129

sodium chloride 0.9 %... 129	SOLU-MEDROL... 141	SPS (WITH SORBITOL)... 129
sodium chloride 3 % hypertonic... 129	SOMA... 190	sronyx... 151
sodium chloride 5 % hypertonic... 129	SOMATULINE DEPOT... 155	SSD... 121
sodium chloride... 129, 175	SOMAVERT... 155	STALEVO 100... 68
SODIUM EDECIN... 104	SOOLANTRA... 121	STALEVO 125... 68
sodium fluoride 5000 dry mouth... 194	sorafenib... 62	STALEVO 150... 68
sodium fluoride 5000 plus... 194	sorbitol-mannitol... 175	STALEVO 200... 68
sodium fluoride-pot nitrate... 194	SORILUX... 121	STALEVO 50... 68
sodium oxybate... 191	sorine... 104	STALEVO 75... 68
sodium phenylbutyrate... 137	sotalol af... 104	stavudine... 78
sodium phosphate... 129	sotalol... 104	STEGLATRO... 86
sodium polystyrene sulfonate... 129	SOTYKTU... 164	STEGLUJAN... 86
sodium,potassium,mag sulfates... 134	SOTYLIZE... 104	STELARA... 165
SOGROYA... 142	SOVALDI... 77, 78	STENDRA... 194
SOHONOS... 175	SOVUNA... 66	STIMUFEND... 91
solifenacin... 138	SPEVIGO... 164	STIOLTO RESPIMAT... 188
SOLIQUA 100/33... 86	spinosad... 121	STIVARGA... 62
SOLIRIS... 164	SPIRIVA RESPIMAT... 187	STRATTERA... 112
SOLODYN... 30	SPIRIVA WITH HANDIHALER... 187	STRENSIQ... 137
SOLOSEC... 30	spironolacton-hydrochlorothiaz... 104	streptomycin... 30
SOLTAMOX... 62	spironolactone... 104	STRIBILD... 78
SOLU-CORTEF ACT-O-VIAL (PF)... 141	SPORANOX PULSEPAK... 47	STRIVERDI RESPIMAT... 188
SOLU-CORTEF... 140	SPORANOX... 47	STROMECTOL... 66
SOLU-MEDROL (PF)... 141	sprintec (28)... 150	SUBOXONE... 22
	SPRITAM... 36, 37	SUBSYS... 18
	SPRIX... 18	subvenite starter (blue) kit... 37
	SPRYCEL... 62	subvenite starter (green) kit... 37
		subvenite starter (orange) kit... 37

subvenite... 37	SUTAB... 134	TABRECTA... 62
SUCRAID... 137	SUTENT... 62	TACLONEX... 121, 122
sucralfate... 134	syeda... 151	tacrolimus... 122, 165
SUFLAVE... 134	SYLVANT... 165	tadalafil (pulm. hypertension)... 188
SULAR... 104	SYMBICORT... 188	tadalafil... 138, 194
sulfacetamide sodium (acne)... 30	SYMBYAX... 42	TADLIQ... 188
sulfacetamide sodium... 30, 180, 192	SYMDEKO... 188	TAFINLAR... 62
sulfacetamide sodium-sulfur... 192	SYMFI LO... 78	tafluprost (pf)... 180
sulfacetamide-prednisolone... 180	SYMFI... 78	TAGRISSO... 62
sulfadiazine... 30	SYMJEPI... 188	TAKHZYRO... 165
sulfamethoxazole-trimethoprim... 30, 31	SYMLINPEN 120... 86	TALICIA... 134
SULFAMYLON... 121	SYMLINPEN 60... 86	TALTZ AUTOINJECTOR (2 PACK)... 165
sulfasalazine... 168	SYMPAZAN... 37	TALTZ AUTOINJECTOR (3 PACK)... 165
SULFATRIM... 31	SYMPROIC... 134	TALTZ AUTOINJECTOR... 165
sulindac... 18	SYMTUZA... 78	TALTZ SYRINGE... 165
sumatriptan succinate... 49, 50	SYNAGIS... 175	TALVEY... 62
sumatriptan... 49	SYNALAR... 121	TALZENNA... 62
sumatriptan-naproxen... 50	SYNAREL... 155	TAMIFLU... 78
sunitinib malate... 62	SYNDROS... 44	tamoxifen... 62
SUNLENCA... 78	SYNERA... 21	tamsulosin... 138
SUNOSI... 191	SYNERCID... 31	taperdex... 141
SUPREP BOWEL PREP KIT... 134	SYNJARDY XR... 86	TARCEVA... 62
SURE COMFORT ALCOHOL PREP PADS... 175	SYNJARDY... 86	TARGADOX... 31
SURE-PREP ALCOHOL PREP PADS... 175	SYNRIBO... 62	TARGETIN... 62
SUSTIVA... 78	SYNTHROID... 153	tarina fe 1-20 eq (28)... 151
	SYPRINE... 129	tarina fe 1/20 (28)... 151
	T	
	TABLOID... 62	

tarina 24 fe...	151	telmisartan-amlodipine...	105	tetrabenazine...	112
TARPEYO...	168	telmisartan-hydrochlorothiazid...	105	tetracycline...	31
TASCENO ODT...	112	temazepam...	191	TEXACORT...	122
TASIGNA...	62	TEMIXYS...	78	TEZSPIRE...	165
tasimelteon...	191	TEMODAR...	63	THALITONE...	105
TASMAR...	68	TEMOVATE...	122	THALOMID...	63
tavaborole...	47	temsirolimus...	63	THAM...	129
TAVALISSE...	91	tencon...	175	THEO-24...	188
TAVNEOS...	165	TENIVAC (PF)...	165	theophylline in dextrose 5 %...	188
taysofy...	151	tenofovir disoproxil fumarate...	78	theophylline...	188
TAYTULLA...	151	TENORETIC 100...	105	thiamine hcl (vitamin b1)...	196
tazarotene...	122	TENORETIC 50...	105	THIOLA EC...	139
tazicef...	31	TENORMIN...	105	THIOLA...	139
TAZORAC...	122	TEPADINA...	63	thioridazine...	72
tatzia xt...	104	TEPEZZA...	175	thiotepa...	63
TAZVERIK...	62	TEPMETKO...	63	thiothixene...	72
TDVAX...	165	terazosin...	105	THYMOGLOBULIN...	165
TECENTRIQ...	62, 63	terbinafine hcl...	47	THYQUIDITY...	153
TECFIDERA...	112	terbutaline...	188	tiadylt er...	105
TECVAYLI...	63	terconazole...	47	tiagabine...	37
TEFLARO...	31	teriflunomide...	112	TIAZAC...	105
TEGLUTIK...	112	TESTIM...	151	TIBSOVO...	63
TEGRETOL XR...	37	testosterone cypionate...	151	TICOVAC...	165
TEGRETOL...	37	testosterone enanthate...	151	TIGAN...	44
TEGSEDI...	137	testosterone...	151	tigecycline...	31
TEKTURN A HCT...	105	TETANUS,DIPHTHERIA TOX		TIGLUTIK...	112
TEKTURN A...	104	PED(PF)...	165	TIKOSYN...	105
telmisartan...	105			tilia fe...	151

timolol maleate (pf)... 180	tolmetin... 19	tranexamic acid... 91
timolol maleate... 105, 180	TOLSURA... 47	TRANSDERM-SCOP... 44
TIMOPTIC OCUDOSE (PF)... 180	tolterodine... 139	TRANXENE T-TAB... 80
TIMOPTIC... 180	tolvaptan... 129	tranylcypromine... 42
TIMOPTIC-XE... 180	TOPAMAX... 50	TRAVASOL 10 %... 129
tinidazole... 31	TOPICORT... 122	TRAVATAN Z... 181
tiopronin... 139	topiramate... 50	travoprost... 181
tirofiban-0.9% sodium chloride... 91	toposar... 63	TRAZIMERA... 63
TIROSINT... 153	topotecan... 63	trazodone... 42
TIROSINT-SOL... 153	TOPROL XL... 105	TREANDA... 63
TIVDAK... 63	toremifene... 63	TRECATOR... 51
TIVICAY PD... 78	TORISEL... 63	TRELEGY ELLIPTA... 188
TIVICAY... 78	torpenz... 63	TRELSTAR... 155
tizanidine... 73	torsemide... 105	TREMFYA... 165
TLANDO... 151	TOSYMRA... 50	treprostинil sodium... 188
TOBI PODHALER... 188	TOTECT... 63	TRESIBA FLEXTOUCH U-100... 86
TOBI... 31	TOUJEO MAX U-300 SOLOSTAR... 86	TRESIBA FLEXTOUCH U-200... 86
TOBRADEX ST... 180	TOUJEO SOLOSTAR U-300	TRESIBA U-100 INSULIN... 86
TOBRADEX... 180	INSULIN... 86	tretinoin (antineoplastic)... 63
tobramycin in 0.225 % nacl... 31	tovet emollient... 122	tretinoin (emollient)... 192
tobramycin sulfate... 31	TOVIAZ... 139	tretinoin microspheres... 122
tobramycin with nebulizer... 31	TPN ELECTROLYTES... 129	tretinoin... 122
tobramycin... 31, 180	TRACLEER... 188	TREXALL... 165
tobramycin-dexamethasone... 180	TRADJENTA... 86	TREXIMET... 50
TOBREX... 181	tramadol... 19	TREZIX... 19
TOLAK... 122	tramadol-acetaminophen... 19	tri femynor... 151
tolcapone... 68	trandolapril... 105	tri-estarylla... 151
tolectin 600... 18	trandolapril-verapamil... 105	tri-legest fe... 151

tri-linyah... 151	TRIKAFTA... 188	TRULICITY... 87
tri-lo-estarrylla... 151	TRILEPTAL... 37	TRUMENBA... 165
tri-lo-marzia... 151	TRILIPIX... 105	TRUQAP... 63
tri-lo-mili... 151	trimethobenzamide... 45	TRUSELTIQ... 63
tri-lo-sprintec... 151	trimethoprim... 31	TRUSOPT... 181
TRI-LUMA... 192	trimipramine... 42	TRUVADA... 78
tri-mili... 151	trinatal rx 1... 129	TRUXIMA... 63
tri-nymyo... 151	TRINTELLIX... 42	TRYVIO... 105
tri-sprintec (28)... 151	TRIOSTAT... 153	TUDORZA PRESSAIR... 188
tri-vylibra lo... 151	TRIPTODUR... 155	TUKYSA... 63
tri-vylibra... 151	TRISENOX... 63	tulana... 152
triamcinolone acetonide... 113, 141	TRISTART DHA... 129	TURALIO... 63
triamterene... 105	tritocin... 141	turqoz (28)... 152
triamterene-hydrochlorothiazid... 105	TRIUMEQ PD... 78	TXARIN ER... 193
trianex... 141	TRIUMEQ... 78	TUZISTRA XR... 193
triazolam... 191	trivora (28)... 152	TWINRIX (PF)... 165
TRIBENZOR... 105	TRIZIVIR... 78	TWYNEO... 122
TRICARE... 129	TRODELVY... 63	TYBLUME... 152
TRICOR... 105	TROGARZO... 78	TYBOST... 78
tridacaine ii... 21	TROKENDI XR... 50	tydemy... 152
tridacaine iii... 21	TROPHAMINE 10 %... 129	TYENNE AUTOINJECTOR... 165
triderm... 141	trospium... 139	TYENNE... 165
trientine... 129	TRUDHESA... 50	TYGACIL... 31
trifluoperazine... 72	TRUE COMFORT ALCOHOL PADS... 175	TYKERB... 64
trifluridine... 181	TRUE COMFORT PRO ALCOHOL PADS... 176	TYMLOS... 169
trihexyphenidyl... 68	TRULANCE... 134	TYPHIM VI... 165
TRIJARDY XR... 86		TYRVAYA... 181
		TYSABRI... 112

TYVASO DPI... 188, 189	URSO FORTE... 134	vancomycin in dextrose 5 %... 31
TYVASO INSTITUTIONAL START KIT... 189	URSO 250... 134	vancomycin in 0.9 % sodium chl... 31
TYVASO REFILL KIT... 189	ursodiol... 134	vancomycin... 31
TYVASO STARTER KIT... 189	UVADEX... 122	vancomycin-diluent combo no.1... 32
TYVASO... 188	UZEDY... 72	VANDAZOLE... 32
TZIELD... 176	<b>V</b>	VANFLYTA... 64
<b>U</b>	V-GO 20... 176	VANIQA... 192
UBRELVY... 176	V-GO 30... 176	VANOS... 122
UCERIS... 168	V-GO 40... 176	VAPRISOL IN 5 % DEXTROSE... 130
UDENYCA AUTOINJECTOR... 91	VABOMERE... 31	VAQTA (PF)... 166
UDENYCA ONBODY... 91	VAGIFEM... 152	vardenafil... 194
UDENYCA... 91	valacyclovir... 78	varenicline... 22
ULORIC... 48	VALCHLOR... 64	VARIVAX (PF)... 166
ULTILET ALCOHOL SWAB... 176	VALCYTE... 78	VARIZIG... 166
ULTOMIRIS... 165	valganciclovir... 78	VARUBI... 45
ULTRACET... 19	VALIUM... 80	VASCEPA... 106
ULTRAM... 19	valproate sodium... 37	VASERETIC... 106
ULTRAVATE... 122	valproic acid (as sodium salt)... 37	VASOTEC... 106
UNASYN... 31	valproic acid... 37	VAZCULEP... 106
UNITHROID... 153	valrubicin... 64	vecamyl... 106
UNITUXIN... 64	valsartan... 106	VECTIBIX... 64
UPLIZNA... 166	valsartan-hydrochlorothiazide... 106	VECTICAL... 122
UPTRAVI... 189	VALSTAR... 64	VEGZELMA... 64
UROCIT-K 10... 129	VALTOCO... 37	VELCADE... 64
UROCIT-K 15... 130	VALTREX... 78	VELETRI... 189
UROCIT-K 5... 130	vanadom... 190	velivet triphasic regimen (28)... 152
UROXATRAL... 139	VANCOCIN... 31	

VELPHORO...	130	VIAGRA...	195	virt-nate dha...	130
VELSIPITY...	166	VIBATIV...	32	virt-pn dha...	130
VELTASSA...	130	VIBERZI...	134	VISTARIL...	189
VELTIN...	122	VIBRAMYCIN (CALCIUM)...	32	VISTOGARD...	64
VEMLIDY...	79	VIBRAMYCIN...	32	VITAFOL FE PLUS...	130
VENCLEXTA STARTING PACK...	64	VICTOZA 2-PAK...	87	VITAFOL GUMMIES...	130
VENCLEXTA...	64	VICTOZA 3-PAK...	87	VITAFOL NANO...	130
VENLAFAXINE BESYLATE...	42	VIDAZA...	64	VITAFOL ULTRA...	130
venlafaxine...	42	vienna...	152	VITAFOL-OB...	130
VENTAVIS...	189	vigabatrin...	37	VITAFOL-OB+DHA...	130
VENTOLIN HFA...	189	vigadron...	37	VITAFOL-ONE...	130
VEOPPOZ...	166	VIGAMOX...	181	VITAMEDMD ONE RX...	130
VEOZAH...	176	vigpoder...	37	vitamin d2...	196
verapamil...	106	VIIBRYD...	42	vitamin k...	196
VERDESO...	122	VIJOICE...	137	vitamin k1...	196
VEREGEN...	122	vilazodone...	42	VITRAKVI...	64
VERELAN PM...	106	VIMOVO...	19	vivacaine...	21
VERIPRED 20...	141	VIMPAT...	37	VIVELLE-DOT...	152
VERKAZIA...	181	vinblastine...	64	VIVITROL...	22
VERQUVO...	106	vincasar pfs...	64	VIVJOA...	48
VERSACLOZ...	72	vincristine...	64	VIVLODEX...	19
VERZENIO...	64	vinorelbine...	64	VIZIMPRO...	64
VESICARE LS...	139	VIOKACE...	137	VOCABRIA...	79
VESICARE...	139	viorele (28)...	152	VOGELXO...	152
vestura (28)...	152	VIRACEPT...	79	volnea (28)...	152
VEVYE...	181	VIRAZOLE...	176	VONJO...	64
VFEND IV...	48	VIREAD...	79	VOQUEZNA DUAL PAK...	134
VFEND...	47	virt-c dha...	130	VOQUEZNA TRIPLE PAK...	134

VOQUEZNA... 134	VYXEOS... 64	XALKORI... 64
voriconazole... 48	VYZULTA... 181	XANAX XR... 81
VOSEVI... 79	<b>W</b>	
VOTRIENT... 64	WAINUA... 137	XARELTO DVT-PE TREAT 30D
VOWST... 176	WAKIX... 191	START... 91
VOXZOGO... 176	warfarin... 91	XARELTO... 91
VOYDEYA... 166	water for irrigation, sterile... 176	XATMEP... 166
VPRIV... 137	WEBCOL... 176	XCOPRI MAINTENANCE PACK... 38
VRAYLAR... 72	WEGOVY... 176	XCOPRI TITRATION PACK... 38
VTAMA... 122	WELCHOL... 106	XCOPRI... 37, 38
vtol lq... 176	WELIREG... 64	XDEMVY... 176
VUITY... 181	WELLBUTRIN SR... 42	XELJANZ XR... 166
VUMERITY... 112	WELLBUTRIN XL... 42	XELJANZ... 166
VUSION... 48	wera (28)... 152	XELPROS... 181
VYEPTI... 50	wescap-pn dha... 130	XELSTRYM... 113
vyfemla (28)... 152	wesnatal dha complete... 130	XEMBIFY... 166
VYJUVEK... 176	wesnate dha... 130	XENAZINE... 113
VYLEESI... 195	westab plus... 130	XENICAL... 176
vylibra... 152	westgel dha... 130	XENLETA... 32
VYNDAMAX... 137	WINLEVI... 122	XENPOZYME... 137
VYNDAQEL... 137	WINREVAIR... 189	XEPI... 122
VYTORIN 10-10... 106	WINRHO SDF... 166	XERAVA... 32
VYTORIN 10-20... 106	wixela inhub... 189	XERESE... 79
VYTORIN 10-40... 106	wymzya fe... 152	XERMELO... 134
VYTORIN 10-80... 106	<b>X</b>	
VYVANSE... 112	XACIATO... 32	XGEVA... 169
VYVGART HYTRULO... 166	XADAGO... 68	XHANCE... 189
VYVGART... 166	XALATAN... 181	XIFAXAN... 134
		XIGDUO XR... 87

XIIDRA... 181	YUFLYMA(CF) AI CROHN'S-UC-HS... 166	ZELBORAF... 65
XIMINO... 32	YUFLYMA(CF) AUTOINJECTOR... 166	ZEMAIRA... 137
XOFLUZA... 79	YUFLYMA(CF)... 166	ZEMBRACE SYMTOUCH... 50
XOLAIR... 166	YUPELRI... 189	ZEMDRI... 32
XOLEGEL... 48	YUSIMRY(CF) PEN... 166	ZEMPLAR... 169
XOLREMDI... 91	yuvafem... 152	zenatane... 122, 123
XOPENEX HFA... 189	<b>Z</b>	ZENPEP... 137
XOSPATA... 64	zafemy... 152	zenzedi... 113
XPHOZAH... 130	zafirlukast... 189	ZEPATIER... 79
XPOVIO... 65	zaleplon... 191	ZEPBOUND... 197
XTAMPZA ER... 19	ZALTRAP... 65	ZEPOSIA STARTER KIT (28-DAY)... 113
XTANDI... 65	ZANAFLEX... 73	ZEPOSIA STARTER KIT (37-DAY)... 113
xulane... 152	ZANOSAR... 65	ZEPOSIA STARTER PACK (7-DAY)... 113
XULTOPHY 100/3.6... 87	zarah... 152	ZEPOSIA... 113
XURIDEN... 137	ZARONTIN... 38	ZEPZELCA... 65
XYOSTED... 152	ZARXIO... 91	ZERBAXA... 32
XYREM... 191	zatean-pn dha... 130	ZERVIATE... 181
XYWAV... 191	zatean-pn plus... 130	ZESTORETIC... 106
<b>Y</b>	ZAVESCA... 137	ZESTRIL... 106
yargesa... 137	ZAVZPRET... 176	ZETIA... 106
YASMIN (28)... 152	ZCORT... 141	ZETONNA... 189
YAZ (28)... 152	ZEBUTAL... 176	ZEVALIN (Y-90)... 176
YCANTH... 176	ZEGALOGUE AUTOINJECTOR... 87	ZIAC... 106
YERVOY... 65	ZEGALOGUE SYRINGE... 87	ZIAGEN... 79
YF-VAX (PF)... 166	ZEGERID... 134, 135	ZIANA... 123
YONDELIS... 65	ZEJULA... 65	zidovudine... 79
YONSA... 65	ZELAPAR... 68	
YOSPRALA... 91		

ZIEXTENZO... 91	ZOLOFT... 42	ZYMAXID... 181
ZILBRYSQ... 166	zolpidem... 191	ZYMFENTRA... 167
zileuton... 189	ZOLPIMIST... 191	ZYNLONTA... 65
ZILRETTA... 141	ZOMACTON... 142	ZYNRELEF... 176
ZILXI... 123	ZOMIG... 50	ZYNYZ... 65
ZIMHI... 22	ZONALON... 123	ZYPITAMAG... 106
zingiber... 176	ZONEGRAN... 38	ZYPREXA RELPREVV... 72, 73
ZINPLAVA... 135	ZONISADE... 38	ZYPREXA ZYDIS... 73
ZIOPTAN (PF)... 181	zonisamide... 38	ZYPREXA... 72
ziprasidone hcl... 72	ZONTIVITY... 91	ZYTIGA... 65
ziprasidone mesylate... 72	ZORTRESS... 166, 167	ZYVOX... 32
ZIPSOR... 19	ZORVOLEX... 19	
ZIRABEV... 65	ZORYVE... 123	
ZIRGAN... 79	ZOSYN IN DEXTROSE (ISO-OSM)... 32	
ZITHROMAX TRI-PAK... 32	zovia 1-35 (28)... 152	
ZITHROMAX Z-PAK... 32	ZOVIRAX... 79	
ZITHROMAX... 32	ZTALMY... 38	
ZITUVIO... 87	ZTLIDO... 21	
ZOCOR... 106	ZUBSOLV... 22	
ZOKINVY... 137	ZULRESSO... 42	
ZOLADEX... 155	zumandimine (28)... 152	
zoledronic ac-mannitol-0.9nacl... 169	ZURZUVAE... 43	
zoledronic acid... 169	ZYCLARA... 123	
zoledronic acid-mannitol-water... 169	ZYDELIG... 65	
ZOLINZA... 65	ZYFLO... 189	
zolmitriptan... 50	ZYKADIA... 65	
	ZYLET... 181	
	ZYLOPRIM... 48	

## **Important**

---

### **At Humana, it is important you are treated fairly.**

Humana Inc. and its subsidiaries do not discriminate or exclude people because of their race, color, national origin, age, disability, sex, sexual orientation, gender, gender identity, ancestry, ethnicity, marital status, religion, or language. Discrimination is against the law. Humana and its subsidiaries comply with applicable federal civil rights laws. If you believe that you have been discriminated against by Humana or its subsidiaries, there are ways to get help.

- You may file a complaint, also known as a grievance:  
Discrimination Grievances, P.O. Box 14618, Lexington, KY 40512-4618  
If you need help filing a grievance, call **1-866-396-8810** or if you use a **TTY**,  
call **711**.
- You can also file a civil rights complaint with the **U.S. Department of Health and Human Services**, Office for Civil Rights electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or at **U.S. Department of Health and Human Services**, 200 Independence Avenue, SW, Room 509F, HHH Building, Washington, DC 20201, **1-800-368-1019**, **800-537-7697 (TDD)**.
- **California residents:** You may also call the California Department of Insurance toll-free hotline number: **1-800-927-HELP (4357)**, to file a grievance.

Complaint forms are available at <https://www.hhs.gov/ocr/office/file/index.html>.

**Auxiliary aids and services, free of charge, are available to you. 1-866-396-8810 (TTY: 711)**

Humana provides free auxiliary aids and services, such as qualified sign language interpreters, video remote interpretation, and written information in other formats to people with disabilities when such auxiliary aids and services are necessary to ensure an equal opportunity to participate.

## Multi-Language Insert

### Multi-language Interpreter Services

**English:** We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-877-320-1235 (TTY: 711). Someone who speaks English can help you. This is a free service.

**Spanish:** Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-877-320-1235 (TTY: 711). Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

**Chinese Mandarin:** 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-877-320-1235 ( 听障专线 : 711)。我们的中文工作人员很乐意帮助您。这是一项免费服务。

**Chinese Cantonese:** 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-877-320-1235 ( 聽障專線 : 711)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

**Tagalog:** Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-877-320-1235 (TTY: 711). Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

**French:** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-877-320-1235 (TTY: 711). Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

**Vietnamese:** Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-877-320-1235 (TTY: 711) sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

**German:** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-877-320-1235 (TTY: 711). Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

**Korean:** 당사는 의료 보험 또는 약품 보험에 관한 질문에 답해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-877-320-1235 (TTY: 711) 번으로 문의해 주십시오 . 한국어를 하는 담당자가 도와 드릴 것입니다 . 이 서비스는 무료로 운영됩니다 .

**Russian:** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-877-320-1235 (TTY: 711). Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

**Arabic:** إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بخطتنا الصحية أو خطة الأدوية الموصوفة لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على 1-877-320-1235 (TTY: 711). سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

**Hindi:** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-877-320-1235 (TTY: 711) पर फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।

**Italian:** È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-877-320-1235 (TTY: 711). Un nostro incaricato che parla Italiano fornirà l'assistenza necessaria. È un servizio gratuito.

**Portuguese:** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-877-320-1235 (TTY: 711). Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

**French Creole:** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-877-320-1235 (TTY: 711). Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

**Polish:** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-877-320-1235 (TTY: 711). Ta usługa jest bezpłatna.

**Japanese:** 当社の健康保険と処方薬プランに関するご質問にお答えするために、無料の通訳サービスをご用意しています。通訳をご用命になるには、1-877-320-1235 (TTY:711) にお電話ください。日本語を話す者が支援いたします。これは無料のサービスです。





This formulary was updated on 08/01/2024. For more recent information or other questions, please contact the Humana Medicare Employer Plan with any questions at the number on the back of your membership card or, for TTY users, 711, Monday through Friday, from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day, 7 days a week, by visiting **Humana.com**.